

IBC CODE

2007 Edition

INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK

Copyright © International Maritime Organization 2007



INTERNATIONAL
MARITIME
ORGANIZATION

London, 2007

Chapter 17

Summary of minimum requirements

Mixtures of noxious liquid substances presenting pollution hazards only, and which are assessed or provisionally assessed under regulation 6.3 of MARPOL Annex II, may be carried under the requirements of the Code applicable to the appropriate position of the entry in this chapter for Noxious Liquid Substances, not otherwise specified (n.o.s.).

EXPLANATORY NOTES

| | |
|--|--|
| Product name (column a) | The product name shall be used in the shipping document for any cargo offered for bulk shipments. Any additional name may be included in brackets after the product name. In some cases, the product names are not identical with the names given in previous issues of the Code. |
| UN Number (column b) | <i>Deleted</i> |
| Pollution Category (column c) | The letter X, Y, Z means the Pollution Category assigned to each product under MARPOL Annex II |
| Hazards (column d) | “S” means that the product is included in the Code because of its safety hazards; “P” means that the product is included in the Code because of its pollution hazards; and “S/P” means that the product is included in the Code because of both its safety and pollution hazards. |
| Ship type (column e) | 1: ship type 1 (2.1.2.1) 2: ship type 2 (2.1.2.2) 3: ship type 3 (2.1.2.3) |
| Tank type (column f) | 1: independent tank (4.1.1) 2: integral tank (4.1.2) G: gravity tank (4.1.3) P: pressure tank (4.1.4) |
| Tank vents (column g) | Cont.: controlled venting Open: open venting |
| Tank environmental control (column h) | Inert: inerting (9.1.2.1) Pad: liquid or gas padding (9.1.2.2) Dry: drying (9.1.2.3) Vent: natural or forced ventilation (9.1.2.4) No: no special requirements under this Code |
| Electrical equipment (column i) | Temperature classes (i') T1 to T6 - indicates no requirements blank no information Apparatus group (i'') IIA, IIB or IIC: - indicates no requirements blank no information Flashpoint (i''') Yes: flashpoint exceeding 60°C (10.1.6) No: flashpoint not exceeding 60°C (10.1.6) NF: non-flammable product (10.1.6) |

| | |
|---|--|
| Gauging (column j) | O: open gauging (13.1.1.1) R: restricted gauging (13.1.1.2) C: closed gauging (13.1.1.3) |
| Vapour detection (column k) | F: flammable vapours T: toxic vapours No: indicates no special requirements under this Code |
| Fire protection (column l) | A: alcohol-resistant foam or multi-purpose foam B: regular foam; encompasses all foams that are not of an alcohol-resistant type, including fluoro-protein and aqueous-film-forming foam (AFFF) C: water-spray D: dry chemical No: no special requirements under this Code |
| Materials of construction (column m) | <i>Deleted</i> |
| Emergency equipment (column n) | Yes: see 14.3.1 No: no special requirements under this Code |
| Specific and operational requirements (column o) | When specific reference is made to chapters 15 and/or 16, these requirements shall be additional to the requirements in any other column |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|-----|---|----|------|----|----|-----|------|---|-----|---------|-----|---|
| Acetic acid | Z | S/P | 3 | 2G | Cont | No | T1 | IIA | No | R | F | A | Yes | 15.11.2, 15.11.3, 15.11.4, 15.11.6, 15.11.7, 15.11.8, 15.19.6, 16.2.9 |
| Acetic anhydride | Z | S/P | 2 | 2G | Cont | No | T2 | IIA | No | R | F-T | A | Yes | 15.11.2, 15.11.3, 15.11.4, 15.11.6, 15.11.7, 15.11.8, 15.19.6 |
| Acetochlor (n) | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Acetone cyanohydrin | Y | S/P | 2 | 2G | Cont | No | T1 | IIA | Yes | C | T | A | Yes | 15.12, 15.13, 15.17, 15.18, 15.19, 16.6.1, 16.6.2, 16.6.3 |
| Acetonitrile | Z | S/P | 2 | 2G | Cont | No | T2 | IIA | No | R | F-T | A | No | 15.12, 15.19.6 |
| Acetonitrile (low purity grade) (n) | Y | S/P | 3 | 2G | Cont | No | T1 | IIA | No | R | F-T | A, C | No | 15.12.3, 15.12.4, 15.19.6 |
| Acid oil mixture from soyabean, corn (maize) and sunflower oil refining (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Acrylamide solution (50% or less) (n) | Y | S/P | 2 | 2G | Open | No | | | NF | C | No | No | No | 15.12.3, 15.13, 15.19.6, 16.2.9, 16.6.1 |
| Acrylic acid (n) | Y | S/P | 2 | 2G | Cont | No | T2 | IIA | No | C | F-T | A | Yes | 15.11.2, 15.11.3, 15.11.4, 15.11.6, 15.11.7, 15.11.8, 15.12.3, 15.12.4, 15.13, 15.17, 15.19, 16.2.9, 16.6.1 |
| Acrylic acid | Y | S/P | 2 | 2G | Cont | No | T2 | IIA | No | R | F-T | A | No | 15.13, 15.19.6, 16.2.9, 16.6.1 |
| Acrylonitrile | Y | S/P | 2 | 2G | Cont | No | T1 | IIA | No | C | F-T | A | Yes | 15.12, 15.13, 15.17, 15.19 |
| Acrylonitrile-Styrene copolymer dispersion in polyether polyol | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6 |
| Adiponitrile | Z | S/P | 3 | 2G | Cont | No | | IIA | Yes | R | T | A | No | 16.2.9 |
| Alachlor technical (90% or more) | X | S/P | 2 | 2G | Open | No | | | Yes | O | No | A, C | No | 15.19.6, 16.2.9 |
| Alcohol (C ₉ -C ₁₁) poly(2.5-9)ethoxylate | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Alcohol (C ₆ -C ₁₇) (secondary) poly(3-6)ethoxylates | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Alcohol (C ₆ -C ₁₇) (secondary) poly(7-12)ethoxylates | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Alcohol (C ₁₂ -C ₁₆) poly(1-6)ethoxylates | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Alcohol (C ₁₂ -C ₁₆) poly(20+)ethoxylates | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Alcohol (C ₁₂ -C ₁₆) poly(7-19)ethoxylates | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Alcohols (C ₁₃ +) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.9 |
| Alcohols (C ₈ -C ₁₁), primary, linear and essentially linear (n) | Y | S/P | 2 | 2G | Cont | No | - | - | Yes | R | T | A, B, C | No | 15.12.3, 15.2.4, 15.19.6, 16.2.6, 16.2.9 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|-----|---|----|------|----|----|-----|------|---|-----|---------|-----|-------------------------|
| Alcohols (C ₁₂ -C ₁₃), primary, linear and essentially linear (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Alcohols (C ₁₄ -C ₁₈), primary, linear and essentially linear (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6 |
| Alkanes (C ₆ -C ₉) | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| n-Alkanes (C ₁₀₊) | Y | P | 3 | 2G | Cont | No | - | - | No | R | F | A | No | 15.19.6 |
| n-Alkanes (C ₁₀₊) (n) | Z | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | |
| Alkaryl polyethers (C ₉ -C ₂₀) (n) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6 |
| Alkenyl (C ₁₁₊) amide (n) | X | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Alkenyl (C ₁₆ -C ₂₀) succinic anhydride | Z | S/P | 3 | 2G | Cont | No | | | Yes | C | T | No | Yes | 15.12, 15.17, 15.19 |
| Alkyl acrylate-Vinylpyridine copolymer in toluene (n) | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.9 |
| Alkyl/aryl phosphate mixtures (more than 40% Diphenyl tolyl phosphate, less than 0.02% ortho-isomers) | X | S/P | 1 | 2G | Cont | No | T1 | IIA | Yes | C | T | A, B, C | No | 15.12, 15.17, 15.19 |
| Alkylated (C ₄ -C ₉) hindered phenols | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | B, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Alkylbenzene, alkylindane, alkylindene mixture (each C ₁₂ -C ₁₇) | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Alkyl benzene distillation bottoms (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6 |
| Alkylbenzene mixtures (containing at least 50% of toluene) (n) | Y | S/P | 3 | 2G | Cont | No | T1 | IIA | No | C | F-T | A, B, C | No | 15.12, 15.17, 15.19.6 |
| Alkyl (C ₃ -C ₄) benzenes (n) | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Alkyl (C ₅ -C ₈) benzenes (n) | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Alkyl(C ₉₊)benzenes (n) | Y | P | 3 | 2G | Open | No | - | - | Yes | O | No | A, B | No | |
| Alkyl(C ₉₊)benzenes | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A, B | No | |
| Alkyl (C ₁₁ -C ₁₇) benzene sulphonic acid (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Alkylbenzene sulphonic acid, sodium salt solution (n) | Y | S/P | 2 | 2G | Open | No | - | - | NF | O | No | No | No | 15.19.6, 16.2.6, 16.2.9 |
| Alkyl (C ₁₂₊) dimethylamine | X | S/P | 1 | 2G | Cont | No | - | - | Yes | C | T | B, C, D | Yes | 15.12, 15.17, 15.19 |
| Alkyl dithiocarbamate (C ₁₉ -C ₃₅) | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Alkyl/dithiothiadiazole (C ₆ -C ₂₄) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | |
| Alkyl/dithiothiadiazole (C ₆ -C ₂₄) (n) | Y | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Alkyl ester copolymer (C ₄ -C ₂₀) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|---|----|------|----|----|------|------|---|-----|---------|-----|--|
| Alkyl (C ₈ -C ₁₀)/(C ₁₂ -C ₁₄)(40% or less/60% or more) polyglucoside solution (55% or less) | Y | P | 3 | 2G | Open | No | | | Yes | O | No | No | No | 15.19.6, 16.2.6, 16.2.9 |
| Alkyl (C ₈ -C ₁₀)/(C ₁₂ -C ₁₄)(50%/50%) polyglucoside solution (55% or less) | Y | P | 3 | 2G | Open | No | | | Yes | O | No | No | No | 16.2.6, 16.2.9 |
| Alkyl (C ₈ -C ₁₀)/(C ₁₂ -C ₁₄)(60% or more/40% or less) polyglucoside solution (55% or less) | Y | P | 3 | 2G | Open | No | | | Yes | O | No | No | No | 16.2.6, 16.2.9 |
| Alkyl (C ₇ -C ₉) nitrates (n) | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 15.20, 16.6.1, 16.6.2, 16.6.3 |
| Alkyl(C ₇ -C ₁₁)phenol poly(4-12)ethoxylate (n) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Alkyl (C ₈ -C ₁₀) phenol sulphide | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Alkyl (C ₈ -C ₉) phenylamine in aromatic solvents | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Alkyl (C ₉ -C ₁₅) phenyl propoxylate | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Alkyl (C ₁₂ -C ₁₄) polyglucoside solution (55% or less) | Y | P | 3 | 2G | Open | No | | | Yes | O | No | No | No | 15.19.6, 16.2.9 |
| Alkyl (C ₈ -C ₁₀) polyglucoside solution (65% or less) | Y | P | 3 | 2G | Open | No | | | Yes | O | No | No | No | 16.2.9 |
| Alkyl (C ₁₀ -C ₂₀ , saturated and unsaturated) phosphite | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 16.2.9 |
| Alkyl sulphonic acid ester of phenol | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6 |
| Allyl alcohol | Y | S/P | 2 | 2G | Cont | No | T2 | II B | No | C | F-T | A | Yes | 15.12, 15.17, 15.19 |
| Allyl chloride | Y | S/P | 2 | 2G | Cont | No | T2 | II A | No | C | F-T | A | Yes | 15.12, 15.17, 15.19 |
| Aluminium sulphate solution | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| 2-(2-Aminoethoxy)ethanol (n) | Z | S/P | 3 | 2G | Open | No | | | Yes | O | No | A, D | No | 15.19.6 |
| Aminoethyldiethanolamine/ Aminoethylethanolamine solution (n) | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 16.2.9 |
| Aminoethylethanolamine | Z | S/P | 3 | 2G | Open | No | T2 | II A | Yes | O | No | A | No | |
| N-Aminoethylpiperazine (n) | Z | S/P | 3 | 2G | Cont | No | | | Yes | R | T | A | No | 15.19.6, 16.2.9 |
| 2-Amino-2-methyl-1-propanol | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Ammonia aqueous (28% or less) | Y | S/P | 2 | 2G | Cont | No | | | NF | R | T | A, B, C | Yes | 15.19.6 |
| Ammonium hydrogen phosphate solution | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Ammonium lignosulphonate solutions (n) | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 16.2.9 |
| Ammonium nitrate solution (93% or less) | Z | S/P | 2 | 1G | Open | No | | | NF | O | No | No | No | 15.2, 15.11.4, 15.11.6, 15.18, 15.19.6, 16.2.9 |
| Ammonium polyphosphate solution | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Ammonium sulphate solution | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|---|----|------|----|----|------|------|---|-----|------|-----|---|
| Ammonium sulphide solution (45% or less) | Y | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A | Yes | 15.12, 15.17, 15.19, 16.6.1, 16.6.2, 16.6.3 |
| Ammonium thiosulphate solution (60% or less) (n) | Z | P | 3 | 2G | Open | No | | | NF | O | No | No | No | 16.2.9 |
| Amyl acetate (all isomers) | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| n-Amyl alcohol | Z | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | |
| Amyl alcohol, primary | Z | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | |
| sec-Amyl alcohol | Z | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | |
| tert-Amyl alcohol | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | |
| tert-Amyl methyl ether | X | P | 2 | 2G | Cont | No | T3 | | No | R | F | A | No | 15.19.6 |
| Aniline | Y | S/P | 2 | 2G | Cont | No | T1 | IIA | Yes | C | T | A | No | 15.12, 15.17, 15.19 |
| Aryl polyolefins (C ₁₁ -C ₅₀) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Aviation alkylates (C ₈ paraffins and iso-paraffins BPT 95-120°C) | X | P | 2 | 2G | Cont | No | | | No | R | F | B | No | 15.19.6 |
| Barium long chain (C ₁₁ -C ₅₀) alkaryl sulphonate | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | A, D | No | 15.12.3, 15.19, 16.2.6, 16.2.9 |
| Benzene and mixtures having 10% benzene or more (i) | Y | S/P | 3 | 2G | Cont | No | T1 | IIA | No | C | F-T | A, B | No | 15.12.1, 15.17, 15.19.6, 16.2.9 |
| Benzene sulphonyl chloride (n) | Z | S/P | 3 | 2G | Cont | No | | | Yes | R | T | A, D | No | 15.19.6, 16.2.9 |
| Benzenetricarboxylic acid, trioctyl ester | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6 |
| Benzyl acetate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Benzyl alcohol | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Benzyl chloride (n) | Y | S/P | 2 | 2G | Cont | No | T1 | IIA | Yes | C | T | A, B | Yes | 15.12, 15.13, 15.17, 15.19 |
| Brake fluid base mix: Poly(2-8)alkylene (C ₂ -C ₃) glycols/Polyalkylene (C ₂ -C ₁₀) glycols monoalkyl (C ₁ -C ₄) ethers and their borate esters (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | |
| Bromochloromethane | Z | S/P | 3 | 2G | Cont | No | | | NF | R | T | No | No | |
| Butene oligomer (n) | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Butyl acetate (all isomers) | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Butyl acrylate (all isomers) | Y | S/P | 2 | 2G | Cont | No | T2 | II B | No | R | F-T | A | No | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| tert-Butyl alcohol | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | |
| Butylamine (all isomers) | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A | Yes | 15.12, 15.17, 15.19.6 |
| Butylbenzene (all isomers) | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Butyl benzyl phthalate | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|---|----|------|-------|----|------|------|---|-----|------|----|---|
| Butyl butyrate (all isomers) | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Butyl/Decyl/Cetyl/Eicosyl methacrylate mixture | Y | S/P | 2 | 2G | Cont | No | | | Yes | R | No | A, D | No | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| Butylene glycol | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| 1,2-Butylene oxide | Y | S/P | 3 | 2G | Cont | Inert | T2 | II B | No | R | F | A, C | No | 15.8.1 to 15.8.7, 15.8.12, 15.8.13, 15.8.16, 15.8.17, 15.8.18, 15.8.19, 15.8.21, 15.8.25, 15.8.27, 15.8.29, 15.19.6 |
| n-Butyl ether | Y | S/P | 3 | 2G | Cont | Inert | T4 | II B | No | R | F-T | A | No | 15.4.6, 15.12, 15.19.6 |
| Butyl methacrylate | Z | S/P | 3 | 2G | Cont | No | | II A | No | R | F-T | A, D | No | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| n-Butyl propionate | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Butyraldehyde (all isomers) | Y | S/P | 3 | 2G | Cont | No | T3 | II A | No | R | F-T | A | No | 15.19.6 |
| Butyric acid | Y | S/P | 3 | 2G | Cont | No | | | Yes | R | No | A | No | 15.11.2, 15.11.3, 15.11.4, 15.11.6, 15.11.7, 15.11.8, 15.19.6 |
| gamma-Butyrolactone | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| Calcium carbonate slurry | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Calcium hydroxide slurry (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 16.2.9 |
| Calcium hypochlorite solution (15% or less) | Y | S/P | 2 | 2G | Cont | No | | | NF | R | No | No | No | 15.19.6 |
| Calcium hypochlorite solution (more than 15%) | X | S/P | 1 | 2G | Cont | No | | | NF | R | No | No | No | 15.19, 16.2.9 |
| Calcium lignosulphonate solutions (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 16.2.9 |
| Calcium long-chain alkaryl sulphionate (C ₁₁ -C ₅₀) (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 16.2.9 |
| Calcium long-chain alkyl (C ₅ -C ₁₀) phenate | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Calcium long-chain alkyl (C ₁₁ -C ₄₀) phenate | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | |
| Calcium long-chain alkyl (C ₁₁ -C ₄₀) phenate (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Calcium long-chain alkyl phenate sulphide (C ₆ -C ₄₀) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Calcium long-chain alkyl salicylate (C ₁₃ +) (n) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6 |
| Calcium nitrate/Magnesium nitrate/Potassium chloride solution (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 16.2.9 |
| epsilon-Caprolactam (molten or aqueous solutions) | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Carbolic oil (n) | Y | S/P | 2 | 2G | Cont | No | | | Yes | C | F-T | A | No | 15.12, 15.19.6, 16.2.9 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|-----|-------|----|------|-------------|----|-----|------|---|-----|------------|-----|--|
| Carbon disulphide | Y | S/P | 2 | 1G | Cont | Pad + inert | T6 | IIC | No | C | F-T | C | Yes | 15.3, 15.12, 15.19 |
| Carbon tetrachloride | Y | S/P | 2 | 2G | Cont | No | | | NF | C | T | No | Yes | 15.12, 15.17, 15.19.6 |
| Cashew nut shell oil (untreated) (n) | Y | S | 2 | 2G | Cont | No | | | Yes | R | T | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Castor oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Castor oil (containing less than 2% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6 |
| Cetyl/Eicosyl methacrylate mixture | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | A, D | No | 15.13, 15.19.6, 16.2.9, 16.6.1, 16.6.2 |
| Chlorinated paraffins (C ₁₀ -C ₁₃) | X | P | 1 | 2G | Open | No | | | Yes | O | No | A | No | 15.19, 16.2.6 |
| Chlorinated paraffins (C ₁₄ -C ₁₇) (with 50% chlorine or more, and less than 1% C ₁₃ or shorter chains) (n) | X | P | 1 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19 |
| Chloroacetic acid (80% or less) | Y | S/P | 2 | 2G | Cont | No | | | NF | C | No | No | No | 15.11.2, 15.11.4, 15.11.6, 15.11.7, 15.11.8, 15.12.3, 15.19, 16.2.9 |
| Chlorobenzene | Y | S/P | 2 | 2G | Cont | No | T1 | IIA | No | R | F-T | A, B | No | 15.19.6 |
| Chloroform | Y | S/P | 3 | 2G | Cont | No | | | NF | R | T | No | Yes | 15.12, 15.19.6 |
| Chlorohydrins (crude) | Y | S/P | 2 | 2G | Cont | No | | IIA | No | C | F-T | A | No | 15.12, 15.19 |
| 4-Chloro-2-methylphenoxycetic acid, dimethylamine salt solution | Y | P | 2 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.9 |
| o-Chloronitrobenzene (n) | Y | S/P | 2 | 2G | Cont | No | | | Yes | C | T | A, B, D | No | 15.12, 15.17, 15.18, 15.19, 16.2.6, 16.2.9 |
| 1-(4-Chlorophenyl)-4,4-dimethylpentan-3-one | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B, D | No | 15.19.6, 16.2.6, 16.2.9 |
| 2- or 3-Chloropropionic acid | Z | S/P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.11.2, 15.11.3, 15.11.4, 15.11.6, 15.11.7, 15.11.8, 16.2.9 |
| Chlorosulphonic acid | Y | S/P | 1 | 2G | Cont | No | | | NF | C | T | No | Yes | 15.11.2, 15.11.3, 15.11.4, 15.11.5, 15.11.6, 15.11.7, 15.11.8, 15.12, 15.16.2, 15.19 |
| m-Chlorotoluene | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A, B | No | 15.19.6 |
| o-Chlorotoluene | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A, B | No | 15.19.6 |
| p-Chlorotoluene | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A, B | No | 15.19.6, 16.2.9 |
| Chlorotoluenes (mixed isomers) | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A, B | No | 15.19.6 |
| Choline chloride solutions | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Citric acid (70% or less) | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|-------|----|------|----|----|------|------|---|-----|------------|-----|---|
| Coal tar (n) | X | S/P | 2 | 2G | Cont | No | T2 | IIA | Yes | R | No | B, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Coal tar naphtha solvent (n) | Y | S/P | 2 | 2G | Cont | No | T3 | IIA | No | R | F-T | A, D | No | 15.19.6, 16.2.9 |
| Coal tar pitch (molten) (n) | X | S/P | 2 | 1G | Cont | No | T2 | IIA | Yes | R | No | B, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Cocoa butter (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Coconut oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Coconut oil (containing less than 5% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Coconut oil fatty acid (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Coconut oil fatty acid methyl ester (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6 |
| Copper salt of long chain (C ₁₇₊) alkanolic acid (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Corn oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Corn oil (containing less than 10% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6 |
| Cotton seed oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Cotton seed oil (containing less than 12% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Creosote (coal tar) (n) | X | S/P | 2 | 2G | Cont | No | T2 | IIA | Yes | R | T | A, D | No | 15.12.3, 15.12.4, 15.19.6, 16.2.6, 16.2.9 |
| Cresols (all isomers) | Y | S/P | 2 | 2G | Open | No | T1 | IIA | Yes | O | No | A, B | No | 15.19.6, 16.2.9 |
| Cresylic acid, dephenolized | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| Cresylic acid, sodium salt solution (n) | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | No | No | 15.19.6, 16.2.9 |
| Crotonaldehyde | Y | S/P | 2 | 2G | Cont | No | T3 | II B | No | R | F-T | A | Yes | 15.12, 15.17, 15.19.6 |
| 1,5,9-Cyclododecatriene | X | S/P | 1 | 2G | Cont | No | | | Yes | R | T | A | No | 15.13, 15.19, 16.6.1, 16.6.2 |
| Cycloheptane | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Cyclohexane | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.9 |
| Cyclohexanol | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.9 |
| Cyclohexanone | Z | S/P | 3 | 2G | Cont | No | T2 | IIA | No | R | F-T | A | No | 15.19.6 |
| Cyclohexanone, Cyclohexanol mixture | Y | S/P | 3 | 2G | Cont | No | | | Yes | R | F-T | A | No | 15.19.6 |
| Cyclohexyl acetate | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Cyclohexylamine | Y | S/P | 3 | 2G | Cont | No | T3 | IIA | No | R | F-T | A, C | No | 15.19.6 |
| 1,3-Cyclopentadiene dimer (molten) | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Cyclopentane | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|-----|---|----|------|-----|----|-----|------|---|-----|------------|-----|------------------------------|
| Cyclopentene | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| p-Cymene | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Decahydroanthracene | Y | P | 2 | 2G | Cont | No | | | No | R | F | A, B | No | 15.19.6 |
| Decanoic acid | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 16.2.9 |
| Decene (n) | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Decyl acrylate | X | S/P | 1 | 2G | Open | No | T3 | IIA | Yes | O | No | A, C, D | No | 15.13, 15.19, 16.6.1, 16.6.2 |
| Decyl alcohol (all isomers) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 (e) |
| Decyloxytetrahydrothiophene dioxide (n) | X | S/P | 2 | 2G | Cont | No | | | Yes | R | T | A | No | 15.19.6, 16.2.9 |
| Diacetone alcohol | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | |
| Dialkyl (C ₈ -C ₉) diphenylamines | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Dialkyl (C ₇ -C ₁₃) phthalates | X | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6 |
| Dibromomethane | Y | S/P | 2 | 2G | Cont | No | | | NF | R | T | No | No | 15.12.3, 15.19 |
| Dibutylamine | Y | S/P | 3 | 2G | Cont | No | T2 | IIA | No | R | F-T | A, C, D | No | 15.19.6 |
| Dibutyl hydrogen phosphonate | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| 2,6-Di-tert-butylphenol (n) | X | P | 1 | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19, 16.2.9 |
| Dibutyl phthalate | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Dichlorobenzene (all isomers) | X | S/P | 2 | 2G | Cont | No | T1 | IIA | Yes | R | T | A, B, D | No | 15.19.6 |
| 3,4-Dichloro-1-butene | Y | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A, B, C | Yes | 15.12.3, 15.17, 15.19.6 |
| 1,1-Dichloroethane (n) | Z | S/P | 3 | 2G | Cont | No | T2 | IIA | No | R | F-T | A | Yes | 15.19.6 |
| Dichloroethyl ether | Y | S/P | 2 | 2G | Cont | No | T2 | IIA | No | R | F-T | A | No | 15.19.6 |
| 1,6-Dichlorohexane (n) | Y | S/P | 2 | 2G | Cont | No | | | No | R | T | A, B | No | 15.19.6 |
| 2,2'-Dichloroisopropyl ether | Y | S/P | 2 | 2G | Cont | No | | | Yes | R | T | A, C, D | No | 15.12, 15.17, 15.19 |
| Dichloromethane (n) | Y | S/P | 3 | 2G | Cont | No | T1 | IIA | Yes | R | T | No | No | 15.19.6 |
| 2,4-Dichlorophenol | Y | S/P | 2 | 2G | Cont | Dry | | | Yes | R | T | A | No | 15.19.6, 16.2.6, 16.2.9 |
| 2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution (n) | Y | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.9 |
| 2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution (70% or less) (n) | Y | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.9 |
| 2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution (n) | Y | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.6, 16.2.9 |
| 1,1-Dichloropropane | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A, B | No | 15.12, 15.19.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|-----|---|----|------|-------|----|------|------|---|-----|---------|-----|--|
| 1,2-Dichloropropane | Y | S/P | 2 | 2G | Cont | No | T1 | IIA | No | R | F-T | A, B | No | 15.12, 15.19.6 |
| 1,3-Dichloropropane | X | S/P | 2 | 2G | Cont | No | T2 | IIA | No | C | F-T | A, B | Yes | 15.12, 15.17, 15.18, 15.19 |
| Dichloropropene/Dichloropropane mixtures | X | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A, B, D | Yes | 15.12, 15.17, 15.18, 15.19 |
| 2,2-Dichloropropionic acid (n) | Y | S/P | 3 | 2G | Cont | Dry | | | Yes | R | No | A | No | 15.11.2, 15.11.4, 15.11.6, 15.11.7, 15.11.8, 15.19.6, 16.2.9 |
| Diethanolamine | Y | S/P | 3 | 2G | Open | No | T1 | IIA | Yes | O | No | A | No | 16.2.6, 16.2.9 |
| Diethylamine | Y | S/P | 3 | 2G | Cont | No | T2 | IIA | No | R | F-T | A | Yes | 15.12, 15.19.6 |
| Diethylaminoethanol | Y | S/P | 2 | 2G | Cont | No | T2 | IIA | No | R | F-T | A, C | No | 15.19.6 |
| 2,6-Diethylamine (n) | Y | S/P | 3 | 2G | Open | No | | | Yes | O | No | B, C, D | No | 15.19.6, 16.2.9 |
| Diethylbenzene | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Diethylene glycol dibutyl ether (n) | Z | S/P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | |
| Diethylene glycol diethyl ether (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | |
| Diethylene glycol phthalate (n) | Y | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Diethylenetriamine | Y | S/P | 3 | 2G | Open | No | T2 | IIA | Yes | O | No | A | No | 15.19.6 |
| Diethylenetriaminepentaacetic acid, pentasodium salt solution (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | |
| Diethyl ether | Z | S/P | 2 | 1G | Cont | Inert | T4 | II B | No | C | F-T | A | Yes | 15.4, 15.14, 15.19 |
| Di-(2-ethylhexyl) adipate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| Di-(2-ethylhexyl)phosphoric acid (n) | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | A, D | No | 15.19.6 |
| Diethyl phthalate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Diethyl sulphate | Y | S/P | 2 | 2G | Cont | No | | | Yes | C | T | A | No | 15.19.6 |
| Diglycidyl ether of bisphenol A (n) | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Diglycidyl ether of bisphenol F (n) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Dineptyl phthalate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| Di-n-hexyl adipate | X | P | 1 | 2G | Open | No | | | Yes | O | No | A | No | 15.19 |
| Dinexyl phthalate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| Diisobutylamine | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A, C, D | No | 15.12.3, 15.19.6 |
| Diisobutylene | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Diisobutyl ketone | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Diisobutyl phthalate (n) | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Diisononyl adipate | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|---|----|------|----|----|------|------|---|-----|---------|-----|--|
| Diisooctyl phthalate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6 |
| Diisopropanolamine | Z | S/P | 3 | 2G | Open | No | T2 | IIA | Yes | O | No | A | No | 16.2.9 |
| Diisopropylamine | Y | S/P | 2 | 2G | Cont | No | T2 | IIA | No | C | F-T | A | Yes | 15.12, 15.19 |
| Diisopropylbenzene (all isomers) | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Diisopropylphthalene (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6 |
| N,N-Dimethylacetamide | Z | S/P | 3 | 2G | Cont | No | - | - | Yes | C | T | A, C, D | No | 15.12, 15.17 |
| N,N-Dimethylacetamide solution (40% or less) | Z | S/P | 3 | 2G | Cont | No | | | Yes | R | T | B | No | 15.12.1, 15.17 |
| Dimethyl adipate | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Dimethylamine solution (45% or less) | Y | S/P | 3 | 2G | Cont | No | T2 | IIA | No | R | F-T | A, C, D | No | 15.12, 15.19.6 |
| Dimethylamine solution (greater than 45% but not greater than 55%) | Y | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A, C, D | Yes | 15.12, 15.17, 15.19 |
| Dimethylamine solution (greater than 55% but not greater than 65%) | Y | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A, C, D | Yes | 15.12, 15.14, 15.17, 15.19 |
| N,N-Dimethylcyclohexylamine | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A, C | No | 15.12, 15.17, 15.19.6 |
| Dimethyl disulphide | Y | S/P | 2 | 2G | Cont | No | T2 | IIA | No | R | F-T | B | No | 15.12.3, 15.12.4, 15.19.6 |
| N,N-Dimethyldodecylamine | X | S/P | 1 | 2G | Open | No | | | Yes | O | No | B | No | 15.19 |
| Dimethylethanolamine | Y | S/P | 3 | 2G | Cont | No | T3 | IIA | No | R | F-T | A, D | No | 15.19.6 |
| Dimethylformamide | Y | S/P | 3 | 2G | Cont | No | T2 | IIA | No | R | F-T | A, D | No | 15.19.6 |
| Dimethyl glutarate | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Dimethyl hydrogen phosphite | Y | S/P | 3 | 2G | Cont | No | | | Yes | R | T | A, D | No | 15.12.1, 15.19.6 |
| Dimethyloctanoic acid | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Dimethyl phthalate | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Dimethylpolysiloxane | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| 2,2-Dimethylpropane-1,3-diol (molten or solution) (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A, B | No | 16.2.9 |
| 2,2-Dimethylpropane-1,3-diol (molten or solution) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A, B | No | |
| Dimethyl succinate | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 16.2.9 |
| Dinitrotoluene (molten) | X | S/P | 2 | 2G | Cont | No | | | Yes | C | T | A | No | 15.12, 15.17, 15.19, 15.21, 16.2.6, 16.2.9, 16.6.4 |
| Dinonyl phthalate (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6 |
| Diethyl phthalate | X | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| 1,4-Dioxane | Y | S/P | 2 | 2G | Cont | No | T2 | II B | No | C | F-T | A | No | 15.12, 15.19, 16.2.9 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|-----|---|----|------|-----|----|-----|---------|---|-------|----------------|-----|--|
| Dipentene | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Diphenyl | X | P | 2 | 2G | Open | No | | | Yes | O | No | B | No | 15.19.6, 16.2.6, 16.2.9 |
| Diphenylamine (molten) (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | B, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Diphenylamine, reaction product with 2,2,4-Trimethylpentene (n) | Y | S/P | 1 | 2G | Open | No | | | Yes | O | No | A | No | 15.19, 16.2.6 |
| Diphenylamines, alkylated (n) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Diphenyl/Diphenyl ether mixtures | X | P | 2 | 2G | Open | No | | | Yes | O | No | B | No | 15.19.6, 16.2.9 |
| Diphenyl ether | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Diphenyl ether/Diphenyl phenyl ether mixture | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Diphenylmethane diisocyanate (n) | Y | S/P | 2 | 2G | Cont | Dry | - | - | Yes (a) | C | T (a) | A, B, C (b), D | No | 15.12, 15.16.2, 15.17, 15.19.6, 16.2.6, 16.2.9 |
| Diphenylolpropane-Epichlorohydrin resins | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Di- <i>n</i> -propylamine | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A | No | 15.12.3, 15.19.6 |
| Dipropylene glycol | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Dithiocarbamate ester (C ₇ -C ₃₅) | X | P | 2 | 2G | Open | No | | | Yes | O | No | A, D | No | 15.19.6, 16.2.9 |
| Ditridecyl adipate (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Ditridecyl phthalate (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6 |
| Diundecyl phthalate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Dodecane (all isomers) | Y | P | 2 | 2G | Cont | No | | | No | R | F | A, B | No | 15.19.6 |
| <i>tert</i> -Dodecanethiol | X | S/P | 1 | 2G | Cont | No | - | - | Yes | C | T | A, B, D | Yes | 15.12, 15.17, 15.19 |
| Dodecene (all isomers) | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Dodecyl alcohol | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Dodecylamine/Tetradecylamine mixture (n) | Y | S/P | 2 | 2G | Cont | No | | | Yes | R | T | A, D | No | 15.19.6, 16.2.9 |
| Dodecylbenzene | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Dodecyl diphenyl ether disulphonate solution (n) | X | S/P | 2 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.6 |
| Dodecyl hydroxypropyl sulphide | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Dodecyl methacrylate | Z | S/P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.13 |
| Dodecyl/Octadecyl methacrylate mixture (n) | Y | S/P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.13, 15.19.6, 16.2.6, 16.6.1, 16.6.2 |
| Dodecyl/Octadecyl methacrylate mixture | Z | S/P | 3 | 2G | Open | No | | | Yes | R | No | A, D | No | 15.13, 16.6.1, 16.6.2 |
| Dodecyl/Pentadecyl methacrylate mixture | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | A, D | No | 15.13, 15.19.6, 16.6.1, 16.6.2 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|---|----|------|----|----|------|------|---|-----|------|-----|--------------------------------|
| Dodecylphenol | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Dodecylxylene | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6 |
| Drilling brines (containing zinc salts) | X | P | 2 | 2G | Open | No | | | Yes | O | No | No | No | 15.19.6 |
| Drilling brines, including: calcium bromide solution, calcium chloride solution and sodium chloride solution | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Epichlorohydrin | Y | S/P | 2 | 2G | Cont | No | | II B | No | C | F-T | A | Yes | 15.12, 15.17, 15.19 |
| Ethanolamine | Y | S/P | 3 | 2G | Open | No | T2 | II A | Yes | O | F-T | A | No | 16.2.9 |
| 2-Ethoxyethyl acetate | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Ethoxylated long chain (C ₁₆ +) alkyloxyalkylamine | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B | No | 15.19.6, 16.2.9 |
| Ethoxylated long chain (C ₁₆ +) alkyloxyalkylamine (n) | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Ethyl acetate | Z | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | |
| Ethyl acetoacetate | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Ethyl acrylate | Y | S/P | 2 | 2G | Cont | No | T2 | II B | No | R | F-T | A | Yes | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| Ethylamine | Y | S/P | 2 | 1G | Cont | No | T2 | II A | No | C | F-T | C, D | Yes | 15.12, 15.14, 15.19.6 |
| Ethylamine solutions (72% or less) | Y | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A, C | Yes | 15.12, 15.14, 15.17, 15.19 |
| Ethyl amyl ketone (n) | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Ethylbenzene | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Ethyl tert-butyl ether | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Ethyl butyrate (n) | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Ethylcyclohexane | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| N-Ethylcyclohexylamine | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A | No | 15.19.6 |
| S-Ethyl dipropylthiocarbamate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 16.2.9 |
| Ethylene chlorohydrin | Y | S/P | 2 | 2G | Cont | No | T2 | II A | No | C | F-T | A, D | Yes | 15.12, 15.17, 15.19 |
| Ethylene cyanohydrin | Y | S/P | 3 | 2G | Open | No | | II B | Yes | O | No | A | No | 15.19.6 |
| Ethylenediamine | Y | S/P | 2 | 2G | Cont | No | T2 | II A | No | R | F-T | A | No | 15.19.6, 16.2.9 |
| Ethylenediaminetetraacetic acid, tetrasodium salt solution (n) | Y | S/P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6 |
| Ethylene dibromide | Y | S/P | 2 | 2G | Cont | No | | | NF | C | T | No | Yes | 15.12, 15.19.6, 16.2.9 |
| Ethylene dichloride | Y | S/P | 2 | 2G | Cont | No | T2 | II A | No | R | F-T | A, B | No | 15.19 |
| Ethylene glycol | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|---|----|------|-------|----|------|------|---|-----|---------|-----|---|
| Ethylene glycol acetate (n) | Y | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6 |
| Ethylene glycol butyl ether acetate | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Ethylene glycol diacetate | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Ethylene glycol methyl ether acetate (n) | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Ethylene glycol monoalkyl ethers | Y | S/P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.9 |
| Ethylene glycol phenyl ether (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 16.2.9 |
| Ethylene glycol phenyl ether/Diethylene glycol phenyl ether mixture | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 16.2.9 |
| Ethylene oxide/Propylene oxide mixture with an ethylene oxide content of not more than 30% by mass | Y | S/P | 2 | 1G | Cont | Inert | T2 | II B | No | C | F-T | A, C | No | 15.8, 15.12, 15.14, 15.19 |
| Ethylene-Vinyl acetate copolymer (emulsion) (n) | Y | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Ethyl 3-ethoxypropionate | Y | P | 3 | 2G | Cont | No | | | No | R | No | A | No | 15.19.6 |
| 2-Ethylhexanoic acid | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| 2-Ethylhexyl acrylate | Y | S/P | 3 | 2G | Open | No | T3 | II B | Yes | O | No | A | No | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| 2-Ethylhexylamine | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A | No | 15.12, 15.19.6 |
| 2-Ethyl-2-(hydroxymethyl)propane-1,3-diol (C ₈ -C ₁₀) ester | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Ethylidenenorbornene | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A, D | No | 15.12.1, 15.19.6 |
| Ethyl methacrylate | Y | S/P | 3 | 2G | Cont | No | T2 | II A | No | R | F-T | A, D | No | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| N-Ethylmethylallylamine | Y | S/P | 2 | 2G | Cont | No | T2 | II B | No | C | F | A, C | Yes | 15.12.3, 15.17, 15.19 |
| Ethyl propionate (n) | Y | P | 3 | 2G | Open | No | | | No | R | F | A | No | 15.19.6 |
| 2-Ethyl-3-propylacrolein | Y | S/P | 3 | 2G | Cont | No | | II A | No | R | F-T | A | No | 15.19.6, 16.2.9 |
| Ethyltoluene | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Fatty acid (saturated C ₁₃ +) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.9 |
| Fatty acid methyl esters (m) (n) | Y | S/P | 2 | 2G | Cont | No | - | - | Yes | R | T | A, B, C | No | 15.12.3, 15.12.4, 15.19.6, 16.2.6, 16.2.9 |
| Fatty acids, C ₈ -C ₁₀ (n) | Y | S/P | 2 | 2G | Cont | No | - | - | Yes | R | T | A, B, C | No | 15.12.3, 15.12.4, 15.19, 16.2.6, 16.2.9 |
| Fatty acids, C ₁₂ + (n) | Y | S/P | 2 | 2G | Cont | No | - | - | Yes | R | T | A, B, C | No | 15.12.3, 15.12.4, 15.19.6, 16.2.6, 16.2.9 |
| Fatty acids, C ₁₆ + (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6 |
| Fatty acids, essentially linear (C ₆ -C ₁₈) 2-ethylhexyl ester | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B | No | 15.19.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|-------|----|------|----|----|------|------|---|-------|------------|-----|---|
| Ferric chloride solutions | Y | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.11, 15.19.6, 16.2.9 |
| Ferric nitrate/Nitric acid solution | Y | S/P | 2 | 2G | Cont | No | | | NF | R | T | No | Yes | 15.11, 15.19 |
| Fish oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Fish oil (containing less than 4% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Fluorosilicic acid (20–30%) in water solution (n) | Y | S/P | 3 | 1G | Cont | No | - | - | NF | R | T | No | Yes | 15.11, 15.19.6 |
| Formaldehyde solutions (45% or less) | Y | S/P | 3 | 2G | Cont | No | T2 | II B | No | R | F-T | A | Yes | 15.19.6, 16.2.9 |
| Formamide | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Formic acid | Y | S/P | 3 | 2G | Cont | No | T1 | II A | No | R | T (g) | A | Yes | 15.11.2, 15.11.3, 15.11.4, 15.11.6, 15.11.7, 15.11.8, 15.19.6, 16.2.9 |
| Furfural | Y | S/P | 3 | 2G | Cont | No | T2 | II B | No | R | F-T | A | No | 15.19.6 |
| Furfuryl alcohol | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Glucitol/Glycerol blend propoxylated (containing less than 10% amines) (n) | Z | S/P | 3 | 2G | Cont | No | - | - | Yes | R | T | A, B, C | No | 15.12.3, 15.12.4, 15.19.6 |
| Glutaraldehyde solutions (50% or less) | Y | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6 |
| Glycerol monooleate (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Glycerol propoxylated (n) | Z | S/P | 3 | 2G | Cont | No | - | - | Yes | R | T | A, B, C | No | 15.12.3, 15.12.4, 15.19.6 |
| Glycerol, propoxylated and ethoxylated (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | |
| Glycerol/Sucrose blend propoxylated and ethoxylated (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | |
| Glyceryl triacetate | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Glycidyl ester of C ₁₀ trialkylacetic acid | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Glycine, sodium salt solution | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Glycolic acid solution (70% or less) | Z | S/P | 3 | 2G | Open | No | - | - | NF | O | No | No | No | 15.19.6, 16.2.9 |
| Glyoxal solution (40% or less) | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Glyoxylic acid solution (50% or less) (n) | Y | S/P | 3 | 2G | Open | No | - | - | Yes | O | No | A, C, D | No | 15.11.2, 15.11.3, 15.11.4, 15.11.6, 15.11.7, 15.11.8, 15.19.6, 16.2.9, 16.6.1, 16.6.2, 16.6.3 |
| Glyphosate solution (not containing surfactant) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Groundnut oil (n) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Groundnut oil (containing less than 4% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6, 16.2.9 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|-------|----|------|-----|----|------|------|---|-----|----------------|-----|---------------------------------------|
| Heptane (all isomers) | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.9 |
| n-Heptanoic acid | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Heptanol (all isomers) (d) | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Heptene (all isomers) | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Heptyl acetate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| 1-Hexadecylinaphthalene/ 1,4-Bis(hexadecyl)naphthalene mixture | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6 |
| Hexamethylenediamine adipate (50% in water) | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Hexamethylenediamine (molten) | Y | S/P | 2 | 2G | Cont | No | | | Yes | C | T | C | Yes | 15.12, 15.17, 15.18, 15.19.6, 16.2.9 |
| Hexamethylenediamine solution | Y | S/P | 3 | 2G | Cont | No | | | Yes | R | T | A | No | 15.19.6 |
| Hexamethylene diisocyanate | Y | S/P | 2 | 1G | Cont | Dry | T1 | II B | Yes | C | T | A, C (b), D | Yes | 15.12, 15.17, 15.16.2, 15.18, 15.19 |
| Hexamethylene glycol | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Hexamethylenimine | Y | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A, C | No | 15.19.6 |
| Hexane (all isomers) | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| 1,6-HexanedioI, distillation overheads (n) | Y | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.12.3, 15.12.4, 15.19.6, 16.2.9 |
| Hexanoic acid | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| Hexanol | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| Hexene (all isomers) | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Hexyl acetate | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Hydrochloric acid | Z | S/P | 3 | 1G | Cont | No | | | NF | R | T | No | Yes | 15.11 |
| Hydrogen peroxide solutions (over 60% but not over 70% by mass) | Y | S/P | 2 | 2G | Cont | No | | | NF | C | No | No | No | 15.5.1, 15.19.6 |
| Hydrogen peroxide solutions (over 8% but not over 60% by mass) (n) | Y | S/P | 3 | 2G | Cont | No | | | NF | C | No | No | No | 15.5.2, 15.18, 15.19.6 |
| 2-Hydroxyethyl acrylate | Y | S/P | 2 | 2G | Cont | No | | | Yes | C | T | A | No | 15.12, 15.13, 15.19.6, 16.6.1, 16.6.2 |
| N-(Hydroxyethyl)ethylenediaminetriacetic acid, trisodium salt solution | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| 2-Hydroxy-4-(methylthio)butanoic acid | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Illipe oil (n) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Isoamyl alcohol | Z | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|-----|-------|----|------|-------|-----|------|------|---|-----|------------|-----|---|
| iso- and cyclo-alkanes (C ₁₀ -C ₁₁) (n) | Y | P | 3 | 2G | Cont | No | - | - | No | R | F | A | No | 15.19.6 |
| iso- and cyclo-alkanes (C ₁₀ -C ₁₁) | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | |
| iso- and cyclo-alkanes (C ₁₂ +) | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | |
| iso- and cyclo-alkanes (C ₁₂ +) | Y | P | 3 | 2G | Cont | No | - | - | No | R | F | A | No | |
| isobutyl alcohol | Z | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | |
| isobutyl formate | Z | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | |
| isobutyl methacrylate | Z | S/P | 3 | 2G | Cont | No | IIA | | No | C | F-T | B, D | Yes | 15.12, 15.13, 15.17, 15.19, 16.6.1, 16.6.2 |
| isophorone | Y | S/P | 3 | 2G | Cont | No | | | Yes | R | No | A | No | 15.19.6 |
| isophoronediamine | Y | S/P | 3 | 2G | Cont | No | | | Yes | R | T | A | No | 16.2.9 |
| isophorone diisocyanate | X | S/P | 2 | 2G | Cont | Dry | | | Yes | C | T | A, B, D | No | 15.12, 15.16.2, 15.17, 15.19.6 |
| isoprene | Y | S/P | 3 | 2G | Cont | No | T3 | II B | No | R | F | B | No | 15.13, 15.14, 15.19.6, 16.6.1, 16.6.2 |
| isopropanolamine | Y | S/P | 3 | 2G | Open | No | T2 | IIA | Yes | O | F-T | A | No | 15.19.6, 16.2.6, 16.2.9 |
| isopropyl acetate | Z | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | |
| isopropylamine | Y | S/P | 2 | 2G | Cont | No | T2 | IIA | No | C | F-T | C, D | Yes | 15.12, 15.14, 15.19 |
| isopropylamine (70% or less) solution (n) | Y | S/P | 2 | 2G | Cont | No | | | No | C | F-T | C, D | Yes | 15.12, 15.19.6, 16.2.9 |
| isopropylcyclohexane | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.9 |
| isopropyl ether | Y | S/P | 3 | 2G | Cont | Inert | | | No | R | F | A | No | 15.4.6, 15.13.3, 15.19.6 |
| Lactic acid | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Lactonitrile solution (80% or less) | Y | S/P | 2 | 1G | Cont | No | | | Yes | C | T | A, C, D | Yes | 15.12, 15.13, 15.17, 15.18, 15.19, 16.6.1, 16.6.2, 16.6.3 |
| Lard (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Lard (containing less than 1% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Latex, ammonia (1% or less)-inhibited (n) | Y | S/P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Latex: Carboxylated styrene-Butadiene copolymer; Styrene-Butadiene rubber (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 16.2.9 |
| Lauric acid | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Ligninsulphonic acid, sodium salt solution (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 16.2.9 |
| Linseed oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Linseed oil (containing less than 2% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|-------|----|------|----|----|-----|------|---|-----|----------|-----|--------------------------------|
| Liquid chemical wastes | X | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A | Yes | 15.12, 15.19.6, 20.5.1 |
| Long-chain alkaryl polyether (C ₁₁ -C ₂₀) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Long-chain alkaryl sulphonic acid (C ₁₆ -C ₆₀) (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Long-chain alkylphenate/Phenol sulphide mixture (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| L-Lysine solution (60% or less) | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Magnesium chloride solution | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Magnesium long-chain alkaryl sulphonate (C ₁₁ -C ₅₀) (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Magnesium long-chain alkyl salicylate (C ₁₁ +)(n) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Maleic anhydride | Y | S/P | 3 | 2G | Cont | No | | | Yes | R | No | A, C (f) | No | 16.2.9 |
| Mango kernel oil (n) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Mercaptobenzothiazol, sodium salt solution | X | S/P | 2 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.9 |
| Mesityl oxide | Z | S/P | 3 | 2G | Cont | No | T2 | IIB | No | R | F-T | A | No | 15.19.6 |
| Metam sodium solution | X | S/P | 1 | 2G | Open | No | | | NF | O | No | No | No | 15.19, 16.2.9 |
| Methacrylic acid-Alkoxy(alkylene oxide) methacrylate copolymer, sodium salt aqueous solution (45% or less) (n) | Z | S/P | 3 | 2G | Open | No | - | - | NF | O | No | A, C | No | 16.2.9 |
| Methacrylic acid | Y | S/P | 3 | 2G | Cont | No | | | Yes | R | T | A | No | 15.13, 15.19.6, 16.2.9, 16.6.1 |
| Methacrylic resin in ethylene dichloride | Y | S/P | 2 | 2G | Cont | No | T2 | IIA | No | R | F-T | A, B | No | 15.19, 16.2.9 |
| Methacrylonitrile | Y | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A | Yes | 15.12, 15.13, 15.17, 15.19 |
| 3-Methoxy-1-butanol | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | |
| 3-Methoxybutyl acetate | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| N-(2-Methoxy-1-methylethyl)-2-ethyl-6-methylchloroacetanilide | X | P | 1 | 2G | Open | No | | | Yes | O | No | A | No | 15.19, 16.2.6 |
| Methyl acetate | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | |
| Methyl acetoacetate | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Methyl acrylate | Y | S/P | 2 | 2G | Cont | No | T1 | IIB | No | R | F-T | A | Yes | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| Methyl alcohol | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Methylamine solutions (42% or less) | Y | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A, C, D | Yes | 15.12, 15.17, 15.19 |
| Methylamyl acetate | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Methylamyl alcohol | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|-----|---|----|------|----|----|------|------|---|-----|------------|-----|-------------------------------------|
| Methyl amyl ketone | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Methylbutenol | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.9 |
| Methyl tert-butyl ether | Z | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | |
| Methyl butyl ketone | Y | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | 15.19.6 |
| Methylbutynol | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | |
| Methyl butyrate | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Methylcyclohexane | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Methylcyclopentadiene dimer | Y | P | 2 | 2G | Cont | No | | | No | R | F | B | No | 15.19.6 |
| Methylcyclopentadienyl manganese tricarbonyl | X | S/P | 1 | 1G | Cont | No | - | | Yes | C | T | A, B, C, D | Yes | 15.12, 15.18, 15.19, 16.2.9 |
| Methyl diethanolamine | Y | S/P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| 2-Methyl-6-ethylamine | Y | S/P | 3 | 2G | Open | No | | | Yes | O | No | A, D | No | 15.19.6 |
| Methyl ethyl ketone | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | |
| 2-Methyl-5-ethylpyridine | Y | S/P | 3 | 2G | Open | No | | IIA | Yes | O | No | A, D | No | 15.19.6 |
| Methyl formate | Z | S/P | 2 | 2G | Cont | No | | | No | R | F-T | A | Yes | 15.12, 15.14, 15.19 |
| 2-Methyl-2-hydroxy-3-butyne | Z | S/P | 3 | 2G | Cont | No | | IIA | No | R | F-T | A, B, D | No | 15.19.6, 16.2.9 |
| Methyl isobutyl ketone | Z | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | |
| Methyl methacrylate | Y | S/P | 2 | 2G | Cont | No | T2 | IIA | No | R | F-T | A | No | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| 3-Methyl-3-methoxybutanol | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Methylnaphthalene (molten) | X | S/P | 2 | 2G | Cont | No | | | Yes | R | No | A, D | No | 15.19.6 |
| 2-Methyl-1,3-propanediol (n) | Z | P | 3 | 2G | Open | No | - | | Yes | O | No | A | No | |
| 2-Methylpyridine | Z | S/P | 2 | 2G | Cont | No | | | No | C | F | A | No | 15.12.3, 15.19.6 |
| 3-Methylpyridine | Z | S/P | 2 | 2G | Cont | No | | | No | C | F | A, C | No | 15.12.3, 15.19 |
| 4-Methylpyridine | Z | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A | No | 15.12.3, 15.19, 16.2.9 |
| N-Methyl-2-pyrrolidone | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Methyl salicylate | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| alpha-Methylstyrene | Y | S/P | 2 | 2G | Cont | No | T1 | II B | No | R | F-T | A, D (j) | No | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| 3-(Methylthio)propionaldehyde | Y | S/P | 2 | 2G | Cont | No | T3 | II A | Yes | C | T | B, C | Yes | 15.12, 15.17, 15.19 |
| 3-(Methylthio)propionaldehyde (n) | Y | S/P | 2 | 2G | Cont | No | T3 | II A | No | C | F-T | B, C | Yes | 15.12, 15.17, 15.19 |
| Molybdenum polysulfide long chain alkyl dithiocarbamate complex (n) | Y | S/P | 2 | 2G | Cont | No | - | | Yes | C | T | A, B, C | Yes | 15.12, 15.17, 15.19, 16.2.6, 16.2.9 |

| a | c | d | e | f | g | h | h' | i'' | i''' | j | k | l | n | o |
|---|---|-----|---|----|------|----|----|------|------|---|-----|---------|-----|---|
| Morpholine | Y | S/P | 3 | 2G | Cont | No | T2 | IIA | No | R | F | A | No | 15.19.6 |
| Motor fuel anti-knock compounds (containing lead alkyls) | X | S/P | 1 | 1G | Cont | No | T4 | IIA | No | C | F-T | A, C | Yes | 15.6, 15.12, 15.18, 15.19 |
| Myrcene (n) | X | P | 2 | 2G | Cont | No | - | - | No | R | F | A | No | 15.19.6, 16.2.9 |
| Naphthalene (molten) | X | S/P | 2 | 2G | Cont | No | T1 | IIA | Yes | R | No | A, D | No | 15.19.6, 16.2.9 |
| Naphthalenesulphonic acid-Formaldehyde copolymer, sodium salt solution (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 16.2.9 |
| Neodecanoic acid | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Nitrating acid (mixture of sulphuric and nitric acids) | Y | S/P | 2 | 2G | Cont | No | | | NF | C | T | No | Yes | 15.11, 15.16.2, 15.17, 15.19 |
| Nitric acid (70% and over) | Y | S/P | 2 | 2G | Cont | No | | | NF | C | T | No | Yes | 15.11, 15.19 |
| Nitric acid (less than 70%) | Y | S/P | 2 | 2G | Cont | No | | | NF | R | T | No | Yes | 15.11, 15.19 |
| Nitriofluoroacetic acid, trisodium salt solution | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Nitrobenzene | Y | S/P | 2 | 2G | Cont | No | T1 | IIA | Yes | C | T | A, D | No | 15.12, 15.17, 15.18, 15.19, 16.2.9 |
| Nitroethane | Y | S/P | 3 | 2G | Cont | No | | II B | No | R | F-T | A (f) | No | 15.19.6, 16.6.1, 16.6.2, 16.6.4 |
| Nitroethane (80%)/Nitropropane (20%) | Y | S/P | 3 | 2G | Cont | No | | II B | No | R | F-T | A (f) | No | 15.19.6, 16.6.1, 16.6.2, 16.6.3 |
| Nitroethane, 1-Nitropropane (each 15% or more) mixture (n) | Y | S/P | 3 | 2G | Cont | No | - | - | No | R | F | A | No | 15.19.6, 16.2.6, 16.6.1, 16.6.2, 16.6.3 |
| o-Nitrophenol (molten) | Y | S/P | 2 | 2G | Cont | No | | | Yes | C | T | A, D | No | 15.12, 15.19.6, 16.2.6, 16.2.9 |
| 1- or 2-Nitropropane | Y | S/P | 3 | 2G | Cont | No | T2 | II B | No | R | F-T | A | No | 15.19.6 |
| Nitropropane (60%)/Nitroethane (40%) mixture | Y | S/P | 3 | 2G | Cont | No | | | No | R | F-T | A (f) | No | 15.19.6 |
| o- or p-Nitrotoluenes (n) | Y | S/P | 2 | 2G | Cont | No | | II B | Yes | C | T | A, B | No | 15.12, 15.17, 15.19.6 |
| Nonane (all isomers) | X | P | 2 | 2G | Cont | No | | | No | R | F | B, C | No | 15.19.6 |
| Nonanoic acid (all isomers) | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.9 |
| Non-edible industrial grade palm oil | Y | S/P | 2 | 2G | Cont | No | - | - | Yes | R | No | A, B, C | No | 15.12.3, 15.12.4, 15.19.6, 16.2.6, 16.2.9 |
| Nonene (all isomers) | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Nonyl alcohol (all isomers) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Nonyl methacrylate monomer | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.9 |
| Nonylphenol | X | P | 1 | 2G | Open | No | | | Yes | O | No | A | No | 15.19, 16.2.6, 16.2.9 |
| Nonylphenol poly(4+)-ethoxylate (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Noxious liquid, NF, (1) n.o.s. (trade name . . . , contains . . .) ST1, Cat. X | X | P | 1 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19, 16.2.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|---|---|----|------|----|----|-----|------|---|----|------|----|---------------------------|
| Noxious liquid, F, (2) n.o.s. (trade name . . . , contains . . .) ST1, Cat. X | X | P | 1 | 2G | Cont | No | T3 | IIA | No | R | F | A | No | 15.19, 16.2.6 |
| Noxious liquid, NF, (3) n.o.s. (trade name . . . , contains . . .) ST2, Cat. X | X | P | 2 | 2G | Open | No | - | | Yes | O | No | A | No | 15.19, 16.2.6 |
| Noxious liquid, F, (4) n.o.s. (trade name . . . , contains . . .) ST2, Cat. X | X | P | 2 | 2G | Cont | No | T3 | IIA | No | R | F | A | No | 15.19, 16.2.6 |
| Noxious liquid, NF, (5) n.o.s. (trade name . . . , contains . . .) ST2, Cat. Y | Y | P | 2 | 2G | Open | No | - | | Yes | O | No | A | No | 15.19, 16.2.6, 16.2.9 (I) |
| Noxious liquid, F, (6) n.o.s. (trade name . . . , contains . . .) ST2, Cat. Y | Y | P | 2 | 2G | Cont | No | T3 | IIA | No | R | F | A | No | 15.19, 16.2.6, 16.2.9 (I) |
| Noxious liquid, NF, (7) n.o.s. (trade name . . . , contains . . .) ST3, Cat. Y | Y | P | 3 | 2G | Open | No | - | | Yes | O | No | A | No | 15.19, 16.2.6, 16.2.9 (I) |
| Noxious liquid, F, (8) n.o.s. (trade name . . . , contains . . .) ST3, Cat. Y | Y | P | 3 | 2G | Cont | No | T3 | IIA | No | R | F | A | No | 15.19, 16.2.6, 16.2.9 (I) |
| Noxious liquid, NF, (9) n.o.s. (trade name . . . , contains . . .) ST3, Cat. Z | Z | P | 3 | 2G | Open | No | - | | Yes | O | No | A | No | |
| Noxious liquid, F, (10) n.o.s. (trade name . . . , contains . . .) ST3, Cat. Z | Z | P | 3 | 2G | Cont | No | T3 | IIA | No | R | F | A | No | |
| Octane (all isomers) (n) | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Octanoic acid (all isomers) (n) | Y | P | 3 | 2G | Open | No | - | | Yes | O | No | A | No | 15.19.6 |
| Octanoic acid (all isomers) | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Octanol (all isomers) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | |
| Octene (all isomers) | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| n-Octyl acetate (n) | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Octyl aldehydes (n) | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.9 |
| Octyl aldehydes | Y | P | 3 | 2G | Cont | No | - | | No | R | F | A | No | 15.19.6, 16.2.9 |
| Octyl decyl adipate (n) | Y | P | 2 | 2G | Open | No | - | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Olefin-Alkyl ester copolymer (molecular weight 2000+) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Olefin mixtures (C ₅ -C ₇) (n) | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Olefin mixtures (C ₅ -C ₁₅) (n) | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Olefins (C ₁₃ ⁺ , all isomers) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.9 |
| alpha-Olefins (C ₆ -C ₁₈) mixtures (n) | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.9 |
| Oleic acid | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.9 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|-------|----|------|----|----|------|------|---|-----|------------|-----|--|
| Oleum | Y | S/P | 2 | 2G | Cont | No | | | NF | C | T | No | Yes | 15.11.2 to 15.11.8, 15.12.1, 15.16.2, 15.17, 15.19, 16.2.6 |
| Oleylamine (n) | X | S/P | 2 | 2G | Cont | No | | | Yes | R | T | A | No | 15.19.6, 16.2.9 |
| Olive oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Olive oil (containing less than 3.3% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Oxygenated aliphatic hydrocarbon mixture (n) | Z | S/P | 3 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | |
| Palm acid oil (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm fatty acid distillate (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm kernel acid oil (n) | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm kernel oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm kernel oil (containing less than 5% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | T3 | II B | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm kernel olein (n) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm kernel stearin (n) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm mid fraction (n) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm oil (containing less than 5% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm oil fatty acid methyl ester (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Palm olein (n) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm olein (containing less than 5% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm stearin (n) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Palm stearin (containing less than 5% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Paraffin wax | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Paraldehyde | Z | S/P | 3 | 2G | Cont | No | T3 | II B | No | R | F | A | No | 15.19.6, 16.2.9 |
| Paraldehyde-Ammonia reaction product | Y | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A | No | 15.12.3, 15.19 |
| Pentachloroethane | Y | S/P | 2 | 2G | Cont | No | | | NF | R | T | No | No | 15.12, 15.17, 15.19.6 |
| 1,3-Pentadiene (n) | Y | S/P | 3 | 2G | Cont | No | | | No | R | F-T | A, B | No | 15.13, 15.19.6, 16.6.1, 16.6.2, 16.6.3 |
| 1,3-Pentadiene | Y | P | 3 | 2G | Cont | No | | | No | R | F-T | A, B | No | 15.13, 15.19.6, 16.6.1, 16.6.2, 16.6.3 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|-----|---|----|------|--------------------------|----|-----|--------|---|----|------|-----|---|
| Pentaethylenhexamine | X | S/P | 2 | 2G | Open | No | | | Yes | O | No | B | Yes | 15.19 |
| Pentane (all isomers) | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.14, 15.19.6 |
| Pentanoic acid | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| n-Pentanoic acid (64%)/2-Methylbutyric acid (36%) mixture | Y | S/P | 2 | 2G | Open | No | T2 | | Yes | C | No | A, D | No | 15.11.2, 15.11.3, 15.11.4, 15.11.6, 15.11.7, 15.11.8, 15.12.3, 15.19 |
| Pentene (all isomers) | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.14, 15.19.6 |
| n-Pentyl propionate | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Perchloroethylene | Y | S/P | 2 | 2G | Cont | No | | | NF | R | T | No | No | 15.12.1, 15.12.2, 15.19.6 |
| Petrolatum (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Petrolatum | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A, B | No | 16.2.6, 16.2.9 |
| Phenol | Y | S/P | 2 | 2G | Cont | No | T1 | IIA | Yes | C | T | A | No | 15.12, 15.19, 16.2.9 |
| 1-Phenyl-1-xylylthane | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Phosphate esters, alkyl (C ₁₂ -C ₁₄) amine (n) | Y | P | 2 | 2G | Cont | No | - | - | No | R | F | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Phosphoric acid | Z | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.11.1, 15.11.2, 15.11.3, 15.11.4, 15.11.6, 15.11.7, 15.11.8, 16.2.9 |
| Phosphorus, yellow or white | X | S/P | 1 | 1G | Cont | Pad + (vent or inert) | | | No (c) | C | No | C | Yes | 15.7, 15.19, 16.2.9 |
| Phthalic anhydride (molten) | Y | S/P | 2 | 2G | Cont | No | T1 | IIA | Yes | R | No | A, D | No | 15.19.6, 16.2.6, 16.2.9 |
| alpha-Pinene | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| beta-Pinene | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Pine oil | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Polyacrylic acid solution (40% or less) (n) | Z | S/P | 3 | 2G | Open | No | - | - | Yes | O | No | A, C | No | |
| Polyalkyl (C ₁₈ -C ₂₂) acrylate in xylene (n) | Y | P | 2 | 2G | Cont | No | | | No | R | F | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Polyalkyl (C ₁₈ -C ₂₂) acrylate in xylene | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Poly(2-8)alkylene glycol monoalkyl (C ₁ -C ₆) ether (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | |
| Poly(2-8)alkylene glycol monoalkyl (C ₁ -C ₆) ether acetate (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6 |
| Polyalkyl (C ₁₀ -C ₂₀) methacrylate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Polyalkyl (C ₁₀ -C ₁₈) methacrylate/Ethylene-Propylene copolymer mixture | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|---|----|------|-----|----|-----|---------|---|-------|---------|----|---------------------------------|
| Polybutene (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Polybutenyl succinimide (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Poly(2+cyclic aromatics) | X | P | 1 | 2G | Cont | No | | | Yes | R | No | A, D | No | 15.19, 16.2.6, 16.2.9 |
| Polyether (molecular weight 1350+) (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Polyethylene glycol | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Polyethylene glycol dimethyl ether | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Polyethylene polyamines (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6 |
| Polyethylene polyamines (more than 50% C ₅ -C ₂₀ paraffin oil) (n) | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Polyferric sulphate solution | Y | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6 |
| Poly(iminoethylene)graft-N-poly(ethyleneoxy) solution (90% or less) (n) | Z | S/P | 3 | 2G | Open | No | - | - | NF | O | No | A, C | No | 16.2.9 |
| Polyisobutenamine in aliphatic (C ₁₀ -C ₁₄) solvent | Y | P | 3 | 2G | Open | No | T3 | IIA | Yes | O | No | A | No | 15.19.6 |
| Polyisobutenyl anhydride adduct | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Poly(4+)isobutylene | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.9 |
| Polymethylene polyphenyl isocyanate (n) | Y | S/P | 2 | 2G | Cont | Dry | | | Yes (a) | C | T (a) | A | No | 15.12, 15.16.2, 15.19.6, 16.2.9 |
| Polyolefin (molecular weight 300+) (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Polyolefin amide alkeneamine (C ₁₇₊) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6 |
| Polyolefin amide alkeneamine borate (C ₂₈ -C ₂₅₀) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Polyolefinamine (C ₂₈ -C ₂₅₀) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Polyolefinamine in alkyl (C ₂ -C ₄) benzenes | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Polyolefinamine in aromatic solvent | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Polyolefin aminoester salts (molecular weight 2000+) (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Polyolefin anhydride | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Polyolefin ester (C ₂₈ -C ₂₅₀) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Polyolefin phenolic amine (C ₂₈ -C ₂₅₀) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Polyolefin phosphorusulphide, barium derivative (C ₂₈ -C ₂₅₀) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Poly(20)oxyethylene sorbitan monooleate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Poly(5+)propylene (n) | Y | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Polypropylene glycol (n) | Z | S/P | 3 | 2G | Cont | No | | | Yes | O | No | A, B, C | No | 15.19.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|-------|----|------|-------|----|------|------|---|-----|------------|-----|---|
| Polypropylene glycol | Z | P | 3 | 2G | Cont | No | | | Yes | O | No | A | No | |
| Polysiloxane | Y | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | 15.19.6, 16.2.9 |
| Potassium chloride solution (n) | Z | S/P | 3 | 2G | Open | No | - | - | NF | O | No | A | No | 16.2.9 |
| Potassium hydroxide solution | Y | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6 |
| Potassium oleate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Potassium thiosulphate (50% or less) | Y | P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.9 |
| n-Propanolamine | Y | S/P | 3 | 2G | Open | No | | | Yes | O | No | A, D | No | 15.19.6, 16.2.9 |
| beta-Propiolactone | Y | S/P | 2 | 2G | Cont | No | | IIA | Yes | R | T | A | No | 15.19.6 |
| Propionaldehyde | Y | S/P | 3 | 2G | Cont | No | | | No | R | F-T | A | Yes | 15.17, 15.19.6 |
| Propionic acid | Y | S/P | 3 | 2G | Cont | No | T1 | IIA | No | R | F | A | Yes | 15.11.2, 15.11.3, 15.11.4, 15.11.6, 15.11.7, 15.11.8, 15.19.6 |
| Propionic anhydride | Y | S/P | 3 | 2G | Cont | No | T2 | IIA | Yes | R | T | A | No | 15.19.6 |
| Propionitrile | Y | S/P | 2 | 1G | Cont | No | T1 | II B | No | C | F-T | A, D | Yes | 15.12, 15.17, 15.18, 15.19 |
| n-Propyl acetate | Y | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | 15.19.6 |
| n-Propyl alcohol | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| n-Propylamine | Z | S/P | 2 | 2G | Cont | Inert | T2 | IIA | No | C | F-T | A, D | Yes | 15.12, 15.19 |
| Propylbenzene (all isomers) | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Propylene glycol methyl ether acetate | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | |
| Propylene glycol monoalkyl ether | Z | P | 3 | 2G | Cont | No | | | No | R | F | A, B | No | |
| Propylene glycol phenyl ether | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Propylene oxide | Y | S/P | 2 | 2G | Cont | Inert | T2 | II B | No | C | F-T | A, C | No | 15.8, 15.12.1, 15.14, 15.19 |
| Propylene tetramer | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Propylene trimer | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Pyridine | Y | S/P | 3 | 2G | Cont | No | T1 | IIA | No | R | F | A | No | 15.19.6 |
| Pyrolysis gasoline (containing benzene) (n) | Y | S/P | 2 | 2G | Cont | No | T3 | IIA | No | C | F-T | A, B | No | 15.12, 15.17, 15.19.6 |
| Rapeseed oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Rapeseed oil (low erucic acid, containing less than 4% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Rape seed oil fatty acid methyl esters (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6 |
| Resin oil, distilled (n) | Y | S/P | 2 | 2G | Cont | No | T1 | IIA | No | C | F-T | A, B, C | No | 15.12, 15.17, 15.19.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|-------|----|------|-------------------|----|-----|------|---|-----|------------|-----|--|
| Rice bran oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Resin | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Safflower oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Shea butter (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Sodium alkyl (C ₁₄ -C ₁₇) sulphonates (60-65% solution) (n) | Y | P | 2 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.6, 16.2.9 |
| Sodium aluminosilicate slurry | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Sodium benzoate | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Sodium borohydride (15% or less)/Sodium hydroxide solution | Y | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.6, 16.2.9 |
| Sodium carbonate solution | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Sodium chlorate solution (50% or less) | Z | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.9, 16.2.9 |
| Sodium dichromate solution (70% or less) | Y | S/P | 2 | 2G | Open | No | | | NF | C | No | No | No | 15.12.3, 15.19 |
| Sodium hydrogen sulphide (6% or less)/Sodium carbonate (3% or less) solution | Z | P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.9 |
| Sodium hydrogen sulphite solution (45% or less) | Z | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 16.2.9 |
| Sodium hydrosulphide/Ammonium sulphide solution | Y | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A | Yes | 15.12, 15.14, 15.17, 15.19, 16.6.1, 16.6.2, 16.6.3 |
| Sodium hydrosulphide solution (45% or less) | Z | S/P | 3 | 2G | Cont | Vent or pad (gas) | | | NF | R | T | No | No | 15.19.6, 16.2.9 |
| Sodium hydroxide solution | Y | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.6, 16.2.9 |
| Sodium hypochlorite solution (15% or less) | Y | S/P | 2 | 2G | Cont | No | - | - | NF | R | No | No | No | 15.19.6 |
| Sodium nitrite solution | Y | S/P | 2 | 2G | Open | No | | | NF | O | No | No | No | 15.12.3.1, 15.12.3.2, 15.19, 16.2.9 |
| Sodium petroleum sulphonate (n) | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Sodium poly(4+acrylate solutions) (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 16.2.9 |
| Sodium silicate solution | Y | P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.9 |
| Sodium sulphide solution (15% or less) | Y | S/P | 3 | 2G | Cont | No | | | NF | C | T | No | No | 15.19.6, 16.2.9 |
| Sodium sulphite solution (25% or less) | Y | P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6, 16.2.9 |
| Sodium thiocyanate solution (56% or less) | Y | P | 3 | 2G | Open | No | | | Yes | O | No | No | No | 15.19.6, 16.2.9 |
| Soybean oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Soybean oil (containing less than 0.5% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|-----|-------|----|------|-------------------|----|------|------|---|-----|------------|-----|-------------------------------------|
| Styrene monomer (n) | Y | S/P | 3 | 2G | Cont | No | T1 | IIA | No | R | F | A, B | No | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| Sulphohydrocarbon (C ₃ -C ₈₈) (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Sulpholane | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Sulphonated polyacrylate solution (o) | Z | P | 3 | 2G | Cont | No | | | No | R | F | A | No | |
| Sulphur (molten) | Z | S | 3 | 1G | Open | Vent or pad (gas) | T3 | | Yes | O | F-T | No | No | 15.10, 16.2.9 |
| Sulphuric acid | Y | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.11, 15.16.2, 15.19.6 |
| Sulphuric acid, spent | Y | S/P | 3 | 2G | Open | No | | | NF | O | No | No | No | 15.11, 15.16.2, 15.19.6 |
| Sulphurized fat (C ₁₄ -C ₂₀) | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Sulphurized polyolefinamide alkene (C ₂₈ -C ₂₅₀) amine (n) | Z | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | |
| Sunflower seed oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Sunflower seed oil (containing less than 7% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6 |
| Tall oil, crude (n) | Y | S/P | 2 | 2G | Cont | No | - | - | Yes | C | T | A, B, C | Yes | 15.12, 15.17, 15.19, 16.2.6 |
| Tall oil, distilled (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6 |
| Tall oil fatty acid (resin acids less than 20%) (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6 |
| Tall oil pitch (n) | Y | S/P | 2 | 2G | Cont | No | - | - | Yes | C | T | A, B, C | Yes | 15.12, 15.17, 15.19, 16.2.6, 16.2.9 |
| Tallow (n) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Tallow (containing less than 15% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Tallow fatty acid | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Tetrachloroethane | Y | S/P | 2 | 2G | Cont | No | | | NF | R | T | No | No | 15.12, 15.17, 15.19.6 |
| Tetraethylene glycol | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Tetraethylenepentamine | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Tetrahydrofuran | Z | S | 3 | 2G | Cont | No | T3 | IIIB | No | R | F-T | A | No | 15.19.6 |
| Tetrahydrophthalene | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Tetramethylbenzene (all isomers) | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Titanium dioxide slurry | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Toluene | Y | P | 3 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|--|---|-----|---|----|------|-----|----|-----|------|---|-----|-------------|-----|--|
| Toluenediamine | Y | S/P | 2 | 2G | Cont | No | | | Yes | C | T | A, D | Yes | 15.12, 15.17, 15.19, 16.2.6, 16.2.9 |
| Toluene diisocyanate | Y | S/P | 2 | 2G | Cont | Dry | T1 | IIA | Yes | C | F-T | A, C (b), D | Yes | 15.12, 15.16.2, 15.17, 15.19, 16.2.9 |
| o-Toluidine | Y | S/P | 2 | 2G | Cont | No | | | Yes | C | T | A | No | 15.12, 15.17, 15.19 |
| Tributyl phosphate | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| 1,2,3-Trichlorobenzene (molten) | X | S/P | 1 | 2G | Cont | No | | | Yes | C | T | A, C, D | Yes | 15.12.1, 15.17, 15.19, 16.2.6, 16.2.9 |
| 1,2,4-Trichlorobenzene | X | S/P | 1 | 2G | Cont | No | | | Yes | R | T | A, B | No | 15.19, 16.2.9 |
| 1,1,1-Trichloroethane | Y | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| 1,1,2-Trichloroethane | Y | S/P | 3 | 2G | Cont | No | | | NF | R | T | No | No | 15.12.1, 15.19.6 |
| Trichloroethylene | Y | S/P | 2 | 2G | Cont | No | T2 | IIA | Yes | R | T | No | No | 15.12, 15.17, 15.19.6 |
| 1,2,3-Trichloropropane | Y | S/P | 2 | 2G | Cont | No | | | Yes | C | T | A, B, D | No | 15.12, 15.17, 15.19 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | Y | P | 2 | 2G | Open | No | | | NF | O | No | No | No | 15.19.6 |
| Tricresyl phosphate (containing 1% or more ortho-isomer) | Y | S/P | 1 | 2G | Cont | No | T2 | IIA | Yes | C | No | A, B | No | 15.12.3, 15.19, 16.2.6 |
| Tricresyl phosphate (containing less than 1% ortho-isomer) (n) | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Tridecane | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6 |
| Tridecanoic acid | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6, 16.2.9 |
| Tridecyl acetate | Y | P | 3 | 2G | Open | No | - | - | Yes | O | No | A | No | 15.19.6 |
| Tridecyl acetate (n) | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| Triethanolamine | Z | S/P | 3 | 2G | Open | No | | IIA | Yes | O | No | A | No | 16.2.9 |
| Triethylamine | Y | S/P | 2 | 2G | Cont | No | T2 | IIA | No | R | F-T | A, C | Yes | 15.12, 15.19.6 |
| Triethylbenzene | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Triethylenetetramine | Y | S/P | 2 | 2G | Open | No | T2 | IIA | Yes | O | No | A | No | 15.19.6 |
| Triethyl phosphate | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Triethyl phosphite | Z | S/P | 3 | 2G | Cont | No | | | No | R | F-T | A, B | No | 15.12.1, 15.19.6, 16.2.9 |
| Triisopropanolamine | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Triisopropylated phenyl phosphates | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Trimethylacetic acid (n) | Y | S/P | 2 | 2G | Cont | No | | | Yes | R | No | A | No | 15.11.2, 15.11.3, 15.11.4, 15.11.5, 15.11.6, 15.11.7, 15.11.8, 15.19.6, 16.2.6, 16.2.9 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|-----|-------|----|------|-------|----|------|------|---|-----|------------|-----|--|
| Trimethylacetic acid | Y | S/P | 3 | 2G | Cont | No | | | Yes | R | No | A | No | 15.11.2, 15.11.3, 15.11.4, 15.11.5, 15.11.6, 15.11.7, 15.11.8, 15.19.6, 16.2.6, 16.2.9 |
| Trimethylamine solution (30% or less) | Z | S/P | 2 | 2G | Cont | No | | | No | C | F-T | A, C | Yes | 15.12, 15.14, 15.19, 16.2.9 |
| Trimethylbenzene (all isomers) | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Trimethylpropane propoxylated (n) | Z | S/P | 3 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | |
| 2,2,4-Trimethyl-1,3-pentanediol diisobutyrate | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | |
| 2,2,4-Trimethyl-1,3-pentanediol-1-isobutyrate | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| 1,3,5-Trioxane | Y | S/P | 3 | 2G | Cont | No | | | No | R | F | A, D | No | 15.19.6, 16.2.9 |
| Tripropylene glycol | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Triethyl phosphate | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.6 |
| Tung oil (n) | Y | S/P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Tung oil (containing less than 2.5% free fatty acids) | Y | P | 2 (k) | 2G | Open | No | - | - | Yes | O | No | A, B, C, D | No | 15.19.6, 16.2.6, 16.2.9 |
| Turpentine | X | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6 |
| Undecanoic acid | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 16.2.6, 16.2.9 |
| 1-Undecene | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Undecyl alcohol | X | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6, 16.2.9 |
| Urea/Ammonium nitrate solution | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Urea/Ammonium nitrate solution (containing aqua ammonia) | Z | S/P | 3 | 2G | Cont | No | | | NF | R | T | A | No | 16.2.9 |
| Urea/Ammonium nitrate solution (containing less than 1% free ammonia) (n) | Z | S/P | 3 | 2G | Cont | No | | | NF | R | T | A | No | 16.2.9 |
| Urea/Ammonium phosphate solution | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A | No | 15.19.6 |
| Urea solution | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Valeraldehyde (all isomers) | Y | S/P | 3 | 2G | Cont | Inert | T3 | II B | No | R | F-T | A | No | 15.4.6, 15.19.6 |
| Vegetable acid oils (m) (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Vegetable fatty acid distillates (m) (n) | Y | S/P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B, C | No | 15.19.6, 16.2.6, 16.2.9 |
| Vegetable protein solution (hydrolysed) (o) | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A | No | |
| Vinyl acetate | Y | S/P | 3 | 2G | Cont | No | T2 | II A | No | R | F | A | No | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| Vinyl ethyl ether | Z | S/P | 2 | 1G | Cont | Inert | T3 | II B | No | C | F-T | A | Yes | 15.4, 15.13, 15.14, 15.19, 16.6.1, 16.6.2 |

| a | c | d | e | f | g | h | i' | i'' | i''' | j | k | l | n | o |
|---|---|-----|---|----|------|-------|----|-----|------|---|-----|------|-----|---------------------------------------|
| Vinylidene chloride | Y | S/P | 2 | 2G | Cont | Inert | T2 | IIA | No | R | F-T | B | Yes | 15.13, 15.14, 15.19.6, 16.6.1, 16.6.2 |
| Vinyl neodecanoate | Y | S/P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| Vinyltoluene | Y | S/P | 2 | 2G | Cont | No | | IIA | No | R | F | A, B | No | 15.13, 15.19.6, 16.6.1, 16.6.2 |
| Waxes (n) | Y | P | 2 | 2G | Open | No | - | - | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Waxes | Z | P | 3 | 2G | Open | No | | | Yes | O | No | A, B | No | 16.2.6, 16.2.9 |
| White spirit, low (15–20%) aromatic (n) | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.9 |
| Xylenes | Y | P | 2 | 2G | Cont | No | | | No | R | F | A | No | 15.19.6, 16.2.9 (h) |
| Xylenes/Ethylbenzene (10% or more) mixture (n) | Y | P | 2 | 2G | Cont | No | - | - | No | R | F | A | No | 15.19.6 |
| Xylenol (n) | Y | S/P | 2 | 2G | Open | No | | IIA | Yes | O | No | A, B | No | 15.19.6, 16.2.9 |
| Xylenol | Y | S/P | 3 | 2G | Open | No | | IIA | Yes | O | No | A, B | No | 15.19.6, 16.2.9 |
| Zinc alkaryl dithiophosphate (C ₇ –C ₁₆) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6, 16.2.9 |
| Zinc alkenyl carboxamide | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6 |
| Zinc alkyl dithiophosphate (C ₃ –C ₁₄) | Y | P | 2 | 2G | Open | No | | | Yes | O | No | A, B | No | 15.19.6, 16.2.6 |

- a If the product to be carried contains flammable solvents such that the flashpoint does not exceed 60°C, then special electrical systems and a flammable-vapour detector shall be provided.
- b Although water is suitable for extinguishing open-air fires involving chemicals to which this footnote applies, water shall not be allowed to contaminate closed tanks containing these chemicals because of the risk of hazardous gas generation.
- c Phosphorus, yellow or white is carried above its autoignition temperature and therefore flashpoint is not appropriate. Electrical equipment requirements may be similar to those for substances with a flashpoint above 60°C.
- d Requirements are based on those isomers having a flashpoint of 60°C, or less; some isomers have a flashpoint greater than 60°C, and therefore the requirements based on flammability would not apply to such isomers.
- e Applies to *n*-decyl alcohol only.
- f Dry chemical shall not be used as fire-extinguishing media.
- g Confined spaces shall be tested for both formic acid vapours and carbon monoxide gas, a decomposition product.
- h Applies to *p*-xylene only.
- i For mixtures containing no other components with safety hazards and where the pollution category is Y or less.
- j Only certain alcohol-resistant foams are effective.
- k Requirements for Ship Type identified in *column e* might be subject to regulation 4.1.3 of Annex II of MARPOL 73/78.
- l Applicable when the melting point is equal to or greater than 0°C.
- m From vegetable oils specified in the IBC Code.
- n Pending official adoption and entry into force which is expected to be 1 January 2009. Products marked with this footnote appear in List 1 of the MEPC.2 Circular. Where these are double entries, those marked with this footnote take precedence.
- o Refer to the entry in chapter 18.

Chapter 18

List of products to which the Code does not apply

- 18.1** The following are products which have been reviewed for their safety and pollution hazards and determined not to present hazards to such an extent as to warrant application of the Code.
- 18.2** Although the products listed in this chapter fall outside the scope of the Code, the attention of Administrations is drawn to the fact that some safety precautions may be needed for their safe transportation. Accordingly, Administrations shall prescribe appropriate safety requirements.
- 18.3** Some liquid substances are identified as falling into Pollution Category Z and, therefore, subject to certain requirements of Annex II of MARPOL 73/78.
- 18.4** Liquid mixtures which are assessed or provisionally assessed under regulation 6.3 of MARPOL Annex II as falling into Pollution Category Z or OS, and which do not present safety hazards, may be carried under the appropriate entry in this chapter for “Noxious or Non-Noxious Liquid Substances, not otherwise specified (n.o.s.)”.

EXPLANATORY NOTES

| | |
|--------------------|---|
| Product name | The product name shall be used in the shipping document for any cargo offered for bulk shipments. Any additional name may be included in brackets after the product name. In some cases, the product names are not identical with the names given in previous issues of the Code. |
| Pollution Category | The letter Z means the Pollution Category assigned to each product under Annex II of MARPOL 73/78. OS means the product was evaluated and found to fall outside Categories X, Y, or Z. |

| Product name | Pollution category |
|---|---------------------------|
| Acetone | Z |
| Alcoholic beverages, n.o.s. | Z |
| Apple juice | OS |
| <i>n</i> -Butyl alcohol | Z |
| <i>sec</i> -Butyl alcohol | Z |
| Calcium nitrate solutions (50% or less) (a) | Z |
| Clay slurry | OS |
| Coal slurry | OS |
| Diethylene glycol | Z |
| Ethyl alcohol | Z |
| Ethylene carbonate | Z |
| Glucose solution | OS |
| Glycerine | Z |
| Glycerol monooleate (b) | Z |

| Product name | Pollution category |
|--|--------------------|
| Hexamethylenetetramine solutions | Z |
| Hexylene glycol | Z |
| Hydrogenated starch hydrolysate (a) | OS |
| Isopropyl alcohol | Z |
| Kaolin slurry | OS |
| Lecithin (a) | OS |
| Magnesium hydroxide slurry | Z |
| Maltitol solution (a) | OS |
| <i>N</i> -Methylglucamine solution (70% or less) | Z |
| Methyl propyl ketone | Z |
| Molasses | OS |
| Noxious liquid, (11) n.o.s. (trade name ..., contains ...) Cat. Z | Z |
| Non noxious liquid, (12) n.o.s. (trade name ..., contains ...) Cat. OS | OS |
| Polyaluminium chloride solution | Z |
| Polyglycerin, sodium salt solution (containing less than 3% sodium hydroxide) (a) | Z |
| Potassium formate solutions | Z |
| Propylene carbonate | Z |
| Propylene glycol | Z |
| Sodium acetate solutions | Z |
| Sodium sulphate solutions | Z |
| Sorbitol solution (a) | OS |
| Sulphonated polyacrylate solution (a) | Z |
| Tetraethyl silicate monomer/oligomer (20% in ethanol) | Z |
| Triethylene glycol | Z |
| Vegetable protein solution (hydrolysed) (a) | OS |
| Water | OS |

a Pending official adoption and entry into force, which is expected to be 1 January 2009. Products marked with this footnote appear in List 1 of the MEPC.2 Circular.

b Refer to the entry in chapter 17.

Chapter 19

Index of Products Carried in Bulk

- 19.1** The first column of the Index of Products Carried in Bulk (hereafter referred to as “the Index”) provides the so-called Index Name. Where the Index Name is in capital and in bold, the Index Name is identical to the Product Name in either chapter 17 or chapter 18. The second column listing the relevant Product Name is therefore empty. Where the Index Name is in non-bold lower case it reflects a synonym for which the Product Name in either chapter 17 or chapter 18 is given in the second column. The relevant chapter of the IBC Code is reflected in the third column. The fourth column gives the UN Numbers of products which were available up to February 2001.*
- 19.2** The Index has been developed for information purposes only. None of the Index Names indicated in non-bold lower case in the first column shall be used as Product Name on the shipping document.
- 19.3** Prefixes forming an integral part of the name are shown in ordinary (roman) type and are taken into account in determining the alphabetical order of entries. These include such prefixes as:
- Mono Di Tri Tetra Penta Iso Bis Neo Ortho Cyclo
- 19.4** Prefixes that are disregarded for purposes of alphabetical order are in italics and include the following:
- | | |
|-----------------|-------------------|
| <i>n-</i> | (normal-) |
| <i>sec-</i> | (secondary-) |
| <i>tert-</i> | (tertiary-) |
| <i>o-</i> | (<i>ortho-</i>) |
| <i>m-</i> | (<i>meta-</i>) |
| <i>p-</i> | (<i>para-</i>) |
| <i>N-</i> | |
| <i>O-</i> | |
| <i>S-</i> | |
| <i>sym-</i> | (symmetrical) |
| <i>uns-</i> | (unsymmetrical) |
| <i>dl-</i> | |
| <i>D-</i> | |
| <i>L-</i> | |
| <i>cis-</i> | |
| <i>trans-</i> | |
| (<i>E-</i>) | |
| (<i>Z-</i>) | |
| <i>alpha-</i> | (α -) |
| <i>beta-</i> | (β -) |
| <i>gamma-</i> | (γ -) |
| <i>epsilon-</i> | (ϵ -) |
| <i>omega-</i> | (ω -) |

* The reason for this decision is given in paragraph 7.10 of BLG 6/16.

| Index Name | Product Name | Chapter | UN Number |
|---|-------------------------------------|---------|-----------|
| Abietic anhydride | ROSIN | 17 | |
| Acedimethylamide | N,N-DIMETHYLACETAMIDE | 17 | |
| Acetaldehyde cyanohydrin | LACTONITRILE SOLUTION (80% OR LESS) | 17 | |
| Acetaldehyde trimer | PARALDEHYDE | 17 | |
| ACETIC ACID | | 17 | |
| Acetic acid anhydride | ACETIC ANHYDRIDE | 17 | |
| Acetic acid, ethenyl ester | VINYL ACETATE | 17 | |
| Acetic acid, methyl ester | METHYL ACETATE | 17 | |
| Acetic acid, vinyl ester | VINYL ACETATE | 17 | |
| ACETIC ANHYDRIDE | | 17 | 1715 |
| Acetic ester | ETHYL ACETATE | 17 | |
| Acetic ether | ETHYL ACETATE | 17 | |
| Acetic oxide | ACETIC ANHYDRIDE | 17 | |
| Acetoacetic acid, methyl ester | METHYL ACETOACETATE | 17 | |
| Acetoacetic ester | ETHYL ACETOACETATE | 17 | |
| ACETOCHLOR | | 17 | |
| ACETONE | | 18 | |
| ACETONE CYANOHYDRIN | | 17 | 1541 |
| ACETONITRILE | | 17 | 1648 |
| ACETONITRILE (LOW PURITY GRADE) | | 17 | |
| Acetyl anhydride | ACETIC ANHYDRIDE | 17 | |
| Acetylene tetrachloride | TETRACHLOROETHANE | 17 | |
| Acetyl ether | ACETIC ANHYDRIDE | 17 | |
| Acetyl oxide | ACETIC ANHYDRIDE | 17 | |
| ACID OIL MIXTURE FROM SOYABEAN, CORN (MAIZE) AND SUNFLOWER OIL REFINING | | 17 | |
| Acintene | <i>beta</i> -PINENE | 17 | |
| Acroleic acid | ACRYLIC ACID | 17 | |
| ACRYLAMIDE SOLUTION (50% OR LESS) | | 17 | 2074 |
| ACRYLIC ACID | | 17 | 2218 |
| Acrylic acid, 2-hydroxyethyl ester | 2-HYDROXYETHYL ACRYLATE | 17 | |
| Acrylic amide solution, 50% or less | ACRYLAMIDE SOLUTION (50% OR LESS) | 17 | |
| Acrylic resin monomer | METHYL METHACRYLATE | 17 | |
| ACRYLONITRILE | | 17 | 1093 |
| ACRYLONITRILE-STYRENE COPOLYMER DISPERSION IN POLYETHER POLYOL | | 17 | |
| Adipic acid, bis(2-ethylhexyl) ester | DI-(2-ETHYLHEXYL) ADIPATE | 17 | |
| ADIPONITRILE | | 17 | 2205 |
| ALACHLOR TECHNICAL (90% OR MORE) | | 17 | |
| Alcohol | ETHYL ALCOHOL | 18 | |
| Alcohol, C ₇ | HEPTANOL (ALL ISOMERS) | 17 | |
| Alcohol, C ₈ | OCTANOL (ALL ISOMERS) | 17 | |
| Alcohol, C ₉ | NONYL ALCOHOL (ALL ISOMERS) | 17 | |
| Alcohol, C ₁₀ | DECYL ALCOHOL (ALL ISOMERS) | 17 | |
| Alcohol, C ₁₁ | UNDECYL ALCOHOL | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|--------------------------------------|---------|------------|
| Alcohol, C ₁₂ | DODECYL ALCOHOL | 17 | |
| ALCOHOLIC BEVERAGES, N.O.S. | | 18 | |
| ALCOHOL (C ₉ -C ₁₁) POLY(2.5-9)ETHOXYLATE | | 17 | |
| ALCOHOL (C ₁₂ -C ₁₆) POLY(1-6)ETHOXYLATES | | 17 | |
| ALCOHOL (C ₁₂ -C ₁₆) POLY(7-19)ETHOXYLATES | | 17 | |
| ALCOHOL (C ₁₂ -C ₁₆) POLY(20+)ETHOXYLATES | | 17 | |
| ALCOHOL (C ₆ -C ₁₇) (SECONDARY) POLY(3-6)ETHOXYLATES | | 17 | |
| ALCOHOL (C ₆ -C ₁₇) (SECONDARY) POLY(7-12)ETHOXYLATES | | 17 | |
| ALCOHOLS (C ₁₃ +)) | | 17 | |
| Alcohols, C ₁₃ -C ₁₅ | ALCOHOLS (C ₁₃ +)) | 17 | |
| ALCOHOLS (C ₈ -C ₁₁), PRIMARY, LINEAR AND ESSENTIALLY LINEAR | | 17 | |
| ALCOHOLS (C ₁₂ -C ₁₃), PRIMARY, LINEAR AND ESSENTIALLY LINEAR | | 17 | |
| ALCOHOLS (C ₁₄ -C ₁₆), PRIMARY, LINEAR AND ESSENTIALLY LINEAR | | 17 | |
| Aldehyde collidine | 2-METHYL-5-ETHYLPYRIDINE | 17 | |
| Aldehydine | 2-METHYL-5-ETHYLPYRIDINE | 17 | |
| ALKANES (C ₆ -C ₉) | | 17 | |
| <i>n</i> -ALKANES (C ₁₀ +)) | | 17 | |
| Alkane(C ₁₀ -C ₁₈)sulfonic acid, phenyl ester | ALKYL SULPHONIC ACID ESTER OF PHENOL | 17 | |
| ALKARYL POLYETHERS (C ₉ -C ₂₀) | | 17 | |
| ALKENYL (C ₁₁ +) AMIDE | | 17 | |
| ALKENYL (C ₁₆ -C ₂₀) SUCCINIC ANHYDRIDE | | 17 | |
| ALKYL ACRYLATE-VINYLPYRIDINE COPOLYMER IN TOLUENE | | 17 | |
| ALKYLARYL PHOSPHATE MIXTURES (MORE THAN 40% DIPHENYL TOLYL PHOSPHATE, LESS THAN 0.02% <i>ortho</i> -ISOMERS) | | 17 | |
| ALKYLATED (C ₄ -C ₉) HINDERED PHENOLS | | 17 | |
| ALKYLBENZENE, ALKYLINDANE, ALKYLINDENE MIXTURE (EACH C ₁₂ -C ₁₇) | | 17 | |
| ALKYL BENZENE DISTILLATION BOTTOMS | | 17 | |
| ALKYLBENZENE MIXTURES (CONTAINING AT LEAST 50% OF TOLUENE) | | 17 | |
| ALKYL (C ₃ -C ₄) BENZENES | | 17 | |
| ALKYL (C ₅ -C ₆) BENZENES | | 17 | |
| ALKYL(C ₉ +)BENZENES | | 17 | |
| ALKYL (C ₁₁ -C ₁₇) BENZENE SULPHONIC ACID | | 17 | 2584, 2586 |
| ALKYLBENZENE SULPHONIC ACID, SODIUM SALT SOLUTION | | 17 | |
| ALKYL (C ₁₂ +) DIMETHYLAMINE | | 17 | 2735 |
| ALKYL DITHIOCARBAMATE (C ₁₉ -C ₃₅) | | 17 | |
| ALKYLDITHIOTHIAZOLE (C ₆ -C ₂₄) | | 17 | |
| ALKYL ESTER COPOLYMER (C ₄ -C ₂₀) | | 17 | |
| ALKYL (C ₈ -C ₁₀)/(C ₁₂ -C ₁₄):(40% OR LESS/60% OR MORE) POLYGLUCOSIDE SOLUTION (55% OR LESS) | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|-----------|
| ALKYL (C ₈ -C ₁₀)/(C ₁₂ -C ₁₄);(50%/50%) POLYGLUCOSIDE SOLUTION (55% OR LESS) | | 17 | |
| ALKYL (C ₈ -C ₁₀)/(C ₁₂ -C ₁₄);(60% OR MORE/40% OR LESS) POLYGLUCOSIDE SOLUTION (55% OR LESS) | | 17 | |
| ALKYL (C ₇ -C ₉) NITRATES | | 17 | |
| 2,2'-[3-(Alkyl(C ₁₆ -C ₁₈)oxy)propylimino]diethanol | ETHOXYLATED LONG CHAIN (C ₁₆ +) ALKYLOXYALKYLAMINE | 17 | |
| ALKYL(C ₇ -C ₁₁)PHENOL POLY(4-12)ETHOXYLATE | | 17 | |
| ALKYL (C ₈ -C ₄₀) PHENOL SULPHIDE | | 17 | |
| ALKYL (C ₈ -C ₉) PHENYLAMINE IN AROMATIC SOLVENTS | | 17 | 1993 |
| ALKYL (C ₉ -C ₁₅) PHENYL PROPOXYLATE | | 17 | |
| ALKYL (C ₈ -C ₁₀) POLYGLUCOSIDE SOLUTION (65% OR LESS) | | 17 | |
| ALKYL (C ₁₂ -C ₁₄) POLYGLUCOSIDE SOLUTION (55% OR LESS) | | 17 | |
| ALKYL(C ₁₀ -C ₂₀ , SATURATED AND UNSATURATED) PHOSPHITE | | 17 | |
| ALKYL SULPHONIC ACID ESTER OF PHENOL | | 17 | |
| 3-Alkyl(C ₁₆ -C ₁₈)oxy- <i>N,N'</i> -bis(2-hydroxyethyl)propan-1- amine | ETHOXYLATED LONG CHAIN (C ₁₆ +) ALKYLOXYALKYLAMINE | 17 | |
| ALLYL ALCOHOL | | 17 | 1098 |
| ALLYL CHLORIDE | | 17 | 1100 |
| Aluminium silicate hydroxide | KAOLIN SLURRY | 18 | |
| ALUMINIUM SULPHATE SOLUTION | | 17 | |
| Aminoacetic acid, sodium salt solution | GLYCINE, SODIUM SALT SOLUTION | 17 | |
| 1-Amino-3-aminomethyl-3,5,5-trimethylcyclohexane | ISOPHORONEDIAMINE | 17 | |
| Aminobenzene | ANILINE | 17 | |
| 1-Aminobutane | BUTYLAMINE (ALL ISOMERS) | 17 | |
| 2-Aminobutane | BUTYLAMINE (ALL ISOMERS) | 17 | |
| Aminocyclohexane | CYCLOHEXYLAMINE | 17 | |
| Aminoethane | ETHYLAMINE | 17 | |
| Aminoethane solutions, 72% or less | ETHYLAMINE SOLUTIONS (72% OR LESS) | 17 | |
| 2-Aminoethanol | ETHANOLAMINE | 17 | |
| 2-(2-AMINOETHOXY)ETHANOL | | 17 | 3055 |
| 2-(2-Aminoethylamino)ethanol | AMINOETHYLETHANOLAMINE | 17 | |
| AMINOETHYLDIETHANOLAMINE/ AMINOETHYLETHANOLAMINE SOLUTION | | 17 | |
| AMINOETHYLETHANOLAMINE | | 17 | |
| <i>N</i> -(2-Aminoethyl)ethylenediamine | DIETHYLENTRIAMINE | 17 | |
| 1-(2-Aminoethyl)piperazine | <i>N</i> -AMINOETHYLPIPERAZINE | 17 | |
| <i>N</i> -AMINOETHYLPIPERAZINE | | 17 | 2815 |
| 2-Aminoisobutane | BUTYLAMINE (ALL ISOMERS) | 17 | |
| Aminomethane | METHYLAMINE SOLUTIONS (42% OR LESS) | 17 | |
| Aminomethane solutions, 42% or less | METHYLAMINE SOLUTIONS (42% OR LESS) | 17 | |
| 1-Amino-2-methylbenzene | <i>o</i> -TOLUIDINE | 17 | |
| 2-Amino-1-methylbenzene | <i>o</i> -TOLUIDINE | 17 | |
| 2-AMINO-2-METHYL-1-PROPANOL | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|---------------------------------------|---------|-----------|
| 3-Aminomethyl-3,5,5-trimethylcyclohexylamine | ISOPHORONEDIAMINE | 17 | |
| Aminophen | ANILINE | 17 | |
| 1-Aminopropane | <i>n</i> -PROPYLAMINE | 17 | |
| 2-Aminopropane | ISOPROPYLAMINE | 17 | |
| 2-Aminopropane (70% or less) solution | ISOPROPYLAMINE (70% OR LESS) SOLUTION | 17 | |
| 1-Amino-2-propanol | ISOPROPANOLAMINE | 17 | |
| 1-Aminopropan-2-ol | ISOPROPANOLAMINE | 17 | |
| 3-Aminopropan-1-ol | <i>n</i> -PROPANOLAMINE | 17 | |
| 2-Aminotoluene | <i>o</i> -TOLUIDINE | 17 | |
| <i>o</i> -Aminotoluene | <i>o</i> -TOLUIDINE | 17 | |
| 5-Amino-1,3,3-trimethylcyclohexylmethylamine | ISOPHORONEDIAMINE | 17 | |
| AMMONIA AQUEOUS (28% OR LESS) | | 17 | 2672 |
| Ammonia water, 28% or less | AMMONIA AQUEOUS (28% OR LESS) | 17 | |
| AMMONIUM HYDROGEN PHOSPHATE SOLUTION | | 17 | |
| Ammonium hydroxide, 28% or less | AMMONIA AQUEOUS (28% OR LESS) | 17 | |
| AMMONIUM LIGNOSULPHONATE SOLUTIONS | | 17 | |
| AMMONIUM NITRATE SOLUTION (93% OR LESS) | | 17 | |
| AMMONIUM POLYPHOSPHATE SOLUTION | | 17 | |
| AMMONIUM SULPHATE SOLUTION | | 17 | |
| AMMONIUM SULPHIDE SOLUTION (45% OR LESS) | | 17 | 2683 |
| AMMONIUM THIOSULPHATE SOLUTION (60% OR LESS) | | 17 | |
| AMYL ACETATE (ALL ISOMERS) | | 17 | 1104 |
| Amyl acetate, commercial | AMYL ACETATE (ALL ISOMERS) | 17 | |
| <i>n</i> -Amyl acetate | AMYL ACETATE (ALL ISOMERS) | 17 | |
| <i>sec</i> -Amyl acetate | AMYL ACETATE (ALL ISOMERS) | 17 | |
| Amyl acetic ester | AMYL ACETATE (ALL ISOMERS) | 17 | |
| Amyl alcohol | <i>n</i> -AMYL ALCOHOL | 17 | |
| <i>n</i> -AMYL ALCOHOL | | 17 | |
| <i>sec</i> -AMYL ALCOHOL | | 17 | |
| <i>tert</i> -AMYL ALCOHOL | | 17 | |
| AMYL ALCOHOL, PRIMARY | | 17 | |
| Amyl aldehyde | VALERALDEHYDE (ALL ISOMERS) | 17 | |
| Amyl carbinol | HEXANOL | 17 | |
| <i>alpha-n</i> -Amylene | PENTENE (ALL ISOMERS) | 17 | |
| Amylene hydrate | <i>tert</i> -AMYL ALCOHOL | 17 | |
| <i>tert</i> -Amylenes | PENTENE (ALL ISOMERS) | 17 | |
| Amyl ethyl ketone | ETHYL AMYL KETONE | 17 | |
| Amyl hydrate | <i>n</i> -AMYL ALCOHOL | 17 | |
| Amyl hydride | PENTANE (ALL ISOMERS) | 17 | |
| <i>tert</i> -AMYL METHYL ETHER | | 17 | 1993 |
| <i>n</i> -Amyl methyl ketone | METHYL AMYL KETONE | 17 | |
| <i>n</i> -Amyl propionate | <i>n</i> -PENTYL PROPIONATE | 17 | |
| Anaesthetic ether | DIETHYL ETHER | 17 | |
| ANILINE | | 17 | 1547 |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| Aniline oil | ANILINE | 17 | |
| Anilinobenzene | DIPHENYLAMINE (MOLTEN) | 17 | |
| Anthracene oil (coal tar fraction) | COAL TAR | 17 | |
| Ant oil, artificial | FURFURAL | 17 | |
| APPLE JUICE | | 18 | |
| Aqua fortis | NITRIC ACID (70% AND OVER) | 17 | |
| Argilla | KAOLIN SLURRY | 18 | |
| ARYL POLYOLEFINS (C ₁₁ -C ₅₀) | | 17 | |
| AVIATION ALKYLATES (C ₈ PARAFFINS AND ISO-PARAFFINS BPT 95-120°C) | | 17 | |
| Azacycloheptane | HEXAMETHYLENIMINE | 17 | |
| 3-Azapentane-1,5-diamine | DIETHYLENTRIAMINE | 17 | |
| Azepane | HEXAMETHYLENIMINE | 17 | |
| Azotic acid | NITRIC ACID (70% AND OVER) | 17 | |
| Banana oil | AMYL ACETATE (ALL ISOMERS) | 17 | |
| BARIUM LONG CHAIN (C ₁₁ -C ₅₀) ALKARYL SULPHONATE | | 17 | 2810 |
| Basic calcium alkyl salicylate in approximately 30% mineral oil | CALCIUM LONG-CHAIN ALKYL SALICYLATE (C ₁₃ +) | 17 | |
| Battery acid | SULPHURIC ACID | 17 | |
| Behenyl alcohol | ALCOHOLS (C ₁₃ +) | 17 | |
| Benzenamine | 2-METHYL-5-ETHYLPYRIDINE | 17 | |
| 1,2-Benzenedicarboxylic acid, diethyl ester | DIETHYL PHTHALATE | 17 | |
| 1,2-Benzenedicarboxylic acid, diundecyl ester | DIUNDECYL PHTHALATE | 17 | |
| BENZENE AND MIXTURES HAVING 10% BENZENE OR MORE | | 17 | 1114 |
| BENZENESULPHONYL CHLORIDE | | 17 | 2225 |
| BENZENETRICARBOXYLIC ACID, TRIOCTYL ESTER | | 17 | |
| Benzenol | PHENOL | 17 | |
| Benzol | BENZENE AND MIXTURES HAVING 10% BENZENE OR MORE | 17 | |
| Benzole | BENZENE AND MIXTURES HAVING 10% BENZENE OR MORE | 17 | |
| Benzophenol | PHENOL | 17 | |
| Benzothiazole-2-thiol (, sodium salt) | MERCAPTOBENZOTHIAZOL, SODIUM SALT SOLUTION | 17 | |
| 2-Benzothiazolethiol (, sodium salt) | MERCAPTOBENZOTHIAZOL, SODIUM SALT SOLUTION | 17 | |
| (2-Benzothiazolythio) sodium solution | MERCAPTOBENZOTHIAZOL, SODIUM SALT SOLUTION | 17 | |
| BENZYL ACETATE | | 17 | |
| BENZYL ALCOHOL | | 17 | |
| Benzyl butyl phthalate | BUTYL BENZYL PHTHALATE | 17 | |
| BENZYL CHLORIDE | | 17 | 1738 |
| Betaprone | <i>beta</i> -PROPIOLACTONE | 17 | |
| Betula oil | METHYL SALICYLATE | 17 | |
| Biformyl | GLYOXAL SOLUTION (40% OR LESS) | 17 | |
| Bihexyl | DODECANE (ALL ISOMERS) | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| Biphenyl | DIPHENYL | 17 | |
| 2,5-Bis(alkyl(C ₇₊ thio)-1,3,4-thiadiazole | ALKYLDITHIOTHIAZOLE (C ₆ -C ₂₄) | 17 | |
| Bis(2-aminoethyl)amine | DIETHYLENETRIAMINE | 17 | |
| <i>N,N'</i> -Bis(2-aminoethyl)ethane-1,2-diamine | TRIETHYLENETETRAMINE | 17 | |
| <i>N,N'</i> -Bis(2-aminoethyl)ethylenediamine | TRIETHYLENETETRAMINE | 17 | |
| <i>N,N</i> -Bis(2-(bis(carboxymethyl)amino)ethyl)glycine, pentasodium salt | DIETHYLENETRIAMINEPENTAACETIC ACID, PENTASODIUM SALT SOLUTION | 17 | |
| Bis(2-butoxyethyl) ether | DIETHYLENE GLYCOL DIBUTYL ETHER | 17 | |
| <i>N,N</i> -Bis(carboxymethyl)glycine trisodium salt | NITRILOTRIACETIC ACID, TRISODIUM SALT SOLUTION | 17 | |
| Bis(chloroethyl) ether | DICHLOROETHYL ETHER | 17 | |
| Bis(2-chloroethyl) ether | DICHLOROETHYL ETHER | 17 | |
| Bis(2-chloroisopropyl) ether | 2,2'-DICHLOROISOPROPYL ETHER | 17 | |
| Bis(2-chloro-1-methylethyl) ether | 2,2'-DICHLOROISOPROPYL ETHER | 17 | |
| 1,1-Bis[4-(2,3-epoxypropoxy)phenyl]ethane | DIGLYCIDYL ETHER OF BISPHENOL A | 17 | |
| Bis[2-(2,3-epoxypropoxy)phenyl]methane | DIGLYCIDYL ETHER OF BISPHENOL F | 17 | |
| Bis(2-ethoxyethyl) ether | DIETHYLENE GLYCOL DIETHYL ETHER | 17 | |
| Bis(2-ethylhexyl) adipate | DI(2-ETHYLHEXYL) ADIPATE | 17 | |
| Bis(2-ethylhexyl) hydrogen phosphate | DI(2-ETHYLHEXYL)PHOSPHORIC ACID | 17 | |
| Bis(2-ethylhexyl) phthalate | DIOCTYL PHTHALATE | 17 | |
| Bis(2-hydroxyethyl)amine | DIETHANOLAMINE | 17 | |
| Bis(2-hydroxyethyl)ammonium 2,4-dichlorophenoxyacetate | 2,4-DICHLOROPHENOXYACETIC ACID, DIETHANOLAMINE SALT SOLUTION | 17 | |
| Bis(2-hydroxyethyl) ether | DIETHYLENE GLYCOL | 18 | |
| Bis(2-hydroxypropyl)amine | DIISOPROPANOLAMINE | 17 | |
| Bis(methylcyclopentadiene) | METHYLCYCLOPENTADIENE DIMER | 17 | |
| Bis(6-methylheptyl) phthalate | DIOCTYL PHTHALATE | 17 | |
| Blackstrap molasses | MOLASSES | 18 | |
| Bolus alba | KAOLIN SLURRY | 18 | |
| BRAKE FLUID BASE MIX: POLY(2-8)ALKYLENE (C ₂ -C ₃) GLYCOLS/POLYALKYLENE (C ₂ -C ₁₀) GLYCOLS MONOALKYL (C ₁ -C ₄) ETHERS AND THEIR BORATE ESTERS | | 17 | |
| Bran oil | FURFURAL | 17 | |
| Brimstone | SULPHUR (MOLTEN) | 17 | |
| BROMOCHLOROMETHANE | | 17 | |
| Butaldehyde | BUTYRALDEHYDE (ALL ISOMERS) | 17 | |
| Butanal | BUTYRALDEHYDE (ALL ISOMERS) | 17 | |
| <i>n</i> -Butanal | BUTYRALDEHYDE (ALL ISOMERS) | 17 | |
| Butane-1,3-diol | BUTYLENE GLYCOL | 17 | |
| 1,3-Butanediol | BUTYLENE GLYCOL | 17 | |
| Butane-1,4-diol | BUTYLENE GLYCOL | 17 | |
| 1,4-Butanediol | BUTYLENE GLYCOL | 17 | |
| Butane-2,3-diol | BUTYLENE GLYCOL | 17 | |
| 2,3-Butanediol | BUTYLENE GLYCOL | 17 | |
| Butanoic acid | BUTYRIC ACID | 17 | |
| Butanol | <i>n</i> -BUTYL ALCOHOL | 18 | |

| Index Name | Product Name | Chapter | UN Number |
|-----------------------------------|--|---------|------------|
| Butanol-1 | <i>n</i> -BUTYL ALCOHOL | 18 | |
| Butan-1-ol | <i>n</i> -BUTYL ALCOHOL | 18 | |
| 1-Butanol | <i>n</i> -BUTYL ALCOHOL | 18 | |
| Butan-2-ol | <i>sec</i> -BUTYL ALCOHOL | 18 | |
| 2-Butanol | <i>sec</i> -BUTYL ALCOHOL | 18 | |
| <i>n</i> -Butanol | <i>n</i> -BUTYL ALCOHOL | 18 | |
| <i>sec</i> -Butanol | <i>sec</i> -BUTYL ALCOHOL | 18 | |
| <i>tert</i> -Butanol | <i>tert</i> -BUTYL ALCOHOL | 17 | |
| Butanol acetate | BUTYL ACETATE (ALL ISOMERS) | 17 | |
| 2-Butanol acetate | BUTYL ACETATE (ALL ISOMERS) | 17 | |
| 1,4-Butanolide | <i>gamma</i> -BUTYROLACTONE | 17 | |
| Butan-4-olide | <i>gamma</i> -BUTYROLACTONE | 17 | |
| Butan-2-one | METHYL ETHYL KETONE | 17 | |
| 2-Butanone | METHYL ETHYL KETONE | 17 | |
| (<i>E</i>)-But-2-enal | CROTONALDEHYDE | 17 | |
| 2-Butenal | CROTONALDEHYDE | 17 | |
| Butene dimer | OCTENE (ALL ISOMERS) | 17 | |
| <i>cis</i> -Butenedioic anhydride | MALEIC ANHYDRIDE | 17 | |
| BUTENE OLIGOMER | | 17 | |
| 1-Butoxybutane | <i>n</i> -BUTYL ETHER | 17 | |
| 2-Butoxyethanol | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| 2- <i>tert</i> -Butoxyethanol | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| 2-(2-Butoxyethoxy)ethanol | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| 2-(2-Butoxyethoxy)ethyl acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| 2-Butoxyethyl acetate | ETHYLENE GLYCOL BUTYL ETHER ACETATE | 17 | |
| 1-Butoxypropan-2-ol | PROPYLENE GLYCOL MONOALKYL ETHER | 17 | |
| Butyl acetate | BUTYL ACETATE (ALL ISOMERS) | 17 | |
| BUTYL ACETATE (ALL ISOMERS) | | 17 | 1123 |
| <i>n</i> -Butyl acetate | BUTYL ACETATE (ALL ISOMERS) | 17 | |
| <i>sec</i> -Butyl acetate | BUTYL ACETATE (ALL ISOMERS) | 17 | |
| <i>tert</i> -Butyl acetate | BUTYL ACETATE (ALL ISOMERS) | 17 | |
| BUTYL ACRYLATE (ALL ISOMERS) | | 17 | 2348 |
| <i>n</i> -Butyl acrylate | BUTYL ACRYLATE (ALL ISOMERS) | 17 | |
| Butyl alcohol | <i>n</i> -BUTYL ALCOHOL | 18 | |
| <i>n</i> -BUTYL ALCOHOL | | 18 | |
| <i>sec</i> -BUTYL ALCOHOL | | 18 | |
| <i>tert</i> -BUTYL ALCOHOL | | 17 | |
| <i>n</i> -Butyl aldehyde | BUTYRALDEHYDE (ALL ISOMERS) | 17 | |
| BUTYLAMINE (ALL ISOMERS) | | 17 | 1125, 1214 |
| <i>n</i> -Butylamine | BUTYLAMINE (ALL ISOMERS) | 17 | |
| <i>sec</i> -Butylamine | BUTYLAMINE (ALL ISOMERS) | 17 | |
| <i>tert</i> -Butylamine | BUTYLAMINE (ALL ISOMERS) | 17 | |
| BUTYLBENZENE (ALL ISOMERS) | | 17 | 2709 |

| Index Name | Product Name | Chapter | UN Number |
|---|--|---------|-----------|
| <i>tert</i> -Butylbenzene | BUTYLBENZENE (ALL ISOMERS) | 17 | |
| BUTYL BENZYL PHTHALATE | | 17 | |
| Butyl butanoate | BUTYL BUTYRATE (ALL ISOMERS) | 17 | |
| BUTYL BUTYRATE (ALL ISOMERS) | | 17 | |
| <i>n</i> -Butyl butyrate | BUTYL BUTYRATE (ALL ISOMERS) | 17 | |
| <i>n</i> -Butylcarbinol | <i>n</i> -AMYL ALCOHOL | 17 | |
| Butyl carbitol | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Butyl carbitol acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| Butyl cellosolve | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| Butyl cellosolve acetate | ETHYLENE GLYCOL BUTYL ETHER ACETATE | 17 | |
| BUTYL/DECYL/CETYL/EICOSYL METHACRYLATE MIXTURE | | 17 | |
| Butyl/decyl/hexadecyl/icosyl methacrylate mixture | BUTYL/DECYL/CETYL/EICOSYL METHACRYLATE MIXTURE | 17 | |
| Butyl diglycol acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| BUTYLENE GLYCOL | | 17 | |
| <i>alpha</i> -Butylene glycol | BUTYLENE GLYCOL | 17 | |
| <i>beta</i> -Butylene glycol | BUTYLENE GLYCOL | 17 | |
| Butylene glycol momomethyl ether | 3-METHOXY-1-BUTANOL | 17 | |
| Butylene glycol monomethyl ether acetate | 3-METHOXYBUTYL ACETATE | 17 | |
| Butylene oxide | TETRAHYDROFURAN | 17 | |
| 1,2-BUTYLENE OXIDE | | 17 | 3022 |
| Butyl ester | BUTYL ACETATE (ALL ISOMERS) | 17 | |
| Butyl ethanoate | BUTYL ACETATE (ALL ISOMERS) | 17 | |
| Butyl ether | <i>n</i> -BUTYL ETHER | 17 | |
| <i>n</i> -BUTYL ETHER | | 17 | 1149 |
| Butylethylacetic acid | OCTANOIC ACID (ALL ISOMERS) | 17 | |
| Butylethylene | HEXENE (ALL ISOMERS) | 17 | |
| <i>tert</i> -Butyl ethyl ether | ETHYL <i>tert</i> -BUTYL ETHER | 17 | |
| Butylic ether | <i>n</i> -BUTYL ETHER | 17 | |
| BUTYL METHACRYLATE | | 17 | |
| <i>tert</i> -Butyl methyl ether | METHYL <i>tert</i> -BUTYL ETHER | 17 | |
| Butyl methyl ketone | METHYL BUTYL KETONE | 17 | |
| Butyl phthalate | DIBUTYL PHTHALATE | 17 | |
| <i>n</i> -BUTYL PROPIONATE | | 17 | 1914 |
| BUTYRALDEHYDE (ALL ISOMERS) | | 17 | 1129 |
| <i>n</i> -Butyraldehyde | BUTYRALDEHYDE (ALL ISOMERS) | 17 | |
| BUTYRIC ACID | | 17 | 2820 |
| <i>n</i> -Butyric acid | BUTYRIC ACID | 17 | |
| Butyric alcohol | <i>n</i> -BUTYL ALCOHOL | 18 | |
| Butyric aldehyde | BUTYRALDEHYDE (ALL ISOMERS) | 17 | |
| <i>gamma</i> -BUTYROLACTONE | | 17 | |
| Cajeputene | DIPENTENE | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|-----------|
| Calcium alkyl(long chain) salicylate (overbased) in mineral oil (LOA) | CALCIUM LONG-CHAIN ALKYL SALICYLATE (C ₁₃ +)) | 17 | |
| Calcium alkyl salicylate | CALCIUM LONG-CHAIN ALKYL SALICYLATE (C ₁₃ +)) | 17 | |
| Calcium bis(O-alkylsalicylate) | CALCIUM LONG-CHAIN ALKYL SALICYLATE (C ₁₃ +)) | 17 | |
| Calcium bromide/Zinc bromide solution | DRILLING BRINES (CONTAINING ZINC SALTS) | 17 | |
| CALCIUM CARBONATE SLURRY | | 17 | |
| CALCIUM HYDROXIDE SLURRY | | 17 | |
| CALCIUM HYPOCHLORITE SOLUTION (15% OR LESS) | | 17 | |
| CALCIUM HYPOCHLORITE SOLUTION (MORE THAN 15%) | | 17 | |
| CALCIUM LIGNOSULPHONATE SOLUTIONS | | 17 | |
| CALCIUM LONG-CHAIN ALKARYL SULPHONATE (C ₁₁ -C ₅₀) | | 17 | |
| CALCIUM LONG-CHAIN ALKYL(C ₅ -C ₁₀) PHENATE | | 17 | |
| CALCIUM LONG-CHAIN ALKYL(C ₁₁ -C ₄₀) PHENATE | | 17 | |
| CALCIUM LONG-CHAIN ALKYL PHENATE SULPHIDE (C ₈ -C ₄₀) | | 17 | |
| CALCIUM LONG-CHAIN ALKYL SALICYLATE (C ₁₃ +)) | | 17 | |
| CALCIUM NITRATE/MAGNESIUM NITRATE/POTASSIUM CHLORIDE SOLUTION | | 17 | |
| CALCIUM NITRATE SOLUTIONS (50% OR LESS) | | 18 | 1454 |
| Cane molasses | MOLASSES | 18 | |
| Capric acid | DECANOIC ACID | 17 | |
| Caproic acid | HEXANOIC ACID | 17 | |
| <i>alpha</i> -Caproic acid | OCTANOIC ACID (ALL ISOMERS) | 17 | |
| Caprolactam | <i>epsilon</i> -CAPROLACTAM (MOLTEN OR AQUEOUS SOLUTIONS) | 17 | |
| <i>epsilon</i> -CAPROLACTAM (MOLTEN OR AQUEOUS SOLUTIONS) | | 17 | |
| Caproyl alcohol | HEXANOL | 17 | |
| Capryl alcohol | OCTANOL (ALL ISOMERS) | 17 | |
| Caprylic acid | OCTANOIC ACID (ALL ISOMERS) | 17 | |
| Caprylyl acetate | <i>n</i> -OCTYL ACETATE | 17 | |
| Carbamide | UREA SOLUTION | 17 | |
| Carbinol | METHYL ALCOHOL | 17 | |
| Carbitol acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| Carbitol solvent | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Carbolic acid | PHENOL | 17 | |
| CARBOLIC OIL | | 17 | |
| Carbon bisulphide | CARBON DISULPHIDE | 17 | |
| CARBON DISULPHIDE | | 17 | 1131 |
| CARBON TETRACHLORIDE | | 17 | 1846 |
| Carbonyldiamide | UREA SOLUTION | 17 | |
| Carbonyldiamine | UREA SOLUTION | 17 | |
| 1,3-Carbonyl dioxypropane | PROPYLENE CARBONATE | 18 | |

| Index Name | Product Name | Chapter | UN Number |
|---|---|---------|-----------|
| Carboxyethyliminobis(ethylenenitrilo)tetraacetic acid, pentasodium salt | DIETHYLENETRIAMINEPENTAACETIC ACID, PENTASODIUM SALT SOLUTION | 17 | |
| CASHEW NUT SHELL OIL (UNTREATED) | | 17 | |
| CASTOR OIL | | 17 | |
| Caustic potash solution | POTASSIUM HYDROXIDE SOLUTION | 17 | |
| Caustic soda | SODIUM HYDROXIDE SOLUTION | 17 | |
| Caustic soda solution | SODIUM HYDROXIDE SOLUTION | 17 | |
| Cellosolve acetate | 2-ETHOXYETHYL ACETATE | 17 | |
| Cellosolve solvent | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| CETYL/EICOSYL METHACRYLATE MIXTURE | | 17 | |
| Cetyl/Stearyl alcohol | ALCOHOLS (C ₁₃ +)) | 17 | |
| China clay | KAOLIN SLURRY | 18 | |
| CHLORINATED PARAFFINS (C ₁₀ -C ₁₃) | | 17 | |
| CHLORINATED PARAFFINS (C ₁₄ -C ₁₇) (WITH 50% CHLORINE OR MORE, AND LESS THAN 1% C ₁₃ OR SHORTER CHAINS) | | 17 | |
| CHLOROACETIC ACID (80% OR LESS) | | 17 | 1750 |
| <i>alpha</i> -Chloroallyl chloride | 1,3-DICHLOROPROPENE | 17 | |
| Chloroallylene | ALLYL CHLORIDE | 17 | |
| CHLOROBENZENE | | 17 | 1134 |
| Chlorobenzol | CHLOROBENZENE | 17 | |
| Chlorobromomethane | BROMOCHLOROMETHANE | 17 | |
| 1-Chloro-2-(<i>beta</i> -chloroethoxy)ethane | DICHLOROETHYL ETHER | 17 | |
| 1-Chloro-2,3-epoxypropane | EPICHLOROHYDRIN | 17 | |
| Chloroethanol-2 | ETHYLENE CHLOROXYDRIN | 17 | |
| 2-Chloroethanol | ETHYLENE CHLOROXYDRIN | 17 | |
| 2-Chloro- <i>N</i> -ethoxymethyl-6'-ethylacet- <i>o</i> -toluidide | ACETOCHLOR | 17 | |
| 2-Chloro- <i>N</i> -(ethoxymethyl)- <i>N</i> -(2-ethyl-6-methylphenyl)acetamide | ACETOCHLOR | 17 | |
| 2-Chloroethyl alcohol | ETHYLENE CHLOROXYDRIN | 17 | |
| <i>beta</i> -Chloroethyl alcohol | ETHYLENE CHLOROXYDRIN | 17 | |
| Chloroethyl ether | DICHLOROETHYL ETHER | 17 | |
| 2-Chloro-6'-ethyl- <i>N</i> -(2-methoxy-1-methylethyl)acet- <i>o</i> -toluidide | <i>N</i> -(2-METHOXY-1-METHYLETHYL)-2-ETHYL-6-METHYLCHLOROACETANILIDE | 17 | |
| 2-Chloro- <i>N</i> -(2-ethyl-6-methylphenyl)- <i>N</i> -(2-methoxy-1-methylethyl)acetamide | <i>N</i> -(2-METHOXY-1-METHYLETHYL)-2-ETHYL-6-METHYLCHLOROACETANILIDE | 17 | |
| CHLOROFORM | | 17 | 1888 |
| CHLOROXYDRINS (CRUDE) | | 17 | |
| <i>m</i> -Chloromethylbenzene | <i>m</i> -CHLOROTOLUENE | 17 | |
| <i>o</i> -Chloromethylbenzene | <i>o</i> -CHLOROTOLUENE | 17 | |
| <i>p</i> -Chloromethylbenzene | <i>p</i> -CHLOROTOLUENE | 17 | |
| Chloromethylethylene oxide | EPICHLOROHYDRIN | 17 | |
| (2-Chloro-1-methylethyl) ether | 2,2'-DICHLOROISOPROPYL ETHER | 17 | |
| 2-Chloro-1-methylethyl ether | 2,2'-DICHLOROISOPROPYL ETHER | 17 | |
| Chloromethyloxirane | EPICHLOROHYDRIN | 17 | |
| 4-CHLORO-2-METHYLPHENOXYACETIC ACID, DIMETHYLAMINE SALT SOLUTION | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|-------------------------------------|---------|-----------|
| 1-Chloro-2-nitrobenzene | <i>o</i> -CHLORONITROBENZENE | 17 | |
| <i>o</i> -CHLORONITROBENZENE | | 17 | 1578 |
| 1-(4-CHLOROPHENYL)-4,4-DIMETHYLPENTAN-3-ONE | | 17 | |
| 2- or 3-Chloropropionic acid | 2- OR 3-CHLOROPROPIONIC ACID | 17 | |
| 3-Chloropropene | ALLYL CHLORIDE | 17 | |
| 2- OR 3-CHLOROPROPIONIC ACID | | 17 | 2511 |
| <i>alpha</i> - or <i>beta</i> -Chloropropionic acid | 2- OR 3-CHLOROPROPIONIC ACID | 17 | |
| 3-Chloropropylene | ALLYL CHLORIDE | 17 | |
| <i>alpha</i> -Chloropropylene | ALLYL CHLORIDE | 17 | |
| Chloropropylene oxide | EPICHLOROHYDRIN | 17 | |
| CHLOROSULPHONIC ACID | | 17 | 1754 |
| Chlorosulphuric acid | CHLOROSULPHONIC ACID | 17 | |
| 3-Chlorotoluene | <i>m</i> -CHLOROTOLUENE | 17 | |
| 4-Chlorotoluene | <i>p</i> -CHLOROTOLUENE | 17 | |
| <i>alpha</i> -Chlorotoluene | BENZYL CHLORIDE | 17 | |
| <i>m</i> -CHLOROTOLUENE | | 17 | 2238 |
| <i>o</i> -CHLOROTOLUENE | | 17 | 2238 |
| <i>p</i> -CHLOROTOLUENE | | 17 | 2238 |
| CHLOROTOLUENES (MIXED ISOMERS) | | 17 | 2238 |
| CHOLINE CHLORIDE SOLUTIONS | | 17 | |
| Cinene | DIPENTENE | 17 | |
| Cinnamene | STYRENE MONOMER | 17 | |
| Cinnamol | STYRENE MONOMER | 17 | |
| CITRIC ACID (70% OR LESS) | | 17 | |
| CLAY SLURRY | | 18 | |
| Cleaning solvents | WHITE SPIRIT, LOW (15–20%) AROMATIC | 17 | |
| COAL SLURRY | | 18 | |
| COAL TAR | | 17 | |
| Coal tar distillate | COAL TAR NAPHTHA SOLVENT | 17 | |
| COAL TAR NAPHTHA SOLVENT | | 17 | |
| COAL TAR PITCH (MOLTEN) | | 17 | |
| COCOA BUTTER | | 17 | |
| COCONUT OIL | | 17 | |
| COCONUT OIL FATTY ACID | | 17 | |
| COCONUT OIL FATTY ACID METHYL ESTER | | 17 | |
| Colamine | ETHANOLAMINE | 17 | |
| Cologne spirits | ETHYL ALCOHOL | 18 | |
| Colonial spirit | METHYL ALCOHOL | 17 | |
| Colophony | ROSIN | 17 | |
| Columbian spirit | METHYL ALCOHOL | 17 | |
| Columbian spirits | METHYL ALCOHOL | 17 | |
| COPPER SALT OF LONG CHAIN (C ₁₇₊) ALKANOIC ACID | | 17 | |
| CORN OIL | | 17 | |
| COTTON SEED OIL | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|-------------------------------------|--|---------|-----------|
| CREOSOTE (COAL TAR) | | 17 | |
| Creosote salts | NAPHTHALENE (MOLTEN) | 17 | |
| CRESOLS (ALL ISOMERS) | | 17 | 2076 |
| CRESYLIC ACID, DEPHENOLIZED | | 17 | |
| Cresylic acids | CRESOLS (ALL ISOMERS) | 17 | |
| CRESYLIC ACID, SODIUM SALT SOLUTION | | 17 | |
| Cresylols | CRESOLS (ALL ISOMERS) | 17 | |
| CROTONALDEHYDE | | 17 | 1143 |
| Crotonic aldehyde | CROTONALDEHYDE | 17 | |
| Cumene | PROPYLBENZENE (ALL ISOMERS) | 17 | |
| Cumol | PROPYLBENZENE (ALL ISOMERS) | 17 | |
| Cyanoethylene | ACRYLONITRILE | 17 | |
| 2-Cyano-2-propanol | ACETONE CYANOHYDRIN | 17 | |
| 2-Cyanopropan-2-ol | ACETONE CYANOHYDRIN | 17 | |
| 2-Cyanopropene-1 | METHACRYLONITRILE | 17 | |
| Cyclic propylene carbonate | PROPYLENE CARBONATE | 18 | |
| 1,5,9-CYCLODODECATRIENE | | 17 | |
| CYCLOHEPTANE | | 17 | 2241 |
| Cyclohexamethylenimine | HEXAMETHYLENEIMINE | 17 | |
| CYCLOHEXANE | | 17 | 1145 |
| CYCLOHEXANOL | | 17 | |
| CYCLOHEXANONE | | 17 | 1915 |
| CYCLOHEXANONE, CYCLOHEXANOL MIXTURE | | 17 | |
| Cyclohexatriene | BENZENE AND MIXTURES HAVING 10% BENZENE OR MORE | 17 | |
| CYCLOHEXYL ACETATE | | 17 | 2243 |
| CYCLOHEXYLAMINE | | 17 | 2357 |
| Cyclohexyldimethylamine | N,N-DIMETHYLCYCLOHEXYLAMINE | 17 | |
| Cyclohexyl(ethyl)amine | N-ETHYLCYCLOHEXYLAMINE | 17 | |
| Cyclohexyl ketone | CYCLOHEXANONE | 17 | |
| Cyclohexylmethane | METHYLCYCLOHEXANE | 17 | |
| 1,3-CYCLOPENTADIENE DIMER (MOLTEN) | | 17 | |
| CYCLOPENTANE | | 17 | 1146 |
| CYCLOPENTENE | | 17 | 2246 |
| Cyclotetramethylene oxide | TETRAHYDROFURAN | 17 | |
| p-CYMENE | | 17 | 2046 |
| Cymol | p-CYMENE | 17 | |
| Dalapon (ISO) | 2,2-DICHLOROPROPIONIC ACID | 17 | |
| 2,4-D-diolamine | 2,4-DICHLOROPHOXYACETIC ACID, DIETHANOLAMINE SALT SOLUTION | 17 | |
| 'D-D Soil fumigant' | DICHLOROPROPENE/DICHLOROPROPANE MIXTURES | 17 | |
| Deanol | DIMETHYLETHANOLAMINE | 17 | |
| DECAHYDRONAPHTHALENE | | 17 | |
| DECANOIC ACID | | 17 | |
| Decan-1-ol | DECYL ALCOHOL (ALL ISOMERS) | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|---|---------|-----------|
| <i>n</i> -Decanol | DECYL ALCOHOL (ALL ISOMERS) | 17 | |
| Decanoic acid | DECANOIC ACID | 17 | |
| DECENE | | 17 | |
| Decoic acid | DECANOIC ACID | 17 | |
| DECYL ACRYLATE | | 17 | |
| Decyl alcohol | DECYL ALCOHOL (ALL ISOMERS) | 17 | |
| DECYL ALCOHOL (ALL ISOMERS) | | 17 | |
| Decylbenzene | ALKYL(C ₉ +)BENZENES | 17 | |
| Decylic acid | DECANOIC ACID | 17 | |
| Decyl octyl adipate | OCTYL DECYL ADIPATE | 17 | |
| DECYLOXYTETRAHYDROTHIOPHENE DIOXIDE | | 17 | |
| 1-Deoxy-1-methylamino- <i>D</i> -glucitol | <i>N</i> -METHYLGLUCAMINE SOLUTION (70% OR LESS) | 18 | |
| Detergent alkylate | ALKYL(C ₉ +)BENZENES | 17 | |
| Diacetic ester | ETHYL ACETOACETATE | 17 | |
| Diacetone | DIACETONE ALCOHOL | 17 | |
| DIACETONE ALCOHOL | | 17 | |
| Di[alkyl/alkenyl(C ₁₀ -C ₂₀)] hydrogen phosphite | ALKYL(C ₁₀ -C ₂₀ , SATURATED AND UNSATURATED) PHOSPHITE | 17 | |
| DIALKYL (C ₈ -C ₉) DIPHENYLAMINES | | 17 | |
| DIALKYL (C ₇ -C ₁₃) PHTHALATES | | 17 | |
| 1,2-Diaminoethane | ETHYLENEDIAMINE | 17 | |
| 1,6-Diaminohexane | HEXAMETHYLENEDIAMINE (MOLTEN) | 17 | |
| 1,6-Diaminohexane solutions | HEXAMETHYLENEDIAMINE SOLUTION | 17 | |
| 2,6-Diaminohexanioc acid | <i>L</i> -LYSINE SOLUTION (60% OR LESS) | 17 | |
| Diaminotoluene | TOLUENEDIAMINE | 17 | |
| 2,4-Diaminotoluene | TOLUENEDIAMINE | 17 | |
| 2,6-Diaminotoluene | TOLUENEDIAMINE | 17 | |
| 4,6-Diamino-3,5,5-trimethylcyclohex-2-enone | ISOPHORONEDIAMINE | 17 | |
| 3,6-Diazaoctane-1,8-diamine | TRIETHYLENETETRAMINE | 17 | |
| 1,2-Dibromoethane | ETHYLENE DIBROMIDE | 17 | |
| DIBROMOMETHANE | | 17 | |
| DIBUTYLAMINE | | 17 | |
| Dibutylbenzene-1,2-dicarboxylate | DIBUTYL PHTHALATE | 17 | |
| Dibutyl carbinol | NONYL ALCOHOL (ALL ISOMERS) | 17 | |
| Dibutylcarbitol | DIETHYLENE GLYCOL DIBUTYL ETHER | 17 | |
| Dibutyl ether | <i>n</i> -BUTYL ETHER | 17 | |
| <i>n</i> -Dibutyl ether | <i>n</i> -BUTYL ETHER | 17 | |
| 2,2'-Dibutylethyl ether | DIETHYLENE GLYCOL DIBUTYL ETHER | 17 | |
| Dibutyl hydrogen phosphite | DIBUTYL HYDROGEN PHOSPHONATE | 17 | |
| DIBUTYL HYDROGEN PHOSPHONATE | | 17 | |
| 2,6-Di- <i>tert</i> -BUTYLPHENOL | | 17 | |
| Dibutyl phosphonate | DIBUTYL HYDROGEN PHOSPHONATE | 17 | |
| DIBUTYL PHTHALATE | | 17 | |
| Dibutyl <i>ortho</i> -phthalate | DIBUTYL PHTHALATE | 17 | |
| DICHLOROBENZENE (ALL ISOMERS) | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| 1,2-Dichlorobenzene | DICHLOROBENZENE (ALL ISOMERS) | 17 | |
| <i>m</i> -Dichlorobenzene | DICHLOROBENZENE (ALL ISOMERS) | 17 | |
| <i>o</i> -Dichlorobenzene | DICHLOROBENZENE (ALL ISOMERS) | 17 | |
| 3,4-DICHLORO-1-BUTENE | | 17 | |
| 3,4-Dichlorobut-1-ene | 3,4-DICHLORO-1-BUTENE | 17 | |
| 2,2'-Dichlorodiethyl ether | DICHLOROETHYL ETHER | 17 | |
| Dichlorodiisopropyl ether | 2,2'-DICHLOROISOPROPYL ETHER | 17 | |
| 1,1-DICHLOROETHANE | | 17 | 2362 |
| 1,2-Dichloroethane | ETHYLENE DICHLORIDE | 17 | |
| <i>sym</i> -Dichloroethane | ETHYLENE DICHLORIDE | 17 | |
| 1,1-Dichloroethene | VINYLDENE CHLORIDE | 17 | |
| Dichloroether | DICHLOROETHYL ETHER | 17 | |
| 1,1-Dichloroethylene | VINYLDENE CHLORIDE | 17 | |
| DICHLOROETHYL ETHER | | 17 | 1916 |
| 2,2'-Dichloroethyl ether | DICHLOROETHYL ETHER | 17 | |
| <i>sym</i> -Dichloroethyl ether | DICHLOROETHYL ETHER | 17 | |
| Dichloroethyl oxide | DICHLOROETHYL ETHER | 17 | |
| 1,6-DICHLOROHEXANE | | 17 | |
| 2,2'-DICHLOROISOPROPYL ETHER | | 17 | 2490 |
| DICHLOROMETHANE | | 17 | 1593 |
| 2,4-DICHLOROPHENOL | | 17 | 2021 |
| 2,4-DICHLOROPHENOXYACETIC ACID, DIETHANOLAMINE SALT SOLUTION | | 17 | |
| 2,4-DICHLOROPHENOXYACETIC ACID, DIMETHYLAMINE SALT SOLUTION (70% OR LESS) | | 17 | |
| 2,4-DICHLOROPHENOXYACETIC ACID, TRIISOPROPANOLAMINE SALT SOLUTION | | 17 | |
| 1,1-DICHLOROPROPANE | | 17 | |
| 1,2-DICHLOROPROPANE | | 17 | 1279 |
| Dichloropropane/Dichloropropene mixtures | DICHLOROPROPENE/DICHLOROPROPANE MIXTURES | 17 | |
| 2,2-Dichloropropanoic acid | 2,2-DICHLOROPROPIONIC ACID | 17 | |
| 1,3-DICHLOROPROPENE | | 17 | 2047 |
| DICHLOROPROPENE/DICHLOROPROPANE MIXTURES | | 17 | |
| 2,2-DICHLOROPROPIONIC ACID | | 17 | |
| Dichloropropylene | 1,3-DICHLOROPROPENE | 17 | |
| 1,4-Dicyanobutane | ADIPONITRILE | 17 | |
| Dicyclopentadiene | 1,3-CYCLOPENTADIENE DIMER (MOLTEN) | 17 | |
| Didecyl phthalate | DIALKYL (C ₇ -C ₁₃) PHTHALATES | 17 | |
| Didodecyl phthalate | DIALKYL (C ₇ -C ₁₃) PHTHALATES | 17 | |
| DIETHANOLAMINE | | 17 | |
| DIETHYLAMINE | | 17 | 1154 |
| DIETHYLAMINOETHANOL | | 17 | 2686 |
| 2-Diethylaminoethanol | DIETHYLAMINOETHANOL | 17 | |
| 2,6-DIETHYLANILINE | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|--|---------|-----------|
| DIETHYLBENZENE | | 17 | 2049 |
| Diethylcarbitol | DIETHYLENE GLYCOL DIETHYL ETHER | 17 | |
| Diethyl 'carbitol' | DIETHYLENE GLYCOL DIETHYL ETHER | 17 | |
| 1,4-Diethylene dioxide | 1,4-DIOXANE | 17 | |
| Diethylene ether | 1,4-DIOXANE | 17 | |
| DIETHYLENE GLYCOL | | 18 | |
| Diethylene glycol butyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Diethylene glycol butyl ether acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| DIETHYLENE GLYCOL DIBUTYL ETHER | | 17 | |
| DIETHYLENE GLYCOL DIETHYL ETHER | | 17 | |
| Diethylene glycol ethyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Diethylene glycol ethyl ether acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| Diethylene glycol methyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Diethylene glycol methyl ether acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| Diethylene glycol monobutyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Diethylene glycol monobutyl ether acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| Diethylene glycol monoethyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Diethylene glycol monoethyl ether acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| Diethylene glycol monomethyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Diethylene glycol monomethyl ether acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| DIETHYLENE GLYCOL PHTHALATE | | 17 | |
| Diethylene oxide | 1,4-DIOXANE | 17 | |
| DIETHYLENETRIAMINE | | 17 | 2079 |
| DIETHYLENETRIAMINEPENTAACETIC ACID, PENTASODIUM SALT SOLUTION | | 17 | |
| <i>N,N</i> -Diethylethanamine | TRIETHYLAMINE | 17 | |
| Diethylethanolamine | DIETHYLAMINOETHANOL | 17 | |
| <i>N,N</i> -Diethylethanolamine | DIETHYLAMINOETHANOL | 17 | |
| DIETHYL ETHER | | 17 | 1155 |
| <i>N,N</i> -Diethylethylamine | TRIETHYLAMINE | 17 | |
| DI-(2-ETHYLHEXYL) ADIPATE | | 17 | |
| DI-(2-ETHYLHEXYL)PHOSPHORIC ACID | | 17 | 1902 |
| Diethyl oxide | DIETHYL ETHER | 17 | |
| DIETHYL PHTHALATE | | 17 | |
| DIETHYL SULPHATE | | 17 | 1594 |
| Diformyl | GLYOXAL SOLUTION (40% OR LESS) | 17 | |
| DIGLYCIDYL ETHER OF BISPHENOL A | | 17 | |
| DIGLYCIDYL ETHER OF BISPHENOL F | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| Diglycol | DIETHYLENE GLYCOL | 18 | |
| Diglycolamine | 2-(2-AMINOETHOXY)ETHANOL | 17 | |
| Diglycol phthalate | DIETHYLENE GLYCOL PHTHALATE | 17 | |
| DIHEPTYL PHTHALATE | | 17 | |
| Dihexyl | DODECANE (ALL ISOMERS) | 17 | |
| DI- <i>n</i> -HEXYL ADIPATE | | 17 | |
| DIHEXYL PHTHALATE | | 17 | |
| 1,3-Dihydroisobenzofuran-1,3-dione | PHTHALIC ANHYDRIDE (MOLTEN) | 17 | |
| 2,3-Dihydroxybutane | BUTYLENE GLYCOL | 17 | |
| 2,2'-Dihydroxydiethylamine | DIETHANOLAMINE | 17 | |
| Di-(2-hydroxyethyl)amine | DIETHANOLAMINE | 17 | |
| Dihydroxyethyl ether | DIETHYLENE GLYCOL | 18 | |
| Dihydroxyhexane | HEXAMETHYLENE GLYCOL | 17 | |
| 1,2-Dihydroxypropane | PROPYLENE GLYCOL | 18 | |
| Diisobutene | DIISOBUTYLENE | 17 | |
| DIISOBUTYLAMINE | | 17 | 2361 |
| Diisobutylcarbinol | NONYL ALCOHOL (ALL ISOMERS) | 17 | |
| DIISOBUTYLENE | | 17 | 2050 |
| <i>alpha</i> -Diisobutylene | DIISOBUTYLENE | 17 | |
| <i>beta</i> -Diisobutylene | DIISOBUTYLENE | 17 | |
| DIISOBUTYL KETONE | | 17 | |
| DIISOBUTYL PHTHALATE | | 17 | |
| 2,4-Diisocyanato-1-methylbenzene | TOLUENE DIISOCYANATE | 17 | |
| 2,4-Diisocyanatotoluene | TOLUENE DIISOCYANATE | 17 | |
| Diisodecyl phthalate | DIALKYL (C ₇ -C ₁₃) PHTHALATES | 17 | |
| DIISONONYL ADIPATE | | 17 | |
| Diisononyl phthalate | DIALKYL (C ₇ -C ₁₃) PHTHALATES | 17 | |
| DIISOCTYL PHTHALATE | | 17 | |
| DIISOPROPANOLAMINE | | 17 | |
| Diisopropylacetone | DIISOBUTYL KETONE | 17 | |
| DIISOPROPYLAMINE | | 17 | 1158 |
| DIISOPROPYLBENZENE (ALL ISOMERS) | | 17 | |
| Diisopropyl ether | ISOPROPYL ETHER | 17 | |
| DIISOPROPYLNAPHTHALENE | | 17 | 3082 |
| Diisopropyl oxide | ISOPROPYL ETHER | 17 | |
| <i>N,N</i> -DIMETHYLACETAMIDE | | 17 | |
| Dimethylacetamide acetate | <i>N,N</i> -DIMETHYLACETAMIDE | 17 | |
| <i>N,N</i> -DIMETHYLACETAMIDE SOLUTION (40% OR LESS) | | 17 | |
| Dimethylacetylene carbinol | 2-METHYL-2-HYDROXY-3-BUTYNE | 17 | |
| DIMETHYL ADIPATE | | 17 | |
| DIMETHYLAMINE SOLUTION (45% OR LESS) | | 17 | 1160 |
| DIMETHYLAMINE SOLUTION (GREATER THAN 45% BUT NOT GREATER THAN 55%) | | 17 | 1160 |
| DIMETHYLAMINE SOLUTION (GREATER THAN 55% BUT NOT GREATER THAN 65%) | | 17 | 1160 |

| Index Name | Product Name | Chapter | UN Number |
|---|--|---------|-----------|
| Dimethylaminoethanol | DIMETHYLETHANOLAMINE | 17 | |
| 2-Dimethylaminoethanol | DIMETHYLETHANOLAMINE | 17 | |
| Dimethylbenzenes | XYLENES | 17 | |
| 1,3-Dimethylbutanol | METHYLAMYL ALCOHOL | 17 | |
| 1,3-Dimethylbutan-1-ol | METHYLAMYL ALCOHOL | 17 | |
| 1,3-Dimethylbutyl acetate | METHYLAMYL ACETATE | 17 | |
| Dimethylcarbinol | ISOPROPYL ALCOHOL | 18 | |
| <i>N,N</i> -DIMETHYLCYCLOHEXYLAMINE | | 17 | 2264 |
| DIMETHYL DISULPHIDE | | 17 | 2381 |
| <i>N,N</i> -Dimethyldodecanamine | ALKYL (C ₁₂ +) DIMETHYLAMINE | 17 | |
| <i>N,N</i> -Dimethyldodecan-1-amine | <i>N,N</i> -DIMETHYLDODECYLAMINE | 17 | |
| <i>N,N</i> -DIMETHYLDODECYLAMINE | | 17 | |
| 1,1-Dimethylethanol | <i>tert</i> -BUTYL ALCOHOL | 17 | |
| DIMETHYLETHANOLAMINE | | 17 | 2051 |
| 1,1-Dimethylethyl alcohol | <i>tert</i> -BUTYL ALCOHOL | 17 | |
| Dimethyl ethyl carbinol | <i>tert</i> -AMYL ALCOHOL | 17 | |
| <i>sym</i> -Dimethylethylene glycol | BUTYLENE GLYCOL | 17 | |
| 1,1-Dimethylethyl methyl ether | METHYL <i>tert</i> -BUTYL ETHER | 17 | |
| Dimethyl formaldehyde | ACETONE | 18 | |
| DIMETHYLFORMAMIDE | | 17 | 2265 |
| DIMETHYL GLUTARATE | | 17 | |
| 2,6-Dimethyl-4-heptanone | DIISOBUTYL KETONE | 17 | |
| 2,6-Dimethylheptan-4-one | DIISOBUTYL KETONE | 17 | |
| <i>N,N</i> -Dimethylhexanamine | ALKYL (C ₁₂ +) DIMETHYLAMINE | 17 | |
| DIMETHYL HYDROGEN PHOSPHITE | | 17 | |
| Dimethylhydroxybenzenes | XYLENOL | 17 | |
| 1,1'-Dimethyl-2,2'-iminodiethanol | DIISOPROPANOLAMINE | 17 | |
| Dimethyl ketal | ACETONE | 18 | |
| Dimethyl ketone | ACETONE | 18 | |
| Dimethylaurylamine | <i>N,N</i> -DIMETHYLDODECYLAMINE | 17 | |
| <i>N,N</i> -Dimethylmethanamine | TRIMETHYLAMINE SOLUTION (30% OR LESS) | 17 | |
| <i>N,N</i> -Dimethylmethylamine | TRIMETHYLAMINE SOLUTION (30% OR LESS) | 17 | |
| 6,6-Dimethyl-2-methylenebicyclo[3.1.1]heptane | <i>beta</i> -PINENE | 17 | |
| DIMETHYLOCTANOIC ACID | | 17 | |
| 2,2-Dimethyloctanoic acid | NEODECANOIC ACID | 17 | |
| 2,3-Dimethylphenol | XYLENOL | 17 | |
| 2,4-Dimethylphenol | XYLENOL | 17 | |
| 2,5-Dimethylphenol | XYLENOL | 17 | |
| 2,6-Dimethylphenol | XYLENOL | 17 | |
| 3,4-Dimethylphenol | XYLENOL | 17 | |
| 3,5-Dimethylphenol | XYLENOL | 17 | |
| Dimethylphenols | XYLENOL | 17 | |
| Dimethylphenyl phosphate (3:1) | TRIXYLYL PHOSPHATE | 17 | |
| DIMETHYL PHTHALATE | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|---|---------|-----------|
| DIMETHYLPOLYSILOXANE | | 17 | |
| 2,2-Dimethylpropane | PENTANE (ALL ISOMERS) | 17 | |
| 2,2-DIMETHYLPROPANE-1,3-DIOL (MOLTEN OR SOLUTION) | | 17 | |
| 2,2-Dimethylpropanoic acid | TRIMETHYLACETIC ACID | 17 | |
| 1,1-Dimethylpropargyl alcohol | 2-METHYL-2-HYDROXY-3-BUTYNE | 17 | |
| 2,2-Dimethylpropionic acid | TRIMETHYLACETIC ACID | 17 | |
| 1,1-Dimethylpropynol | 2-METHYL-2-HYDROXY-3-BUTYNE | 17 | |
| DIMETHYL SUCCINATE | | 17 | |
| <i>N,N</i> -Dimethyltetradecanamine | ALKYL (C ₁₂ +) DIMETHYLAMINE | 17 | |
| Dimethyltetradecylamine | ALKYL (C ₁₂ +) DIMETHYLAMINE | 17 | |
| 3,9-Dimethyltricyclo[5.2.1.0 ^{2,6}]deca-3,8-diene | METHYLCYCLOPENTADIENE DIMER | 17 | |
| Dimethyltrimethylene glycol | 2,2-DIMETHYLPROPANE-1,3-DIOL (MOLTEN OR SOLUTION) | 17 | |
| DINITROTOLUENE (MOLTEN) | | 17 | 1600 |
| Dinonyl phthalate | DIALKYL (C ₇ -C ₁₃) PHTHALATES | 17 | |
| DINONYL PHTHALATE | | 17 | |
| 3,6-Dioxaoctane-1,8-diol | TRIETHYLENE GLYCOL | 18 | |
| Diocyl adipate | DI-(2-ETHYLHEXYL) ADIPATE | 17 | |
| Diocyl hydrogen phosphate | DI-(2-ETHYLHEXYL)PHOSPHORIC ACID | 17 | |
| Diocyl phosphoric acid | DI-(2-ETHYLHEXYL)PHOSPHORIC ACID | 17 | |
| DIOCTYL PHTHALATE | | 17 | |
| 1,4-Dioxan | 1,4-DIOXANE | 17 | |
| 1,4-DIOXANE | | 17 | 1165 |
| Dioxolanone | PROPYLENE CARBONATE | 18 | |
| 1,3-Dioxolan-2-one | ETHYLENE CARBONATE | 18 | |
| Dioxolone-2 | ETHYLENE CARBONATE | 18 | |
| 1,1-Dioxothiolan | SULPHOLANE | 17 | |
| Dioxyethylene ether | 1,4-DIOXANE | 17 | |
| DIPENTENE | | 17 | 2052 |
| DIPHENYL | | 17 | |
| DIPHENYLAMINE (MOLTEN) | | 17 | |
| DIPHENYLAMINE, REACTION PRODUCT WITH 2,2,4-TRIMETHYLPENTENE | | 17 | |
| DIPHENYLAMINES, ALKYLATED | | 17 | |
| DIPHENYL/DIPHENYL ETHER MIXTURES | | 17 | |
| Diphenyl/diphenyl oxide mixtures | DIPHENYL/DIPHENYL ETHER MIXTURES | 17 | |
| Diphenyl dodecyl ether disulphonate solution | DODECYL DIPHENYL ETHER DISULPHONATE SOLUTION | 17 | |
| Diphenyl dodecyl oxide disulphonate solution | DODECYL DIPHENYL ETHER DISULPHONATE SOLUTION | 17 | |
| DIPHENYL ETHER | | 17 | |
| DIPHENYL ETHER/DIPHENYL PHENYL ETHER MIXTURE | | 17 | |
| DIPHENYLMETHANE DIISOCYANATE | | 17 | 2489 |
| DIPHENYLOLPROPANE-EPICHLOROHYDRIN RESINS | | 17 | |
| Diphenyl oxide | DIPHENYL ETHER | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|-----------|
| Diphenyl oxide/diphenyl phenyl ether mixture | DIPHENYL ETHER/DIPHENYL PHENYL ETHER MIXTURE | 17 | |
| Dipropylamine | DI- <i>n</i> -PROPYLAMINE | 17 | |
| DI- <i>n</i> -PROPYLAMINE | | 17 | 2383 |
| <i>n</i> -Dipropylamine | DI- <i>n</i> -PROPYLAMINE | 17 | |
| DIPROPYLENE GLYCOL | | 17 | |
| Dipropylene glycol methyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Dipropylene glycol monomethyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Disodium carbonate | SODIUM CARBONATE SOLUTION | 17 | |
| Distillates (Petroleum), Steam Cracked, C ₈ -C ₁₂ Fraction | RESIN OIL, DISTILLED | 17 | |
| DITHIOCARBAMATE ESTER (C ₇ -C ₃₅) | | 17 | |
| DITRIDECYL ADIPATE | | 17 | |
| DITRIDECYL PHTHALATE | | 17 | |
| DIUNDECYL PHTHALATE | | 17 | |
| Docosan-1-ol | ALCOHOLS (C ₁₃ ⁺) | 17 | |
| 1-Docosanol | ALCOHOLS (C ₁₃ ⁺) | 17 | |
| DODECANE (ALL ISOMERS) | | 17 | |
| <i>tert</i> -DODECANETHIOL | | 17 | |
| Dodecanoic acid | LAURIC ACID | 17 | |
| Dodecan-1-ol | DODECYL ALCOHOL | 17 | |
| 1-Dodecanol | DODECYL ALCOHOL | 17 | |
| <i>n</i> -Dodecanol | DODECYL ALCOHOL | 17 | |
| DODECENE (ALL ISOMERS) | | 17 | |
| Dodecyl, Tetradecyl, Hexadecyl-dimethylamine mixture | ALKYL (C ₁₂ ⁺) DIMETHYLAMINE | 17 | |
| DODECYL ALCOHOL | | 17 | |
| <i>n</i> -Dodecyl alcohol | DODECYL ALCOHOL | 17 | |
| DODECYLAMINE/TETRADECYLAMINE MIXTURE | | 17 | |
| DODECYLBENZENE | | 17 | |
| Dodecylbenzenesulphonic acid (contains 1.5% sulphuric acid) | ALKYL (C ₁₁ -C ₁₇) BENZENE SULPHONIC ACID | 17 | |
| Dodecyl-dimethylamine | ALKYL (C ₁₂ ⁺) DIMETHYLAMINE | 17 | |
| DODECYL DIPHENYL ETHER DISULPHONATE SOLUTION | | 17 | |
| Dodecyl diphenyl oxide disulphonate solution | DODECYL DIPHENYL ETHER DISULPHONATE SOLUTION | 17 | |
| Dodecylene | DODECENE (ALL ISOMERS) | 17 | |
| DODECYL HYDROXYPROPYL SULPHIDE | | 17 | |
| Dodecylic acid | LAURIC ACID | 17 | |
| <i>tert</i> -Dodecyl mercaptan | <i>tert</i> -DODECANETHIOL | 17 | |
| DODECYL METHACRYLATE | | 17 | |
| Dodecyl 2-methyl-2-propenoate | DODECYL METHACRYLATE | 17 | |
| Dodecyl 2-methylprop-2-enoate | DODECYL METHACRYLATE | 17 | |
| DODECYL/OCTADECYL METHACRYLATE MIXTURE | | 17 | |
| DODECYL/PENTADECYL METHACRYLATE MIXTURE | | 17 | |
| DODECYLPHENOL | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|-----------|
| 2-Dodecylthio-1-methylethanol | DODECYL HYDROXYPROPYL SULPHIDE | 17 | |
| 1-Dodecylthiopropan-2-ol | DODECYL HYDROXYPROPYL SULPHIDE | 17 | |
| DODECYLXYLENE | | 17 | |
| Drilling brine: potassium chloride solution | POTASSIUM CHLORIDE SOLUTION | 17 | |
| DRILLING BRINES (CONTAINING ZINC SALTS) | | 17 | |
| DRILLING BRINES, INCLUDING: CALCIUM BROMIDE SOLUTION, CALCIUM CHLORIDE SOLUTION AND SODIUM CHLORIDE SOLUTION | | 17 | |
| 2,4-D-tris(2-hydroxy-2-methylethyl)ammonium | 2,4-DICHLOROPHENOXYACETIC ACID, TRIISOPROPANOLAMINE SALT SOLUTION | 17 | |
| Dutch liquid | ETHYLENE DICHLORIDE | 17 | |
| Dutch oil | ETHYLENE DICHLORIDE | 17 | |
| Enanthic acid | <i>n</i> -HEPTANOIC ACID | 17 | |
| Enanthyl alcohol | HEPTANOL (ALL ISOMERS) | 17 | |
| Enanthylic acid | <i>n</i> -HEPTANOIC ACID | 17 | |
| Engravers' acid | NITRIC ACID (70% AND OVER) | 17 | |
| EPICHLOROHYDRIN | | 17 | 2023 |
| 1,2-Epoxybutane | 1,2-BUTYLENE OXIDE | 17 | |
| 1,4-Epoxybutane | TETRAHYDROFURAN | 17 | |
| 1,2-Epoxypropane | PROPYLENE OXIDE | 17 | |
| 2,3-Epoxy propyl ester of mixed trialkyl acetic acids | GLYCIDYL ESTER OF C ₁₀ TRIALKYLACETIC ACID | 17 | |
| 2,3-Epoxypropyl neodecanoate | GLYCIDYL ESTER OF C ₁₀ TRIALKYLACETIC ACID | 17 | |
| <i>alpha</i> -2,3-Epoxypropyl- <i>omega</i> -{ <i>alpha</i> -[4-(2,3-epoxypropoxy)phenyl]- <i>p</i> -tolylxy}poly[<i>oxy-p</i> -phenylenemethylene- <i>p</i> -phenyleneoxy(2-hydroxytrimethylene)] | DIGLYCIDYL ETHER OF BISPHENOL F | 17 | |
| <i>alpha</i> -2,3-Epoxypropyl- <i>omega</i> -{ <i>alpha</i> -[4-(2,3-epoxypropyl)phenyl]- <i>alpha, alpha</i> -dimethyl- <i>p</i> -tolylxy}poly[<i>oxy-p</i> -phenyleneisopropylidene- <i>p</i> -phenyleneoxy(2-hydroxytrimethylene)] | DIGLYCIDYL ETHER OF BISPHENOL A | 17 | |
| EPTC | S-ETHYL DIPROPYLTHIOCARBAMATE | 17 | |
| Essence of Mirbane | NITROBENZENE | 17 | |
| Essence of Myrbane | NITROBENZENE | 17 | |
| Ethanamine solutions, 72% or less | ETHYLAMINE SOLUTIONS (72% OR LESS) | 17 | |
| Ethane carbonitrile | PROPIONITRILE | 17 | |
| Ethanedial | GLYOXAL SOLUTION (40% OR LESS) | 17 | |
| 1,2-Ethanedial | ETHYLENE GLYCOL | 17 | |
| Ethanoic acid | ACETIC ACID | 17 | |
| Ethanoic anhydride | ACETIC ANHYDRIDE | 17 | |
| Ethanol | ETHYL ALCOHOL | 18 | |
| ETHANOLAMINE | | 17 | 2491 |
| Ethenyl acetate | VINYL ACETATE | 17 | |
| Ethenyl ethanoate | VINYL ACETATE | 17 | |
| Ether | DIETHYL ETHER | 17 | |
| Ethynyl trichloride | TRICHLOROETHYLENE | 17 | |
| 2-Ethoxyethanol | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| 2-(2-Ethoxyethoxy)ethanol | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|-----------|
| 2-(2-Ethoxyethoxy)ethyl acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| 2-ETHOXYETHYL ACETATE | | 17 | 1172 |
| ETHOXYLATED LONG CHAIN (C ₁₆ +) ALKYOXYALKYLAMINE | | 17 | |
| 2-Ethoxy-2-methylpropane | ETHYL <i>tert</i> -BUTYL ETHER | 17 | |
| 1-Ethoxypropan-2-ol | PROPYLENE GLYCOL MONOALKYL ETHER | 17 | |
| ETHYL ACETATE | | 17 | |
| ETHYL ACETOACETATE | | 17 | |
| Ethyl acetone | METHYL PROPYL KETONE | 18 | |
| ETHYL ACRYLATE | | 17 | 1917 |
| ETHYL ALCOHOL | | 18 | |
| ETHYLAMINE | | 17 | 1036 |
| ETHYLAMINE SOLUTIONS (72% OR LESS) | | 17 | 2270 |
| Ethylaminocyclohexane | <i>N</i> -ETHYLCYCLOHEXYLAMINE | 17 | |
| ETHYL AMYL KETONE | | 17 | 2271 |
| ETHYLBENZENE | | 17 | 1175 |
| Ethyl benzol | ETHYLBENZENE | 17 | |
| Ethyl butanoate | ETHYL BUTYRATE | 17 | |
| ETHYL <i>tert</i> -BUTYL ETHER | | 17 | 1993 |
| ETHYL BUTYRATE | | 17 | 1180 |
| 2-Ethylcaproic acid | 2-ETHYLHEXANOIC ACID | 17 | |
| Ethyl carbinol | <i>n</i> -PROPYL ALCOHOL | 17 | |
| Ethyl cyanide | PROPIONITRILE | 17 | |
| ETHYLCYCLOHEXANE | | 17 | |
| Ethyl(cyclohexyl)amine | <i>N</i> -ETHYLCYCLOHEXYLAMINE | 17 | |
| <i>N</i> -ETHYLCYCLOHEXYLAMINE | | 17 | |
| Ethyl dimethylmethane | PENTANE (ALL ISOMERS) | 17 | |
| <i>S</i> -Ethyl dipropylcarbamothioate | <i>S</i> -ETHYL DIPROPYLTHIOCARBAMATE | 17 | |
| <i>S</i> -Ethyl dipropyldithiocarbamate | <i>S</i> -ETHYL DIPROPYLTHIOCARBAMATE | 17 | |
| <i>S</i> -ETHYL DIPROPYLTHIOCARBAMATE | | 17 | |
| Ethylene alcohol | ETHYLENE GLYCOL | 17 | |
| Ethylene bisiminodiacetic acid tetrasodium salt solution | ETHYLENEDIAMINETETRAACETIC ACID, TETRASODIUM SALT SOLUTION | 17 | |
| Ethylene bromide | ETHYLENE DIBROMIDE | 17 | |
| ETHYLENE CARBONATE | | 18 | |
| Ethylenecarboxylic acid | ACRYLIC ACID | 17 | |
| Ethylene chloride | ETHYLENE DICHLORIDE | 17 | |
| ETHYLENE CHLOROHYDRIN | | 17 | 1135 |
| ETHYLENE CYANOHYDRIN | | 17 | |
| Ethylene diacetate | ETHYLENE GLYCOL DIACETATE | 17 | |
| ETHYLENEDIAMINE | | 17 | 1604 |
| ETHYLENEDIAMINETETRAACETIC ACID, TETRASODIUM SALT SOLUTION | | 17 | |
| ETHYLENE DIBROMIDE | | 17 | 1605 |
| ETHYLENE DICHLORIDE | | 17 | 1184 |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|-----------|
| 2,2'-Ethylenedi-iminodi(ethylamine) | TRIETHYLENETETRAMINE | 17 | |
| Ethylenedinitrilotetraacetic acid tetrasodium salt solution | ETHYLENEDIAMINETETRAACETIC ACID, TETRASODIUM SALT SOLUTION | 17 | |
| 2,2'-Ethylenedioxydiethanol | TRIETHYLENE GLYCOL | 18 | |
| ETHYLENE GLYCOL | | 17 | |
| ETHYLENE GLYCOL ACETATE | | 17 | |
| Ethylene glycol acrylate | 2-HYDROXYETHYL ACRYLATE | 17 | |
| Ethylene glycol butyl ether | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| ETHYLENE GLYCOL BUTYL ETHER ACETATE | | 17 | |
| Ethylene glycol <i>tert</i> -butyl ether | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| ETHYLENE GLYCOL DIACETATE | | 17 | |
| Ethylene glycol ethyl ether | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| Ethylene glycol ethyl ether acetate | 2-ETHOXYETHYL ACETATE | 17 | |
| Ethylene glycol isopropyl ether | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| Ethylene glycol methyl ether | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| ETHYLENE GLYCOL METHYL ETHER ACETATE | | 17 | |
| ETHYLENE GLYCOL MONOALKYL ETHERS | | 17 | |
| Ethylene glycol monobutyl ether | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| Ethylene glycol mono- <i>tert</i> -butyl ether | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| Ethylene glycol monoethyl ether | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| Ethylene glycol monoethyl ether acetate | 2-ETHOXYETHYL ACETATE | 17 | |
| Ethylene glycol monomethyl ether | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| Ethylene glycol monomethyl ether acetate | ETHYLENE GLYCOL METHYL ETHER ACETATE | 17 | |
| Ethylene glycol monophenyl ether | ETHYLENE GLYCOL PHENYL ETHER | 17 | |
| ETHYLENE GLYCOL PHENYL ETHER | | 17 | |
| ETHYLENE GLYCOL PHENYL ETHER/DIETHYLENE GLYCOL PHENYL ETHER MIXTURE | | 17 | |
| ETHYLENE OXIDE/PROPYLENE OXIDE MIXTURE WITH AN ETHYLENE OXIDE CONTENT OF NOT MORE THAN 30% BY MASS | | 17 | 2983 |
| Ethylene tetrachloride | PERCHLOROETHYLENE | 17 | |
| Ethylene trichloride | TRICHLOROETHYLENE | 17 | |
| ETHYLENE-VINYL ACETATE COPOLYMER (EMULSION) | | 17 | |
| Ethyl ethanoate | ETHYL ACETATE | 17 | |
| Ethyl ether | DIETHYL ETHER | 17 | |
| ETHYL 3-ETHOXYPROPIONATE | | 17 | |
| Ethyl fluid | MOTOR FUEL ANTI-KNOCK COMPOUNDS (CONTAINING LEAD ALKYLs) | 17 | |
| Ethylformic acid | PROPIONIC ACID | 17 | |
| Ethyl glycol | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| 2-Ethylhexaldehyde | OCTYL ALDEHYDES | 17 | |
| 2-Ethylhexanal | OCTYL ALDEHYDES | 17 | |
| 2-ETHYLHEXANOIC ACID | | 17 | |
| 2-Ethylhexanol | OCTANOL (ALL ISOMERS) | 17 | |
| 2-Ethylhexenal | 2-ETHYL-3-PROPYLACROLEIN | 17 | |
| 2-Ethylhex-2-enal | 2-ETHYL-3-PROPYLACROLEIN | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|----------------------------------|---------|-----------|
| 2-Ethylhexoic acid | OCTANOIC ACID (ALL ISOMERS) | 17 | |
| 2-ETHYLHEXYL ACRYLATE | | 17 | |
| 2-Ethylhexyl alcohol | OCTANOL (ALL ISOMERS) | 17 | |
| 2-ETHYLHEXYLAMINE | | 17 | 2276 |
| 2-ETHYL-2-(HYDROXYMETHYL)PROPANE-1,3-DIOL (C ₈ -C ₁₀) ESTER | | 17 | |
| Ethyllic acid | ACETIC ACID | 17 | |
| 5-Ethylidenebicyclo(2,2,1)hept-2-ene | ETHYLIDENENORBORNENE | 17 | |
| Ethylidene chloride | 1,1-DICHLOROETHANE | 17 | |
| Ethylidene dichloride | 1,1-DICHLOROETHANE | 17 | |
| ETHYLIDENENORBORNENE | | 17 | |
| ETHYL METHACRYLATE | | 17 | 2277 |
| <i>N</i> -ETHYLMETHYLALLYLAMINE | | 17 | |
| <i>N</i> -Ethyl-2-methylallylamine | <i>N</i> -ETHYLMETHYLALLYLAMINE | 17 | |
| 2-Ethyl-6-methylaniline | 2-METHYL-6-ETHYLANILINE | 17 | |
| 2-Ethyl-6-methylbenzenamine | 2-METHYL-6-ETHYLANILINE | 17 | |
| Ethyl methyl ketone | METHYL ETHYL KETONE | 17 | |
| 5-Ethyl-2-methylpyridine | 2-METHYL-5-ETHYLPYRIDINE | 17 | |
| Ethyl oxide | DIETHYL ETHER | 17 | |
| Ethyl phosphate | TRIETHYL PHOSPHATE | 17 | |
| Ethyl phthalate | DIETHYL PHTHALATE | 17 | |
| 5-Ethyl-2-picoline | 2-METHYL-5-ETHYLPYRIDINE | 17 | |
| 3-Ethylpropan-1-ol | PROPYLENE GLYCOL MONOALKYL ETHER | 17 | |
| Ethyl propenoate | ETHYL ACRYLATE | 17 | |
| ETHYL PROPIONATE | | 17 | |
| 2-ETHYL-3-PROPYLACROLEIN | | 17 | |
| Ethyl sulphate | DIETHYL SULPHATE | 17 | |
| ETHYLTOLUENE | | 17 | |
| 5-Ethyl- <i>o</i> -toluidine | 2-METHYL-5-ETHYLPYRIDINE | 17 | |
| 6-Ethyl-2-toluidine | 2-METHYL-6-ETHYLANILINE | 17 | |
| 6-Ethyl- <i>o</i> -toluidine | 2-METHYL-6-ETHYLANILINE | 17 | |
| Ethyl vinyl ether | VINYL ETHYL ETHER | 17 | |
| Ethynyl dimethylcarbinol | 2-METHYL-2-HYDROXY-3-BUTYNE | 17 | |
| FATTY ACID (SATURATED C ₁₃ ⁺) | | 17 | |
| FATTY ACID METHYL ESTERS | | 17 | |
| FATTY ACIDS, C ₈ -C ₁₀ | | 17 | |
| FATTY ACIDS, C ₁₂ ⁺ | | 17 | |
| FATTY ACIDS, C ₁₆ ⁺ | | 17 | |
| FATTY ACIDS, ESSENTIALLY LINEAR (C ₆ -C ₁₈) 2-ETHYLHEXYL ESTER | | 17 | |
| Feeding corn molasses | MOLASSES | 18 | |
| Fermentation alcohol | ETHYL ALCOHOL | 18 | |
| FERRIC CHLORIDE SOLUTIONS | | 17 | 2582 |
| FERRIC NITRATE/NITRIC ACID SOLUTION | | 17 | |
| FISH OIL | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|---|---------|------------|
| FLUOROSILICIC ACID (20–30%) IN WATER SOLUTION | | 17 | 1778 |
| FORMALDEHYDE SOLUTIONS (45% OR LESS) | | 17 | 1198, 2209 |
| Formaldehyde trimer | 1,3,5-TRIOXANE | 17 | |
| Formalin | FORMALDEHYDE SOLUTIONS (45% OR LESS) | 17 | |
| FORMAMIDE | | 17 | |
| Formdimethylamide | DIMETHYLFORMAMIDE | 17 | |
| FORMIC ACID | | 17 | 1779 |
| Formic aldehyde | FORMALDEHYDE SOLUTIONS (45% OR LESS) | 17 | |
| Formylformic acid | GLYOXYLIC ACID SOLUTION (50% OR LESS) | 17 | |
| Fural | FURFURAL | 17 | |
| 2-Furaldehyde | FURFURAL | 17 | |
| Furan-2,5-dione | MALEIC ANHYDRIDE | 17 | |
| 2,5-Furandione | MALEIC ANHYDRIDE | 17 | |
| FURFURAL | | 17 | 1199 |
| 2-Furfuraldehyde | FURFURAL | 17 | |
| FURFURYL ALCOHOL | | 17 | 2874 |
| Furylcarbinol | FURFURYL ALCOHOL | 17 | |
| Fused poly(2+)cyclic aromatic hydrocarbons | POLY(2+)CYCLIC AROMATICS | 17 | |
| Gaultheria oil | METHYL SALICYLATE | 17 | |
| Glacial acetic acid | ACETIC ACID | 17 | |
| D-Glucitol | SORBITOL SOLUTION | 18 | |
| GLUCITOL/GLYCEROL BLEND PROPOXYLATED (CONTAINING LESS THAN 10% AMINES) | | 17 | |
| Glucitol solution | SORBITOL SOLUTION | 18 | |
| D-Glucopyranoside C ₈ –C ₁₄ alkyl | ALKYL (C ₈ –C ₁₀)/(C ₁₂ –C ₁₄):(40% OR LESS/60% OR MORE) POLYGLUCOSIDE SOLUTION (55% OR LESS) | 17 | |
| D-Glucopyranoside C ₈ –C ₁₄ alkyl | ALKYL (C ₈ –C ₁₀)/(C ₁₂ –C ₁₄):(60% OR MORE/40% OR LESS) POLYGLUCOSIDE SOLUTION (55% OR LESS) | 17 | |
| GLUCOSE SOLUTION | | 18 | |
| GLUTARALDEHYDE SOLUTIONS (50% OR LESS) | | 17 | |
| Glycerin | GLYCERINE | 18 | |
| GLYCERINE | | 18 | |
| Glycerin triacetate | GLYCERYL TRIACETATE | 17 | |
| Glyceritol | GLYCERINE | 18 | |
| Glycerol | GLYCERINE | 18 | |
| GLYCEROL MONOOLEATE | | 17 | |
| Glycerol oleate | GLYCEROL MONOOLEATE | 17 | |
| Glycerol 1-oleate | GLYCEROL MONOOLEATE | 17 | |
| GLYCEROL PROPOXYLATED | | 17 | |
| GLYCEROL, PROPOXYLATED AND ETHOXYLATED | | 17 | |
| GLYCEROL/SUCROSE BLEND PROPOXYLATED AND ETHOXYLATED | | 17 | |
| Glycerol triacetate | GLYCERYL TRIACETATE | 17 | |
| GLYCERYL TRIACETATE | | 17 | |
| GLYCIDYL ESTER OF C ₁₀ TRIALKYLACETIC ACID | | 17 | |
| Glycidyl neodecanoate | GLYCIDYL ESTER OF C ₁₀ TRIALKYLACETIC ACID | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| Glycine soda solution | GLYCINE, SODIUM SALT SOLUTION | 17 | |
| GLYCINE, SODIUM SALT SOLUTION | | 17 | |
| Glycol | ETHYLENE GLYCOL | 17 | |
| Glycol carbonate | ETHYLENE CARBONATE | 18 | |
| Glycol chlorohydrin | ETHYLENE CHLOROHYDRIN | 17 | |
| Glycol dichloride | ETHYLENE DICHLORIDE | 17 | |
| GLYCOLIC ACID SOLUTION (70% OR LESS) | | 17 | 3265 |
| Glycol monobutyl ether | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| Glycols, polyethylene mono(<i>p</i> -nonylphenyl) ether | ALKARYL POLYETHERS (C ₉ -C ₂₀) | 17 | |
| Glycyl alcohol | GLYCERINE | 18 | |
| Glyoxaldehyde | GLYOXAL SOLUTION (40% OR LESS) | 17 | |
| Glyoxalic acid | GLYOXYLIC ACID SOLUTION (50% OR LESS) | 17 | |
| GLYOXAL SOLUTION (40% OR LESS) | | 17 | |
| GLYOXYLIC ACID SOLUTION (50% OR LESS) | | 17 | 1760 |
| Glyphosate | GLYPHOSATE SOLUTION (NOT CONTAINING SURFACTANT) | 17 | |
| Glyphosate-mono(isopropylammonium) | GLYPHOSATE SOLUTION (NOT CONTAINING SURFACTANT) | 17 | |
| GLYPHOSATE SOLUTION (NOT CONTAINING SURFACTANT) | | 17 | |
| Grain alcohol | ETHYL ALCOHOL | 18 | |
| GROUNDNUT OIL | | 17 | |
| Hemimellitine | TRIMETHYLBENZENE (ALL ISOMERS) | 17 | |
| Hendecanoic acid | UNDECANOIC ACID | 17 | |
| 1-Hendecanol | UNDECYL ALCOHOL | 17 | |
| Heptamethylene | CYCLOHEPTANE | 17 | |
| HEPTANE (ALL ISOMERS) | | 17 | 1206 |
| 1-Heptanecarboxylic acid | OCTANOIC ACID (ALL ISOMERS) | 17 | |
| 3-Heptanecarboxylic acid | OCTANOIC ACID (ALL ISOMERS) | 17 | |
| Heptanoic acid | <i>n</i> -HEPTANOIC ACID | 17 | |
| <i>n</i> -HEPTANOIC ACID | | 17 | |
| HEPTANOL (ALL ISOMERS) | | 17 | |
| Heptan-2-one | METHYL AMYL KETONE | 17 | |
| 2-Heptanone | METHYL AMYL KETONE | 17 | |
| Heptan-2-one | METHYL AMYL KETONE | 17 | |
| HEPTENE (ALL ISOMERS) | | 17 | |
| Heptoic acid | <i>n</i> -HEPTANOIC ACID | 17 | |
| HEPTYL ACETATE | | 17 | |
| Heptyl alcohol, all isomers | HEPTANOL (ALL ISOMERS) | 17 | |
| Heptylcarbinol | OCTANOL (ALL ISOMERS) | 17 | |
| Heptylene, mixed isomers | HEPTENE (ALL ISOMERS) | 17 | |
| Heptylic acid | <i>n</i> -HEPTANOIC ACID | 17 | |
| <i>n</i> -Heptylic acid | <i>n</i> -HEPTANOIC ACID | 17 | |
| 1-Hexadecene | OLEFINS (C ₁₃ ⁺ , ALL ISOMERS) | 17 | |
| Hexadecyl and icosyl methacrylate mixture | CETYL/EICOSYL METHACRYLATE MIXTURE | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|-----------|
| 1-HEXADECYLNAPHTHALENE/1,4-BIS(HEXADECYL)NAPHTHALENE MIXTURE | | 17 | |
| Hexadecylnaphthalene/dihexadecylnaphthalene mixture | 1-HEXADECYLNAPHTHALENE/1,4-BIS(HEXADECYL)NAPHTHALENE MIXTURE | 17 | |
| Hexadecyl/octadecyl alcohol | ALCOHOLS (C ₁₃ +)) | 17 | |
| Hexadecyl, octadecyl and icosyl methacrylates, mixtures | CETYL/EICOSYL METHACRYLATE MIXTURE | 17 | |
| Hexaethylene glycol | POLYETHYLENE GLYCOL | 17 | |
| Hexahydroaniline | CYCLOHEXYLAMINE | 17 | |
| Hexahydrobenzene | CYCLOHEXANE | 17 | |
| Hexahydro-1 <i>H</i> -azepine | HEXAMETHYLENEIMINE | 17 | |
| Hexahydro-1 <i>H</i> -azepine | HEXAMETHYLENEIMINE | 17 | |
| Hexahydrophenol | CYCLOHEXANOL | 17 | |
| Hexahydrotoluene | METHYLCYCLOHEXANE | 17 | |
| Hexamethylene | CYCLOHEXANE | 17 | |
| HEXAMETHYLENEDIAMINE ADIPATE (50% IN WATER) | | 17 | |
| HEXAMETHYLENEDIAMINE (MOLTEN) | | 17 | |
| HEXAMETHYLENEDIAMINE SOLUTION | | 17 | 1783 |
| 1,6-Hexamethylenediamine solution | HEXAMETHYLENEDIAMINE SOLUTION | 17 | |
| Hexamethylenediammonium adipate solution (50% solution) | HEXAMETHYLENEDIAMINE ADIPATE (50% IN WATER) | 17 | |
| HEXAMETHYLENE DIISOCYANATE | | 17 | 2281 |
| Hexamethylene-1,6-diisocyanate | HEXAMETHYLENE DIISOCYANATE | 17 | |
| HEXAMETHYLENE GLYCOL | | 17 | |
| HEXAMETHYLENEIMINE | | 17 | 2493 |
| HEXAMETHYLENETETRAMINE SOLUTIONS | | 18 | |
| Hexamine | HEXAMETHYLENETETRAMINE SOLUTIONS | 18 | |
| Hexanaphthene | CYCLOHEXANE | 17 | |
| HEXANE (ALL ISOMERS) | | 17 | 1208 |
| 1,6-Hexanediamine | HEXAMETHYLENEDIAMINE (MOLTEN) | 17 | |
| 1,6-Hexanediamine hexanedioate (1:1) | HEXAMETHYLENEDIAMINE ADIPATE (50% IN WATER) | 17 | |
| Hexane-1,6-diamine solutions | HEXAMETHYLENEDIAMINE SOLUTION | 17 | |
| 1,6-Hexanediamine solutions | HEXAMETHYLENEDIAMINE SOLUTION | 17 | |
| Hexanedioic acid, bis(2-ethylhexyl) ester | DI(2-ETHYLHEXYL) ADIPATE | 17 | |
| Hexane-1,6-diol | HEXAMETHYLENE GLYCOL | 17 | |
| 1,6-Hexanediol | HEXAMETHYLENE GLYCOL | 17 | |
| 1,6-HEXANEDIOL, DISTILLATION OVERHEADS | | 17 | 1987 |
| <i>n</i> -Hexane | HEXANE (ALL ISOMERS) | 17 | |
| HEXANOIC ACID | | 17 | |
| HEXANOL | | 17 | 2282 |
| Hexan-1-ol | HEXANOL | 17 | |
| Hexan-6-olide | <i>epsilon</i> -CAPROLACTAM (MOLTEN OR AQUEOUS SOLUTIONS) | 17 | |
| Hexan-2-one | METHYL BUTYL KETONE | 17 | |
| 2-Hexanone | METHYL BUTYL KETONE | 17 | |
| HEXENE (ALL ISOMERS) | | 17 | 2370 |
| Hexene-1 | HEXENE (ALL ISOMERS) | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|------------|
| Hex-1-ene | HEXENE (ALL ISOMERS) | 17 | |
| 2-Hexene | HEXENE (ALL ISOMERS) | 17 | |
| Hexone | METHYL ISOBUTYL KETONE | 17 | |
| HEXYL ACETATE | | 17 | 1233 |
| sec-Hexyl acetate | METHYLAMYL ACETATE | 17 | |
| Hexyl alcohol | HEXANOL | 17 | |
| Hexyldimethylamine | ALKYL (C ₁₂ +) DIMETHYLAMINE | 17 | |
| Hexylene | HEXENE (ALL ISOMERS) | 17 | |
| HEXYLENE GLYCOL | | 18 | |
| Hexyl ethanoate | HEXYL ACETATE | 17 | |
| Homopiperidine | HEXAMETHYLENEIMINE | 17 | |
| HYDROCHLORIC ACID | | 17 | 1789 |
| Hydrofuran | TETRAHYDROFURAN | 17 | |
| Hydrogenated glucose syrup | MALTITOL SOLUTION | 18 | |
| Hydrogenated maltose syrup | MALTITOL SOLUTION | 18 | |
| Hydrogenated oligosaccharide | HYDROGENATED STARCH HYDROLYSATE | 18 | |
| HYDROGENATED STARCH HYDROLYSATE | | 18 | |
| Hydrogencarboxylic acid | FORMIC ACID | 17 | |
| Hydrogen chloride, aqueous | HYDROCHLORIC ACID | 17 | |
| HYDROGEN PEROXIDE SOLUTIONS (OVER 60% BUT NOT OVER 70% BY MASS) | | 17 | 2015 |
| HYDROGEN PEROXIDE SOLUTIONS (OVER 8% BUT NOT OVER 60% BY MASS) | | 17 | 2014, 2984 |
| Hydrogen sulphate | SULPHURIC ACID | 17 | |
| <i>alpha</i> -Hydro- <i>omega</i> -hydroxypoly[oxy(methyl-1,2-ethanediyl)] | POLYPROPYLENE GLYCOL | 17 | |
| Hydroxyacetic acid | GLYCOLIC ACID SOLUTION (70% OR LESS) | 17 | |
| Hydroxybenzene | PHENOL | 17 | |
| 4-Hydroxybutanoic acid lactone | <i>gamma</i> -BUTYROLACTONE | 17 | |
| 4-Hydroxybutyric acid lactone | <i>gamma</i> -BUTYROLACTONE | 17 | |
| <i>gamma</i> -Hydroxybutyric acid lactone | <i>gamma</i> -BUTYROLACTONE | 17 | |
| Hydroxydimethylbenzenes | XYLENOL | 17 | |
| Hydroxyethanoic acid | GLYCOLIC ACID SOLUTION (70% OR LESS) | 17 | |
| 2-Hydroxyethyl acetate | ETHYLENE GLYCOL ACETATE | 17 | |
| 2-HYDROXYETHYL ACRYLATE | | 17 | |
| <i>beta</i> -Hydroxyethyl acrylate | 2-HYDROXYETHYL ACRYLATE | 17 | |
| 2-Hydroxyethylamine | ETHANOLAMINE | 17 | |
| <i>N-beta</i> -Hydroxyethylethylenediamine | AMINOETHYLETHANOLAMINE | 17 | |
| <i>N</i> -(HYDROXYETHYL)ETHYLENEDIAMINETRIACETIC ACID, TRISODIUM SALT SOLUTION | | 17 | |
| <i>beta</i> -Hydroxyethyl phenyl ether | ETHYLENE GLYCOL PHENYL ETHER | 17 | |
| 2-Hydroxyethyl propenoate | 2-HYDROXYETHYL ACRYLATE | 17 | |
| 2-Hydroxyethyl 2-propenoate | 2-HYDROXYETHYL ACRYLATE | 17 | |
| <i>alpha</i> -Hydroxyisobutyronitrile | ACETONE CYANOHYDRIN | 17 | |
| 4-Hydroxy-2-keto-4-methylpentane | DIACETONE ALCOHOL | 17 | |
| 4-Hydroxy-4-methylpentanone-2 | DIACETONE ALCOHOL | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| 4-Hydroxy-4-methylpentan-2-one | DIACETONE ALCOHOL | 17 | |
| 2-(Hydroxymethyl)propane | ISOBUTYL ALCOHOL | 17 | |
| 2-Hydroxy-2-methylpropiononitrile | ACETONE CYANOHYDRIN | 17 | |
| 2-HYDROXY-4-(METHYLTHIO)BUTANOIC ACID | | 17 | |
| 2-Hydroxy-4-methylthiobutyric acid | 2-HYDROXY-4-(METHYLTHIO)BUTANOIC ACID | 17 | |
| 2-Hydroxynitrobenzene (molten) | <i>o</i> -NITROPHENOL (MOLTEN) | 17 | |
| 1-Hydroxy-2-phenoxyethane | ETHYLENE GLYCOL PHENYL ETHER | 17 | |
| 2-Hydroxypropanoic acid | LACTIC ACID | 17 | |
| 2-Hydroxypropionic acid | LACTIC ACID | 17 | |
| <i>alpha</i> -Hydroxypropionic acid | LACTIC ACID | 17 | |
| 3-Hydroxypropionic acid, lactone | <i>beta</i> -PROPIOLACTONE | 17 | |
| 2-Hydroxypropionitrile | LACTONITRILE SOLUTION (80% OR LESS) | 17 | |
| <i>alpha</i> -Hydroxypropionitrile | LACTONITRILE SOLUTION (80% OR LESS) | 17 | |
| <i>beta</i> -Hydroxypropionitrile | ETHYLENE CYANOHYDRIN | 17 | |
| 2-Hydroxypropionitrile | LACTONITRILE SOLUTION (80% OR LESS) | 17 | |
| 3-Hydroxypropionitrile | ETHYLENE CYANOHYDRIN | 17 | |
| 2-[2-(2-Hydroxypropoxy)propoxy]propan-1-ol | TRIPROPYLENE GLYCOL | 17 | |
| 2-Hydroxypropylamine | ISOPROPANOLAMINE | 17 | |
| 3-Hydroxypropylamine | <i>n</i> -PROPANOLAMINE | 17 | |
| <i>alpha</i> -Hydroxytoluene | BENZYL ALCOHOL | 17 | |
| 3-Hydroxy-2,2,4-trimethylpentyl isobutyrate | 2,2,4-TRIMETHYL-1,3-PENTANEDIOL-1-ISOBUTYRATE | 17 | |
| ILLIPE OIL | | 17 | |
| 2,2'-[Iminobis(ethyleneimino)]diethylamine | TETRAETHYLENEPENTAMINE | 17 | |
| 2,2'-Iminodi(ethylamine) | DIETHYLENETRIAMINE | 17 | |
| 2,2'-Iminodiethanol | DIETHANOLAMINE | 17 | |
| 1,1'-Iminodipropan-2-ol | DIISOPROPANOLAMINE | 17 | |
| Iron(III) chloride solutions | FERRIC CHLORIDE SOLUTIONS | 17 | |
| Iron(III) nitrate/nitric acid solution | FERRIC NITRATE/NITRIC ACID SOLUTION | 17 | |
| Isoacetophenone | ISOPHORONE | 17 | |
| Isoamyl acetate | AMYL ACETATE (ALL ISOMERS) | 17 | |
| ISOAMYL ALCOHOL | | 17 | |
| ISO- AND CYCLO-ALKANES (C ₁₀ -C ₁₁) | | 17 | |
| ISO- AND CYCLO-ALKANES (C ₁₂ ⁺) | | 17 | |
| Isobutaldehyde | BUTYRALDEHYDE (ALL ISOMERS) | 17 | |
| Isobutanal | BUTYRALDEHYDE (ALL ISOMERS) | 17 | |
| Isobutanol | ISOBUTYL ALCOHOL | 17 | |
| Isobutanolamine | 2-AMINO-2-METHYL-1-PROPANOL | 17 | |
| Isobutyl acetate | BUTYL ACETATE (ALL ISOMERS) | 17 | |
| Isobutyl acrylate | BUTYL ACRYLATE (ALL ISOMERS) | 17 | |
| ISOBUTYL ALCOHOL | | 17 | 1212 |
| Isobutyl aldehyde | BUTYRALDEHYDE (ALL ISOMERS) | 17 | |
| Isobutylamine | BUTYLAMINE (ALL ISOMERS) | 17 | |
| Isobutylcarbinol | ISOAMYL ALCOHOL | 17 | |
| ISOBUTYL FORMATE | | 17 | 2393 |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| Isobutyl ketone | DIISOBUTYL KETONE | 17 | |
| Iso-butyl ketone | DIISOBUTYL KETONE | 17 | |
| ISOBUTYL METHACRYLATE | | 17 | |
| Isobutylmethylcarbinol | METHYLAMYL ALCOHOL | 17 | |
| Isobutyl methyl ketone | METHYL ISOBUTYL KETONE | 17 | |
| Isobutylmethylemethanol | METHYLAMYL ALCOHOL | 17 | |
| Isobutyraldehyde | BUTYRALDEHYDE (ALL ISOMERS) | 17 | |
| Isobutyric aldehyde | BUTYRALDEHYDE (ALL ISOMERS) | 17 | |
| <i>alpha</i> -Isocyanatobenzyl- <i>omega</i> -isocyanatophenylpoly[(phenyl isocyanate)-alt-formaldehyde] | POLYMETHYLENE POLYPHENYL ISOCYANATE | 17 | |
| 1-Isocyanato-3-isocyanatomethyl-trimethylcyclohexane | ISOPHORONE DIISOCYANATE | 17 | |
| 3-Isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate | ISOPHORONE DIISOCYANATE | 17 | |
| Isodecanol | DECYL ALCOHOL (ALL ISOMERS) | 17 | |
| Isodecyl alcohol | DECYL ALCOHOL (ALL ISOMERS) | 17 | |
| Isododecane | DODECANE (ALL ISOMERS) | 17 | |
| Isodurene | TETRAMETHYLBENZENE (ALL ISOMERS) | 17 | |
| Isononanoic acid | NONANOIC ACID (ALL ISOMERS) | 17 | |
| Isononanol | NONYL ALCOHOL (ALL ISOMERS) | 17 | |
| Isooctane | OCTANE (ALL ISOMERS) | 17 | |
| Isooctanol | OCTANOL (ALL ISOMERS) | 17 | |
| Isopentane | PENTANE (ALL ISOMERS) | 17 | |
| Isopentanol | AMYL ALCOHOL, PRIMARY | 17 | |
| Isopentanol | ISOAMYL ALCOHOL | 17 | |
| Isopentene | PENTENE (ALL ISOMERS) | 17 | |
| Isopentyl acetate | AMYL ACETATE (ALL ISOMERS) | 17 | |
| Isopentyl alcohol | ISOAMYL ALCOHOL | 17 | |
| ISOPHORONE | | 17 | |
| ISOPHORONEDIAMINE | | 17 | 2289 |
| ISOPHORONE DIISOCYANATE | | 17 | 2290 |
| ISOPRENE | | 17 | 1218 |
| Isopropanol | ISOPROPYL ALCOHOL | 18 | |
| ISOPROPANOLAMINE | | 17 | |
| Isopropenylbenzene | <i>alpha</i> -METHYLSTYRENE | 17 | |
| 2-Isopropoxyethanol | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| 2-Isopropoxypropane | ISOPROPYL ETHER | 17 | |
| ISOPROPYL ACETATE | | 17 | 1220 |
| Isopropylacetone | METHYL ISOBUTYL KETONE | 17 | |
| ISOPROPYL ALCOHOL | | 18 | |
| ISOPROPYLAMINE | | 17 | 1221 |
| ISOPROPYLAMINE (70% OR LESS) SOLUTION | | 17 | |
| Isopropylammonium <i>N</i> -(phosphonomethyl)glycine | GLYPHOSATE SOLUTION (NOT CONTAINING SURFACTANT) | 17 | |
| Isopropyl carbinol | ISOBUTYL ALCOHOL | 17 | |
| Isopropylcarbinol | ISOBUTYL ALCOHOL | 17 | |
| ISOPROPYLCYCLOHEXANE | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|--|---------|-----------|
| 1-Isopropyl-3,3-dimethyltrimethylene diisobutyrate | 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE | 17 | |
| ISOPROPYL ETHER | | 17 | 1159 |
| Isopropylideneacetone | MESITYL OXIDE | 17 | |
| Isopropyl oxide | ISOPROPYL ETHER | 17 | |
| Isopropyltoluene | <i>p</i> -CYMENE | 17 | |
| 4-Isopropyltoluene | <i>p</i> -CYMENE | 17 | |
| 4-Isopropyltoluol | <i>p</i> -CYMENE | 17 | |
| Isovaleral | VALERALDEHYDE (ALL ISOMERS) | 17 | |
| Isovaleraldehyde | VALERALDEHYDE (ALL ISOMERS) | 17 | |
| Isovaleric aldehyde | VALERALDEHYDE (ALL ISOMERS) | 17 | |
| Isovalerone | DIISOBUTYL KETONE | 17 | |
| Kaolin clay slurry | KAOLIN SLURRY | 18 | |
| Kaolinite slurry | KAOLIN SLURRY | 18 | |
| KAOLIN SLURRY | | 18 | |
| Ketohexamethylene | CYCLOHEXANONE | 17 | |
| Ketone propane | ACETONE | 18 | |
| Ketopropane | ACETONE | 18 | |
| LACTIC ACID | | 17 | |
| <i>d/l</i> -Lactic acid | LACTIC ACID | 17 | |
| LACTONITRILE SOLUTION (80% OR LESS) | | 17 | |
| LARD | | 17 | |
| LATEX, AMMONIA (1% OR LESS)-INHIBITED | | 17 | |
| LATEX: CARBOXYLATED STYRENE-BUTADIENE COPOLYMER; STYRENE-BUTADIENE RUBBER | | 17 | |
| LAURIC ACID | | 17 | |
| Lauryl alcohol | DODECYL ALCOHOL | 17 | |
| Lauryl mercaptan | <i>tert</i> -DODECANETHIOL | 17 | |
| Lauryl methacrylate | DODECYL METHACRYLATE | 17 | |
| Lead alkyls, n.o.s. | MOTOR FUEL ANTI-KNOCK COMPOUNDS (CONTAINING LEAD ALKYLs) | 17 | |
| Lead tetraethyl | MOTOR FUEL ANTI-KNOCK COMPOUNDS (CONTAINING LEAD ALKYLs) | 17 | |
| Lead tetramethyl | MOTOR FUEL ANTI-KNOCK COMPOUNDS (CONTAINING LEAD ALKYLs) | 17 | |
| LECITHIN | | 18 | |
| LIGNINSULPHONIC ACID, SODIUM SALT SOLUTION | | 17 | 3806 |
| Limonene | DIPENTENE | 17 | |
| Linear alkylbenzene (LAB) bottoms | ALKYL BENZENE DISTILLATION BOTTOMS | 17 | |
| LINSEED OIL | | 17 | |
| LIQUID CHEMICAL WASTES | | 17 | |
| LONG-CHAIN ALKARYL POLYETHER (C ₁₁ -C ₂₀) | | 17 | |
| LONG-CHAIN ALKARYL SULPHONIC ACID (C ₁₆ -C ₆₀) | | 17 | |
| LONG-CHAIN ALKYLPHENATE/PHENOL SULPHIDE MIXTURE | | 17 | |
| Lye | SODIUM HYDROXIDE SOLUTION | 17 | |
| Lye, potash | POTASSIUM HYDROXIDE SOLUTION | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|--|---------|-----------|
| Lye, soda | SODIUM HYDROXIDE SOLUTION | 17 | |
| Lye solution | SODIUM HYDROXIDE SOLUTION | 17 | |
| L-LYSINE SOLUTION (60% OR LESS) | | 17 | |
| Magnesia hydrate | MAGNESIUM HYDROXIDE SLURRY | 18 | |
| MAGNESIUM CHLORIDE SOLUTION | | 17 | |
| MAGNESIUM HYDROXIDE SLURRY | | 18 | |
| MAGNESIUM LONG-CHAIN ALKARYL SULPHONATE (C ₁₁ -C ₅₀) | | 17 | |
| MAGNESIUM LONG-CHAIN ALKYL SALICYLATE (C ₁₁ +) | | 17 | |
| MALEIC ANHYDRIDE | | 17 | 2215 |
| Maltitol | MALTITOL SOLUTION | 18 | |
| MALTITOL SOLUTION | | 18 | |
| Maltitol syrup | MALTITOL SOLUTION | 18 | |
| MANGO KERNEL OIL | | 17 | |
| Meglumine | N-METHYLGLUCAMINE SOLUTION (70% OR LESS) | 18 | |
| <i>dl</i> -p-Mentha-1,8-diene | DIPENTENE | 17 | |
| MERCAPTOBENZOTHAZOL, SODIUM SALT SOLUTION | | 17 | |
| Mesitylene | TRIMETHYLBENZENE (ALL ISOMERS) | 17 | |
| MESITYL OXIDE | | 17 | 1229 |
| Metaformaldehyde | 1,3,5-TRIOXANE | 17 | |
| Metam-sodium | METAM SODIUM SOLUTION | 17 | |
| METAM SODIUM SOLUTION | | 17 | |
| METHACRYLIC ACID | | 17 | 2531 |
| <i>alpha</i> -Methacrylic acid | METHACRYLIC ACID | 17 | |
| METHACRYLIC ACID-ALKOXPOLY(ALKYLENE OXIDE) METHACRYLATE COPOLYMER, SODIUM SALT AQUEOUS SOLUTION (45% OR LESS) | | 17 | |
| Methacrylic acid, dodecyl ester | DODECYL METHACRYLATE | 17 | |
| Methacrylic acid, lauryl ester | DODECYL METHACRYLATE | 17 | |
| METHACRYLIC RESIN IN ETHYLENE DICHLORIDE | | 17 | |
| METHACRYLONITRILE | | 17 | 3079 |
| Methanal | FORMALDEHYDE SOLUTIONS (45% OR LESS) | 17 | |
| Methanamide | FORMAMIDE | 17 | |
| Methanamine | METHYLAMINE SOLUTIONS (42% OR LESS) | 17 | |
| Methane carboxylic acid | ACETIC ACID | 17 | |
| Methanecarboxylic acid | ACETIC ACID | 17 | |
| Methanoic acid | FORMIC ACID | 17 | |
| Methanol | METHYL ALCOHOL | 17 | |
| Methenamine | HEXAMETHYLENETETRAMINE SOLUTIONS | 18 | |
| 3-METHOXY-1-BUTANOL | | 17 | |
| 3-Methoxybutan-1-ol | 3-METHOXY-1-BUTANOL | 17 | |
| 3-METHOXYBUTYL ACETATE | | 17 | |
| 2-Methoxyethanol | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| 2-(2-Methoxyethoxy)ethanol | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|--|---------|-----------|
| 2-[2-(2-Methoxyethoxy)ethoxy]ethanol | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| 2-(2-Methoxyethoxy)ethyl acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| 2-Methoxyethyl acetate | ETHYLENE GLYCOL METHYL ETHER ACETATE | 17 | |
| 2-Methoxy-2-methylbutane | <i>tert</i> -AMYL METHYL ETHER | 17 | |
| 3-Methoxy-3-methylbutan-1-ol | 3-METHYL-3-METHOXYBUTANOL | 17 | |
| 3-Methoxy-3-methylbutyl alcohol | 3-METHYL-3-METHOXYBUTANOL | 17 | |
| 2-Methoxy-1-methylethyl acetate | PROPYLENE GLYCOL METHYL ETHER ACETATE | 17 | |
| <i>N</i> -(2-METHOXY-1-METHYLETHYL)-2-ETHYL-6-METHYLCHLOROACETANILIDE | | 17 | |
| 2-Methoxy-2-methylpropane | METHYL <i>tert</i> -BUTYL ETHER | 17 | |
| 1-Methoxypropan-2-ol | PROPYLENE GLYCOL MONOALKYL ETHER | 17 | |
| 1-Methoxy-2-propanol acetate | PROPYLENE GLYCOL METHYL ETHER ACETATE | 17 | |
| 1-(2-Methoxypropoxy)propan-2-ol | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| 3-[3-(3-Methoxypropoxy)propoxy]propan-1-ol | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Methoxytriglycol | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Methylacetaldehyde | PROPIONALDEHYDE | 17 | |
| METHYL ACETATE | | 17 | |
| Methylacetic acid | PROPIONIC ACID | 17 | |
| METHYL ACETOACETATE | | 17 | |
| Methyl acetylacetate | METHYL ACETOACETATE | 17 | |
| <i>beta</i> -Methylacrolein | CROTONALDEHYDE | 17 | |
| METHYL ACRYLATE | | 17 | 1919 |
| 2-Methylacrylic acid | METHACRYLIC ACID | 17 | |
| 2-Methylacrylic acid, dodecyl ester | DODECYL METHACRYLATE | 17 | |
| 2-Methylacrylic acid, lauryl ester | DODECYL METHACRYLATE | 17 | |
| METHYL ALCOHOL | | 17 | |
| METHYLAMINE SOLUTIONS (42% OR LESS) | | 17 | 1235 |
| 1-Methyl-2-aminobenzene | <i>o</i> -TOLUIDINE | 17 | |
| 2-Methyl-1-aminobenzene | <i>o</i> -TOLUIDINE | 17 | |
| METHYLAMYL ACETATE | | 17 | 1233 |
| METHYLAMYL ALCOHOL | | 17 | 2053 |
| METHYL AMYL KETONE | | 17 | 1110 |
| Methyl <i>n</i> -amyl ketone | METHYL AMYL KETONE | 17 | |
| 2-Methylaniline | <i>o</i> -TOLUIDINE | 17 | |
| 3-Methylaniline | <i>o</i> -TOLUIDINE | 17 | |
| <i>o</i> -Methylaniline | <i>o</i> -TOLUIDINE | 17 | |
| 2-Methylbenzenamine | <i>o</i> -TOLUIDINE | 17 | |
| 3-Methylbenzenamine | <i>o</i> -TOLUIDINE | 17 | |
| <i>o</i> -Methylbenzenamine | <i>o</i> -TOLUIDINE | 17 | |
| Methylbenzene | TOLUENE | 17 | |
| Methylbenzenediamine | TOLUENEDIAMINE | 17 | |
| Methylbenzol | TOLUENE | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|-----------|
| 2-Methyl-1,3-butadiene | ISOPRENE | 17 | |
| 3-Methyl-1,3-butadiene | ISOPRENE | 17 | |
| 2-Methylbutanal | VALERALDEHYDE (ALL ISOMERS) | 17 | |
| 3-Methylbutanal | VALERALDEHYDE (ALL ISOMERS) | 17 | |
| 1-Methylbutane | PENTANE (ALL ISOMERS) | 17 | |
| 2-Methylbutane | PENTANE (ALL ISOMERS) | 17 | |
| Methyl butanoate | METHYL BUTYRATE | 17 | |
| 2-Methyl-2-butanol | <i>tert</i> -AMYL ALCOHOL | 17 | |
| 2-Methylbutan-2-ol | <i>tert</i> -AMYL ALCOHOL | 17 | |
| 2-Methyl-4-butanol | ISOAMYL ALCOHOL | 17 | |
| 3-Methyl-1-butanol | AMYL ALCOHOL, PRIMARY | 17 | |
| 3-Methyl-1-butanol | ISOAMYL ALCOHOL | 17 | |
| 3-Methylbutan-1-ol | AMYL ALCOHOL, PRIMARY | 17 | |
| 3-Methylbutan-1-ol | ISOAMYL ALCOHOL | 17 | |
| 3-Methylbutan-3-ol | <i>tert</i> -AMYL ALCOHOL | 17 | |
| 3-Methylbut-1-ene | PENTENE (ALL ISOMERS) | 17 | |
| Methylbutenes | PENTENE (ALL ISOMERS) | 17 | |
| METHYLBUTENOL | | 17 | |
| 1-Methylbutyl acetate | AMYL ACETATE (ALL ISOMERS) | 17 | |
| 2-Methyl-2-butyl alcohol | <i>tert</i> -AMYL ALCOHOL | 17 | |
| 2-Methyl-4-butyl alcohol | ISOAMYL ALCOHOL | 17 | |
| 3-Methyl-1-butyl alcohol | ISOAMYL ALCOHOL | 17 | |
| 3-Methyl-3-butyl alcohol | <i>tert</i> -AMYL ALCOHOL | 17 | |
| METHYL <i>tert</i> -BUTYL ETHER | | 17 | |
| METHYL BUTYL KETONE | | 17 | 1224 |
| METHYLBUTYNOL | | 17 | |
| 2-Methyl-3-butyne-2-ol | 2-METHYL-2-HYDROXY-3-BUTYNE | 17 | |
| 2-Methyl-3-butyne-2-ol | METHYLBUTYNOL | 17 | |
| 2-Methylbut-3-yn-2-ol | 2-METHYL-2-HYDROXY-3-BUTYNE | 17 | |
| 2-Methylbut-3-yn-2-ol | METHYLBUTYNOL | 17 | |
| 2-Methylbutyraldehyde | VALERALDEHYDE (ALL ISOMERS) | 17 | |
| 3-Methylbutyraldehyde | VALERALDEHYDE (ALL ISOMERS) | 17 | |
| METHYL BUTYRATE | | 17 | 1237 |
| 2- <i>beta</i> -Methyl 'carbitol' | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | 17 | |
| Methyl 'carbitol' acetate | POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | 17 | |
| Methyl 'cellosolve' | ETHYLENE GLYCOL MONOALKYL ETHERS | 17 | |
| Methyl 'cellosolve' acetate | ETHYLENE GLYCOL METHYL ETHER ACETATE | 17 | |
| Methylchloroform | 1,1,1-TRICHLOROETHANE | 17 | |
| Methyl cyanide | ACETONITRILE | 17 | |
| METHYLCYCLOHEXANE | | 17 | 2296 |
| METHYLCYCLOPENTADIENE DIMER | | 17 | |
| Methyl-1,3-cyclopentadiene dimer | METHYLCYCLOPENTADIENE DIMER | 17 | |
| METHYLCYCLOPENTADIENYL MANGANESE TRICARBONYL | | 17 | 3281 |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| METHYL DIETHANOLAMINE | | 17 | |
| 4-Methyl-1,3-dioxolan-2-one | PROPYLENE CARBONATE | 18 | |
| Methyl disulphide | DIMETHYL DISULPHIDE | 17 | |
| Methylenebis(4-cyanatobenzene) | DIPHENYLMETHANE DIISOCYANATE | 17 | |
| S,S'-Methylenebis[N-dialkyl(C ₄ -C ₈)dithiocarbamate] | ALKYL DITHIOCARBAMATE (C ₁₉ -C ₃₅) | 17 | |
| Methylenebis(phenyl isocyanate) | DIPHENYLMETHANE DIISOCYANATE | 17 | |
| 4,4'-Methylenebis(phenyl isocyanate) | DIPHENYLMETHANE DIISOCYANATE | 17 | |
| Methylenebis(phenylene isocyanate) | DIPHENYLMETHANE DIISOCYANATE | 17 | |
| Methylenebis(p-phenylene isocyanate) | DIPHENYLMETHANE DIISOCYANATE | 17 | |
| Methylene bromide | DIBROMOMETHANE | 17 | |
| Methylene chloride | DICHLOROMETHANE | 17 | |
| Methylene dichloride | DICHLOROMETHANE | 17 | |
| 4,4'-Methylenediphenyl diisocyanate | DIPHENYLMETHANE DIISOCYANATE | 17 | |
| Methylenedi-p-phenylene diisocyanate | DIPHENYLMETHANE DIISOCYANATE | 17 | |
| 4,4'-Methylenediphenyl isocyanate | DIPHENYLMETHANE DIISOCYANATE | 17 | |
| 2-Methylenepropionic acid | METHACRYLIC ACID | 17 | |
| Methyl ethanoate | METHYL ACETATE | 17 | |
| 1-Methylethyl acetate | ISOPROPYL ACETATE | 17 | |
| 1-Methylethylamine | ISOPROPYLAMINE | 17 | |
| 2-METHYL-6-ETHYLANILINE | | 17 | |
| 1,4-Methyl ethyl benzene | ETHYLTOLUENE | 17 | |
| Methylethylcarbinol | sec-BUTYL ALCOHOL | 18 | |
| Methyl ethylene glycol | PROPYLENE GLYCOL | 18 | |
| Methylethylene glycol | PROPYLENE GLYCOL | 18 | |
| Methylethylene oxide | PROPYLENE OXIDE | 17 | |
| METHYL ETHYL KETONE | | 17 | |
| N-(1-Methylethyl)propan-2-amine | DIISOPROPYLAMINE | 17 | |
| 2-METHYL-5-ETHYLPYRIDINE | | 17 | 2300 |
| METHYL FORMATE | | 17 | 1243 |
| N-Methyl-D-glucamine | N-METHYLGLUCAMINE SOLUTION (70% OR LESS) | 18 | |
| N-METHYLGLUCAMINE SOLUTION (70% OR LESS) | | 18 | |
| Methyl glycol | PROPYLENE GLYCOL | 18 | |
| 5-Methyl-3-heptanone | ETHYL AMYL KETONE | 17 | |
| 5-Methylheptan-3-one | ETHYL AMYL KETONE | 17 | |
| 5-Methylhexan-2-one | METHYL AMYL KETONE | 17 | |
| Methylhexylcarbinol | OCTANOL (ALL ISOMERS) | 17 | |
| Methyl 2-hydroxybenzoate | METHYL SALICYLATE | 17 | |
| Methyl o-hydroxybenzoate | METHYL SALICYLATE | 17 | |
| 2-METHYL-2-HYDROXY-3-BUTYNE | | 17 | |
| 2-Methyl-2-hydroxy-3-butyne | METHYLBUTYNOL | 17 | |
| 2,2'-(Methylimino)diethanol | METHYL DIETHANOLAMINE | 17 | |
| N-Methyl-2,2'-iminodiethanol | METHYL DIETHANOLAMINE | 17 | |
| Methyl isoamyl ketone | METHYL AMYL KETONE | 17 | |
| Methyl isobutenyl ketone | MESITYL OXIDE | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|---------------------------------------|---------|-----------|
| Methylisobutylcarbinol | METHYLAMYL ALCOHOL | 17 | |
| Methylisobutylcarbinol acetate | METHYLAMYL ACETATE | 17 | |
| METHYL ISOBUTYL KETONE | | 17 | |
| 2-Methylactonitrile | ACETONE CYANOHYDRIN | 17 | |
| Methyl mercaptopropionaldehyde | 3-(METHYLTHIO)PROPIONALDEHYDE | 17 | |
| METHYL METHACRYLATE | | 17 | 1247 |
| Methyl methanoate | METHYL FORMATE | 17 | |
| 3-METHYL-3-METHOXYBUTANOL | | 17 | |
| Methyl <i>alpha</i> -methacrylate | METHYL METHACRYLATE | 17 | |
| 7-Methyl-3-methylene-1,6-octadiene | MYRCENE | 17 | |
| Methyl 2-methylprop-2-enoate | METHYL METHACRYLATE | 17 | |
| METHYLNAPHTHALENE (MOLTEN) | | 17 | |
| <i>alpha</i> -Methylnaphthalene | METHYLNAPHTHALENE (MOLTEN) | 17 | |
| <i>beta</i> -Methylnaphthalene | METHYLNAPHTHALENE (MOLTEN) | 17 | |
| (<i>o</i> - and <i>p</i> -) Methylnitrobenzene | <i>o</i> - OR <i>p</i> -NITROTOLUENES | 17 | |
| 8-Methylnonan-1-ol | DECYL ALCOHOL (ALL ISOMERS) | 17 | |
| Methylolpropane | <i>n</i> -BUTYL ALCOHOL | 18 | |
| <i>alpha</i> -Methyl- <i>omega</i> -methoxypoly(ethylene oxide) | POLYETHYLENE GLYCOL DIMETHYL ETHER | 17 | |
| <i>alpha</i> -Methyl- <i>omega</i> -methoxypoly(oxy-1,2-ethanediyl) | POLYETHYLENE GLYCOL DIMETHYL ETHER | 17 | |
| <i>alpha</i> -Methyl- <i>omega</i> -methoxypoly(oxyethylene) | POLYETHYLENE GLYCOL DIMETHYL ETHER | 17 | |
| Methyloxirane | PROPYLENE OXIDE | 17 | |
| 2-Methyl-2,4-pentanediol | HEXYLENE GLYCOL | 18 | |
| 2-Methylpentane-2,4-diol | HEXYLENE GLYCOL | 18 | |
| Methylpentan-2-ol | METHYLAMYL ALCOHOL | 17 | |
| 4-Methylpentanol-2 | METHYLAMYL ALCOHOL | 17 | |
| 4-Methylpentan-2-ol | METHYLAMYL ALCOHOL | 17 | |
| 4-Methyl-2-pentanol acetate | METHYLAMYL ACETATE | 17 | |
| 4-Methyl-2-pentanone | METHYL ISOBUTYL KETONE | 17 | |
| 4-Methylpentan-2-one | METHYL ISOBUTYL KETONE | 17 | |
| 2-Methylpentene | HEXENE (ALL ISOMERS) | 17 | |
| 2-Methyl-1-pentene | HEXENE (ALL ISOMERS) | 17 | |
| 2-Methylpent-1-ene | HEXENE (ALL ISOMERS) | 17 | |
| 4-Methyl-1-pentene | HEXENE (ALL ISOMERS) | 17 | |
| 4-Methyl-3-penten-2-one | MESITYL OXIDE | 17 | |
| 4-Methylpent-3-en-2-one | MESITYL OXIDE | 17 | |
| 4-Methyl-2-pentyl acetate | METHYLAMYL ACETATE | 17 | |
| Methylpentyl acetates | METHYLAMYL ACETATE | 17 | |
| Methyl <i>tert</i> -pentyl ether | <i>tert</i> -AMYL METHYL ETHER | 17 | |
| Methyl pentyl ketone | METHYL AMYL KETONE | 17 | |
| Methylphenylenediamine | TOLUENEDIAMINE | 17 | |
| 2-Methyl- <i>m</i> -phenylenediamine | TOLUENEDIAMINE | 17 | |
| 4-Methyl- <i>m</i> -phenylenediamine | TOLUENEDIAMINE | 17 | |
| Methylphenylene diisocyanate | TOLUENE DIISOCYANATE | 17 | |
| 4-Methyl-1,3-phenylene diisocyanate | TOLUENE DIISOCYANATE | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| 4-Methyl- <i>m</i> -phenylene diisocyanate | TOLUENE DIISOCYANATE | 17 | |
| 2-Methyl-2-phenylpropane | BUTYLBENZENE (ALL ISOMERS) | 17 | |
| 2-Methylpropanal | BUTYRALDEHYDE (ALL ISOMERS) | 17 | |
| 2-METHYL-1,3-PROPANEDIOL | | 17 | |
| 2-Methyl-1-propanol | ISOBUTYL ALCOHOL | 17 | |
| 2-Methylpropan-1-ol | ISOBUTYL ALCOHOL | 17 | |
| 2-Methyl-2-propanol | <i>tert</i> -BUTYL ALCOHOL | 17 | |
| 2-Methylpropan-2-ol | <i>tert</i> -BUTYL ALCOHOL | 17 | |
| 2-Methylprop-2-enenitrile | METHACRYLONITRILE | 17 | |
| 2-Methylpropenoic acid | METHACRYLIC ACID | 17 | |
| <i>alpha</i> -Methylpropenoic acid | METHACRYLIC ACID | 17 | |
| 2-Methylprop-1-enyl methyl ketone | MESITYL OXIDE | 17 | |
| 2-Methylpropyl acrylate | BUTYL ACRYLATE (ALL ISOMERS) | 17 | |
| 2-Methyl-1-propyl alcohol | ISOBUTYL ALCOHOL | 17 | |
| 2-Methyl-2-propyl alcohol | <i>tert</i> -BUTYL ALCOHOL | 17 | |
| Methylpropylbenzene | <i>p</i> -CYMENE | 17 | |
| Methylpropylcarbinol | <i>sec</i> -AMYL ALCOHOL | 17 | |
| 1-Methyl-1-propylethylene | HEXENE (ALL ISOMERS) | 17 | |
| 2-Methylpropyl formate | ISOBUTYL FORMATE | 17 | |
| METHYL PROPYL KETONE | | 18 | 1249 |
| 2-METHYLPYRIDINE | | 17 | 2313 |
| 3-METHYLPYRIDINE | | 17 | 2313 |
| 4-METHYLPYRIDINE | | 17 | 2313 |
| <i>alpha</i> -Methylpyridine | 2-METHYLPYRIDINE | 17 | |
| 1-Methyl-2-pyrrolidinone | <i>N</i> -METHYL-2-PYRROLIDONE | 17 | |
| 1-Methylpyrrolidin-2-one | <i>N</i> -METHYL-2-PYRROLIDONE | 17 | |
| <i>N</i> -Methylpyrrolidinone | <i>N</i> -METHYL-2-PYRROLIDONE | 17 | |
| 1-Methyl-2-pyrrolidone | <i>N</i> -METHYL-2-PYRROLIDONE | 17 | |
| <i>N</i> -METHYL-2-PYRROLIDONE | | 17 | |
| METHYL SALICYLATE | | 17 | |
| Methylstyrene | VINYLTOLUENE | 17 | |
| <i>alpha</i> -METHYLSTYRENE | | 17 | 2303 |
| 3-(METHYLTHIO)PROPIONALDEHYDE | | 17 | |
| 2-Methyltrimethylene glycol | 2-METHYL-1,3-PROPANEDIOL | 17 | |
| Metolachlor | <i>N</i> -(2-METHOXY-1-METHYLETHYL)-2-ETHYL-6-METHYLCHLOROACETANILIDE | 17 | |
| Middle oil | CARBOLIC OIL | 17 | |
| Milk acid | LACTIC ACID | 17 | |
| Milk of magnesia | MAGNESIUM HYDROXIDE SLURRY | 18 | |
| Mineral jelly | PETROLATUM | 17 | |
| Mineral wax | PETROLATUM | 17 | |
| Mixed aliphatic oxygenated hydrocarbons, primary aliphatic alcohols and aliphatic ethers: mol wt: >200 | OXYGENATED ALIPHATIC HYDROCARBON MIXTURE | 17 | |
| MOLASSES | | 18 | |
| MOLYBDENUM POLYSULFIDE LONG CHAIN ALKYL DITHIOCARBAMIDE COMPLEX | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|------------|
| Monochlorobenzene | CHLOROBENZENE | 17 | |
| Monochlorobenzol | CHLOROBENZENE | 17 | |
| Monoethanolamine | ETHANOLAMINE | 17 | |
| Monoethylamine | ETHYLAMINE | 17 | |
| Monoethylamine solutions, 72% or less | ETHYLAMINE SOLUTIONS (72% OR LESS) | 17 | |
| Monoisopropanolamine | ISOPROPANOLAMINE | 17 | |
| Monoisopropylamine | ISOPROPYLAMINE | 17 | |
| Monomethylamine | METHYLAMINE SOLUTIONS (42% OR LESS) | 17 | |
| Monomethylamine solutions, 42% or less | METHYLAMINE SOLUTIONS (42% OR LESS) | 17 | |
| Monopropylamine | <i>n</i> -PROPYLAMINE | 17 | |
| Monopropylene glycol | PROPYLENE GLYCOL | 18 | |
| MORPHOLINE | | 17 | 2054 |
| MOTOR FUEL ANTI-KNOCK COMPOUNDS (CONTAINING LEAD ALKYLs) | | 17 | 1649 |
| Muriatic acid | HYDROCHLORIC ACID | 17 | |
| MYRCENE | | 17 | |
| Naphtha, coal tar | COAL TAR NAPHTHA SOLVENT | 17 | |
| Naphtha (petroleum), Light Steam-cracked Aromatics | ALKYLBENZENE MIXTURES (CONTAINING AT LEAST 50% OF TOLUENE) | 17 | |
| NAPHTHALENE (MOLTEN) | | 17 | 2304 |
| NAPHTHALENESULPHONIC ACID-FORMALDEHYDE COPOLYMER, SODIUM SALT SOLUTION | | 17 | |
| Naphtha safety solvent | WHITE SPIRIT, LOW (15-20%) AROMATIC | 17 | |
| NEODECANOIC ACID | | 17 | |
| Neodecanoic acid, 2,3-epoxypropyl ester | GLYCIDYL ESTER OF C ₁₀ TRIALKYLACETIC ACID | 17 | |
| Neodecanoic acid, glycidyl ester | GLYCIDYL ESTER OF C ₁₀ TRIALKYLACETIC ACID | 17 | |
| Neodecanoic acid vinyl ester | VINYL NEODECANOATE | 17 | |
| Neopentane | PENTANE (ALL ISOMERS) | 17 | |
| Neopentanoic acid | TRIMETHYLACETIC ACID | 17 | |
| Neopentylene glycol | 2,2-DIMETHYLPROPANE-1,3-DIOL (MOLTEN OR SOLUTION) | 17 | |
| NITRATING ACID (MIXTURE OF SULPHURIC AND NITRIC ACIDS) | | 17 | 1796 |
| NITRIC ACID (70% AND OVER) | | 17 | 2031, 2032 |
| NITRIC ACID (LESS THAN 70%) | | 17 | 2031 |
| Nitric acid, fuming | NITRIC ACID (70% AND OVER) | 17 | |
| Nitric acid, red fuming | NITRIC ACID (70% AND OVER) | 17 | |
| NITRILOTRIACETIC ACID, TRISODIUM SALT SOLUTION | | 17 | |
| 2,2',2''-Nitrilotriethanol | TRIETHANOLAMINE | 17 | |
| Nitrilo-2,2',2''-triethanol | TRIETHANOLAMINE | 17 | |
| 2,2',2''-Nitrilotriethanol | TRIETHANOLAMINE | 17 | |
| 1,1',1''-Nitrilotripropan-2-ol | TRIISOPROPANOLAMINE | 17 | |
| 1,1',1''-Nitrilotri-2-propanol | TRIISOPROPANOLAMINE | 17 | |
| 1,1',1''-Nitrilotripropan-2-ol | TRIISOPROPANOLAMINE | 17 | |
| NITROBENZENE | | 17 | 1662 |
| Nitrobenzol | NITROBENZENE | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|---|---------|-----------|
| <i>o</i> -Nitrochlorobenzene | <i>o</i> -CHLORONITROBENZENE | 17 | |
| NITROETHANE | | 17 | 2842 |
| NITROETHANE (80%)/NITROPROPANE (20%) | | 17 | |
| NITROETHANE, 1-NITROPROPANE (EACH 15% OR MORE) MIXTURE | | 17 | |
| <i>ortho</i> -Nitrophenol | <i>o</i> -NITROPHENOL (MOLTEN) | 17 | |
| 2-Nitrophenol | <i>o</i> -NITROPHENOL (MOLTEN) | 17 | |
| 2-Nitrophenol (molten) | <i>o</i> -NITROPHENOL (MOLTEN) | 17 | |
| <i>o</i> -Nitrophenol | <i>o</i> -NITROPHENOL (MOLTEN) | 17 | |
| <i>o</i> -NITROPHENOL (MOLTEN) | | 17 | 1663 |
| 1- OR 2-NITROPROPANE | | 17 | 2608 |
| NITROPROPANE (60%)/NITROETHANE (40%) MIXTURE | | 17 | |
| 2-Nitrotoluene | <i>o</i> - OR <i>p</i> -NITROTOLUENES | 17 | |
| 4-Nitrotoluene | <i>o</i> - OR <i>p</i> -NITROTOLUENES | 17 | |
| <i>o</i> -Nitrotoluene | <i>o</i> - OR <i>p</i> -NITROTOLUENES | 17 | |
| <i>p</i> -Nitrotoluene | <i>o</i> - OR <i>p</i> -NITROTOLUENES | 17 | |
| <i>o</i> - OR <i>p</i> -NITROTOLUENES | | 17 | 1664 |
| NONANE (ALL ISOMERS) | | 17 | 1920 |
| 1-Nonanecarboxylic acid | DECANOIC ACID | 17 | |
| <i>n</i> -Nonane | NONANE (ALL ISOMERS) | 17 | |
| NONANOIC ACID (ALL ISOMERS) | | 17 | |
| Nonanols | NONYL ALCOHOL (ALL ISOMERS) | 17 | |
| NON-EDIBLE INDUSTRIAL GRADE PALM OIL | | 17 | |
| NONENE (ALL ISOMERS) | | 17 | |
| NONYL ALCOHOL (ALL ISOMERS) | | 17 | |
| Nonylcarbinol | DECYL ALCOHOL (ALL ISOMERS) | 17 | |
| Nonylene | NONENE (ALL ISOMERS) | 17 | |
| Nonyl hydride | NONANE (ALL ISOMERS) | 17 | |
| NONYL METHACRYLATE MONOMER | | 17 | |
| NONYLPHENOL | | 17 | |
| <i>alpha</i> -4-Nonylphenyl- <i>omega</i> -hydroxypoly(oxyethylene) | ALKARYL POLYETHERS (C ₉ -C ₂₀) | 17 | |
| NONYLPHENOL POLY(4+)ETHOXYLATE | | 17 | |
| Nopinene | <i>beta</i> -PINENE | 17 | |
| Nopinene | <i>beta</i> -PINENE | 17 | |
| NOXIOUS LIQUID, NF, (1) N.O.S. (TRADE NAME . . . , CONTAINS . . .) ST1, CAT. X | | 17 | |
| NOXIOUS LIQUID, F, (2) N.O.S. (TRADE NAME . . . , CONTAINS . . .) ST1, CAT. X | | 17 | |
| NOXIOUS LIQUID, NF, (3) N.O.S. (TRADE NAME . . . , CONTAINS . . .) ST2, CAT. X | | 17 | |
| NOXIOUS LIQUID, F, (4) N.O.S. (TRADE NAME . . . , CONTAINS . . .) ST2, CAT. X | | 17 | |
| NOXIOUS LIQUID, NF, (5) N.O.S. (TRADE NAME . . . , CONTAINS . . .) ST2, CAT. Y | | 17 | |
| NOXIOUS LIQUID, F, (6) N.O.S. (TRADE NAME . . . , CONTAINS . . .) ST2, CAT. Y | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|---|---------|-----------|
| NOXIOUS LIQUID, NF, (7) N.O.S. (TRADE NAME . . . , CONTAINS . . .) ST3, CAT. Y | | 17 | |
| NOXIOUS LIQUID, F, (8) N.O.S. (TRADE NAME . . . , CONTAINS . . .) ST3, CAT. Y | | 17 | |
| NOXIOUS LIQUID, NF, (9) N.O.S. (TRADE NAME . . . , CONTAINS . . .) ST3, CAT. Z | | 17 | |
| NOXIOUS LIQUID, F, (10) N.O.S. (TRADE NAME . . . , CONTAINS . . .) ST3, CAT. Z | | 17 | |
| NOXIOUS LIQUID, (11) N.O.S. (TRADE NAME . . . , CONTAINS . . .) CAT. Z | | 18 | |
| NON NOXIOUS LIQUID, (12) N.O.S. (TRADE NAME . . . , CONTAINS . . .) CAT. OS | | 18 | |
| Octadecan-1-ol | ALCOHOLS (C ₁₃ ⁺) | 17 | |
| 1-Octadecanol | ALCOHOLS (C ₁₃ ⁺) | 17 | |
| (Z)-Octadec-9-enamine | OLEYLAMINE | 17 | |
| cis-9-Octadecenoic acid | OLEIC ACID | 17 | |
| (Z)-Octadec-9-enoic acid | OLEIC ACID | 17 | |
| (Z)-Octadec-9-enoic acid | OLEIC ACID | 17 | |
| (Z)-Octadec-9-enylamine | OLEYLAMINE | 17 | |
| Octanal | OCTYL ALDEHYDES | 17 | |
| OCTANE (ALL ISOMERS) | | 17 | 1262 |
| OCTANOIC ACID (ALL ISOMERS) | | 17 | |
| OCTANOL (ALL ISOMERS) | | 17 | |
| Octan-1-ol | OCTANOL (ALL ISOMERS) | 17 | |
| OCTENE (ALL ISOMERS) | | 17 | |
| Octic acid | OCTANOIC ACID (ALL ISOMERS) | 17 | |
| Octoic acid | OCTANOIC ACID (ALL ISOMERS) | 17 | |
| Octyl acetate | <i>n</i> -OCTYL ACETATE | 17 | |
| <i>n</i> -OCTYL ACETATE | | 17 | |
| Octyl acrylate | 2-ETHYLHEXYL ACRYLATE | 17 | |
| Octyl adipate | DI-(2-ETHYLHEXYL) ADIPATE | 17 | |
| Octyl alcohol | OCTANOL (ALL ISOMERS) | 17 | |
| OCTYL ALDEHYDES | | 17 | 1191 |
| Octylcarbinol | NONYL ALCOHOL (ALL ISOMERS) | 17 | |
| OCTYL DECYL ADIPATE | | 17 | |
| Octyl decyl phthalate | DIALKYL (C ₇ -C ₁₃) PHTHALATES | 17 | |
| Octylic acid | OCTANOIC ACID (ALL ISOMERS) | 17 | |
| Octyl nitrate | ALKYL (C ₇ -C ₉) NITRATES | 17 | |
| Octyl nitrates (all isomers) | ALKYL (C ₇ -C ₉) NITRATES | 17 | |
| Octyl phthalate | DIALKYL (C ₇ -C ₁₃) PHTHALATES | 17 | |
| Oenanthic acid | <i>n</i> -HEPTANOIC ACID | 17 | |
| Oenanthylic acid | <i>n</i> -HEPTANOIC ACID | 17 | |
| Oil of Mirbane | NITROBENZENE | 17 | |
| Oil of Myrbane | NITROBENZENE | 17 | |
| Oil of turpentine | TURPENTINE | 17 | |
| Oil of vitriol | SULPHURIC ACID | 17 | |
| Oil of wintergreen | METHYL SALICYLATE | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|---|---------|-----------|
| Oleamine | OLEYLAMINE | 17 | |
| OLEFIN-ALKYL ESTER COPOLYMER (MOLECULAR WEIGHT 2000+) | | 17 | |
| OLEFIN MIXTURES (C ₅ -C ₇) | | 17 | |
| OLEFIN MIXTURES (C ₅ -C ₁₅) | | 17 | |
| OLEFINS (C ₁₃ +, ALL ISOMERS) | | 17 | |
| <i>alpha</i> -OLEFINS (C ₆ -C ₁₈) MIXTURES | | 17 | |
| OLEIC ACID | | 17 | |
| OLEUM | | 17 | 1831 |
| OLEYLAMINE | | 17 | |
| OLIVE OIL | | 17 | |
| Orthophosphoric acid | PHOSPHORIC ACID | 17 | |
| Oxal | GLYOXAL SOLUTION (40% OR LESS) | 17 | |
| Oxaldehyde | GLYOXAL SOLUTION (40% OR LESS) | 17 | |
| 3-Oxapentane-1,5-diol | DIETHYLENE GLYCOL | 18 | |
| 1,4-Oxazinanone | MORPHOLINE | 17 | |
| 2-Oxetanone | <i>beta</i> -PROPIOLACTONE | 17 | |
| Oxoacetic acid | GLYOXYLIC ACID SOLUTION (50% OR LESS) | 17 | |
| Oxoethanoic acid | GLYOXYLIC ACID SOLUTION (50% OR LESS) | 17 | |
| 2,2'-Oxybis(1-chloropropane) | 2,2'-DICHLOROISOPROPYL ETHER | 17 | |
| 2,2'-Oxybis(ethyleneoxy)diethanol | TETRAETHYLENE GLYCOL | 17 | |
| 2,2'-Oxybispropane | ISOPROPYL ETHER | 17 | |
| 2,2'-Oxydiethanol | DIETHYLENE GLYCOL | 18 | |
| 1,1'-Oxydipropan-2-ol | DIPROPYLENE GLYCOL | 17 | |
| Oxyethanoic acid | GLYCOLIC ACID SOLUTION (70% OR LESS) | 17 | |
| OXYGENATED ALIPHATIC HYDROCARBON MIXTURE | | 17 | 1993 |
| Oxymethylene | FORMALDEHYDE SOLUTIONS (45% OR LESS) | 17 | |
| PALM ACID OIL | | 17 | |
| PALM FATTY ACID DISTILLATE | | 17 | |
| PALM KERNEL ACID OIL | | 17 | |
| PALM KERNEL OIL | | 17 | |
| PALM KERNEL OLEIN | | 17 | |
| PALM KERNEL STEARIN | | 17 | |
| PALM MID FRACTION | | 17 | |
| PALM OIL | | 17 | |
| PALM OIL FATTY ACID METHYL ESTER | | 17 | |
| PALM OLEIN | | 17 | |
| PALM STEARIN | | 17 | |
| Paraffin | PARAFFIN WAX | 17 | |
| Paraffin jelly | PETROLATUM | 17 | |
| Paraffin scale | PARAFFIN WAX | 17 | |
| <i>n</i> -Paraffins (C ₁₀ -C ₂₀) | <i>n</i> -ALKANES (C ₁₀ +)) | 17 | |
| PARAFFIN WAX | | 17 | |
| PARALDEHYDE | | 17 | 1264 |
| PARALDEHYDE-AMMONIA REACTION PRODUCT | | 17 | 2920 |

| Index Name | Product Name | Chapter | UN Number |
|---|---|---------|-----------|
| Pear oil | AMYL ACETATE (ALL ISOMERS) | 17 | |
| Pelargonic acid | NONANOIC ACID (ALL ISOMERS) | 17 | |
| Pelargonic alcohol | NONYL ALCOHOL (ALL ISOMERS) | 17 | |
| PENTACHLOROETHANE | | 17 | 1669 |
| Pentadecanol | ALCOHOLS (C ₁₃ ⁺) | 17 | |
| Pentadec-1-ene | OLEFINS (C ₁₃ ⁺ , ALL ISOMERS) | 17 | |
| 1-Pentadecene | OLEFINS (C ₁₃ ⁺ , ALL ISOMERS) | 17 | |
| Penta-1,3-diene | 1,3-PENTADIENE | 17 | |
| 1,3-PENTADIENE | | 17 | |
| <i>cis</i> -1,3-Pentadiene | 1,3-PENTADIENE | 17 | |
| <i>cis-trans</i> -1,3-Pentadiene | 1,3-PENTADIENE | 17 | |
| (<i>E</i>)-1,3-Pentadiene | 1,3-PENTADIENE | 17 | |
| <i>trans</i> -1,3-Pentadiene | 1,3-PENTADIENE | 17 | |
| (<i>Z</i>)-1,3-Pentadiene | 1,3-PENTADIENE | 17 | |
| Pentaethylene glycol | POLYETHYLENE GLYCOL | 17 | |
| PENTAETHYLENEHEXAMINE | | 17 | |
| Pentalin | PENTACHLOROETHANE | 17 | |
| Pentamethylene | CYCLOPENTANE | 17 | |
| 2,2,4,6,6-Pentamethyl-4-heptanethiol | <i>tert</i> -DODECANETHIOL | 17 | |
| Pentanal | VALERALDEHYDE (ALL ISOMERS) | 17 | |
| Pentane | PENTANE (ALL ISOMERS) | 17 | |
| PENTANE (ALL ISOMERS) | | 17 | 1265 |
| Pentanedial solutions, 50% or less | GLUTARALDEHYDE SOLUTIONS (50% OR LESS) | 17 | |
| <i>n</i> -Pentane | PENTANE (ALL ISOMERS) | 17 | |
| PENTANOIC ACID | | 17 | |
| <i>n</i> -PENTANOIC ACID (64%)/2-METHYLBUTYRIC ACID (36%) MIXTURE | | 17 | |
| <i>tert</i> -Pentanoic acid | TRIMETHYLACETIC ACID | 17 | |
| Pentan-1-ol | <i>n</i> -AMYL ALCOHOL | 17 | |
| 1-Pentanol | <i>n</i> -AMYL ALCOHOL | 17 | |
| Pentan-2-ol | <i>sec</i> -AMYL ALCOHOL | 17 | |
| 2-Pentanol | <i>sec</i> -AMYL ALCOHOL | 17 | |
| Pentan-3-ol | <i>sec</i> -AMYL ALCOHOL | 17 | |
| 3-Pentanol | <i>sec</i> -AMYL ALCOHOL | 17 | |
| 1-Pentanol acetate | AMYL ACETATE (ALL ISOMERS) | 17 | |
| <i>n</i> -Pentanol | <i>n</i> -AMYL ALCOHOL | 17 | |
| <i>sec</i> -Pentanol | <i>sec</i> -AMYL ALCOHOL | 17 | |
| <i>tert</i> -Pentanol | <i>tert</i> -AMYL ALCOHOL | 17 | |
| Pentan-2-one | METHYL PROPYL KETONE | 18 | |
| 2-Pentanone | METHYL PROPYL KETONE | 18 | |
| Pentasodium diethylenetriaminepentaacetate | DIETHYLENETRIAMINEPENTAACETIC ACID, PENTASODIUM SALT SOLUTION | 17 | |
| PENTENE (ALL ISOMERS) | | 17 | |
| Pent-1-ene | PENTENE (ALL ISOMERS) | 17 | |
| <i>n</i> -Pentene | PENTENE (ALL ISOMERS) | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| Pentenes | PENTENE (ALL ISOMERS) | 17 | |
| Pentyl acetate | AMYL ACETATE (ALL ISOMERS) | 17 | |
| sec-Pentyl acetate | AMYL ACETATE (ALL ISOMERS) | 17 | |
| Pentyl alcohol | <i>n</i> -AMYL ALCOHOL | 17 | |
| sec-Pentyl alcohol | <i>sec</i> -AMYL ALCOHOL | 17 | |
| <i>tert</i> -Pentyl alcohol | <i>tert</i> -AMYL ALCOHOL | 17 | |
| Pentyl propanoate | <i>n</i> -PENTYL PROPIONATE | 17 | |
| <i>n</i> -PENTYL PROPIONATE | | 17 | 1993 |
| PERCHLOROETHYLENE | | 17 | 1897 |
| Perchloromethane | CARBON TETRACHLORIDE | 17 | |
| Perhydroazepine | HEXAMETHYLENEIMINE | 17 | |
| PETROLATUM | | 17 | |
| Petroleum jelly | PETROLATUM | 17 | |
| Phene | BENZENE AND MIXTURES HAVING 10% BENZENE OR MORE | 17 | |
| Phenic acid | PHENOL | 17 | |
| PHENOL | | 17 | 2312 |
| 2-Phenoxyethanol | ETHYLENE GLYCOL PHENYL ETHER | 17 | |
| Phenyl alkane(C ₁₀ -C ₂₁)sulphonate | ALKYL SULPHONIC ACID ESTER OF PHENOL | 17 | |
| Phenylamine | ANILINE | 17 | |
| <i>N</i> -Phenyl aniline | DIPHENYLAMINE (MOLTEN) | 17 | |
| <i>N</i> -Phenylbenzenamine | DIPHENYLAMINE (MOLTEN) | 17 | |
| 1-Phenylbutane | BUTYLBENZENE (ALL ISOMERS) | 17 | |
| 2-Phenylbutane | BUTYLBENZENE (ALL ISOMERS) | 17 | |
| Phenyl carbinol | BENZYL ALCOHOL | 17 | |
| Phenyl 'cellosolve' | ETHYLENE GLYCOL PHENYL ETHER | 17 | |
| Phenyl chloride | CHLOROBENZENE | 17 | |
| 1-Phenyldecane | ALKYL(C ₉ +)BENZENES | 17 | |
| 1-Phenyldecane | ALKYL(C ₉ +)BENZENES | 17 | |
| Phenylethane | ETHYLBENZENE | 17 | |
| Phenyl ether | DIPHENYL ETHER | 17 | |
| Phenylethylene | STYRENE MONOMER | 17 | |
| 1-Phenylethylxylene | 1-PHENYL-1-XYLYLETHANE | 17 | |
| Phenyl hydride | BENZENE AND MIXTURES HAVING 10% BENZENE OR MORE | 17 | |
| Phenyl hydroxide | PHENOL | 17 | |
| Phenylic acid | PHENOL | 17 | |
| Phenylmethane | TOLUENE | 17 | |
| Phenylmethanol | BENZYL ALCOHOL | 17 | |
| Phenylmethyl acetate | BENZYL ACETATE | 17 | |
| 1-Phenylpropane | PROPYLBENZENE (ALL ISOMERS) | 17 | |
| 2-Phenylpropane | PROPYLBENZENE (ALL ISOMERS) | 17 | |
| 2-Phenylpropene | <i>alpha</i> -METHYLSTYRENE | 17 | |
| 1-Phenyltetradecane | ALKYL(C ₉ +)BENZENES | 17 | |
| 1-Phenyltridecane | ALKYL(C ₉ +)BENZENES | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|--|---------|------------|
| 1-Phenylundecane | ALKYL(C ₉ +)BENZENES | 17 | |
| Phenylxylylethane | 1-PHENYL-1-XYLYLETHANE | 17 | |
| 1-PHENYL-1-XYLYLETHANE | | 17 | |
| 1-Phenyl-1-(2,5-xylyl)ethane | 1-PHENYL-1-XYLYLETHANE | 17 | |
| 1-Phenyl-1-(3,4-xylyl)ethane | 1-PHENYL-1-XYLYLETHANE | 17 | |
| PHOSPHATE ESTERS, ALKYL (C ₁₂ -C ₁₄) AMINE | | 17 | 2053 |
| <i>L-alpha</i> -Phosphatidyl choline | LECITHIN | 18 | |
| <i>N</i> -(Phosphonomethyl)glycine | GLYPHOSATE SOLUTION (NOT CONTAINING SURFACTANT) | 17 | |
| PHOSPHORIC ACID | | 17 | 1805 |
| PHOSPHORUS, YELLOW OR WHITE | | 17 | 1381, 2447 |
| Phthalandione | PHTHALIC ANHYDRIDE (MOLTEN) | 17 | |
| Phthalic acid anhydride | PHTHALIC ANHYDRIDE (MOLTEN) | 17 | |
| Phthalic acid, diundecyl ester | DIUNDECYL PHTHALATE | 17 | |
| PHTHALIC ANHYDRIDE (MOLTEN) | | 17 | 2214 |
| 2-Picoline | 2-METHYLPYRIDINE | 17 | |
| 3-Picoline | 3-METHYLPYRIDINE | 17 | |
| 4-Picoline | 4-METHYLPYRIDINE | 17 | |
| <i>alpha</i> -Picoline | 2-METHYLPYRIDINE | 17 | |
| <i>beta</i> -Picoline | 3-METHYLPYRIDINE | 17 | |
| <i>gamma</i> -Picoline | 4-METHYLPYRIDINE | 17 | |
| Pimelic ketone | CYCLOHEXANONE | 17 | |
| 2-Pinene | <i>alpha</i> -PINENE | 17 | |
| 2(10)-Pinene | <i>beta</i> -PINENE | 17 | |
| <i>alpha</i> -PINENE | | 17 | 2368 |
| <i>beta</i> -PINENE | | 17 | 2368 |
| PINE OIL | | 17 | 1272 |
| 2-Piperazin-1-ylethylamine | <i>N</i> -AMINOETHYLPYPERAZINE | 17 | |
| Piperylene | 1,3-PENTADIENE | 17 | |
| Pivalic acid | TRIMETHYLACETIC ACID | 17 | |
| POLYACRYLIC ACID SOLUTION (40% OR LESS) | | 17 | |
| POLYALKYL (C ₁₈ -C ₂₂) ACRYLATE IN XYLENE | | 17 | |
| POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER | | 17 | |
| POLY(2-8)ALKYLENE GLYCOL MONOALKYL (C ₁ -C ₆) ETHER ACETATE | | 17 | |
| Poly (2-8) alkylene (C ₂ -C ₃) glycols/Polyalkylene (C ₂ -C ₁₀) glycol monoalkyl (C ₁ -C ₄) ethers and their borate esters | BRAKE FLUID BASE MIX: POLY(2-8)ALKYLENE (C ₂ -C ₃) GLYCOLS/POLYALKYLENE (C ₂ -C ₁₀) GLYCOLS MONOALKYL (C ₁ -C ₄) ETHERS AND THEIR BORATE ESTERS | 17 | |
| POLYALKYL (C ₁₀ -C ₂₀) METHACRYLATE | | 17 | |
| POLYALKYL (C ₁₀ -C ₁₈) METHACRYLATE/ETHYLENE-PROPYLENE COPOLYMER MIXTURE | | 17 | 3257 |
| POLYALUMINIUM CHLORIDE SOLUTION | | 18 | |
| POLYBUTENE | | 17 | |
| POLYBUTENYL SUCCINIMIDE | | 17 | |
| POLY(2+)CYCLIC AROMATICS | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|------------|
| POLYETHER (MOLECULAR WEIGHT 1350+) | | 17 | |
| POLYETHYLENE GLYCOL | | 17 | |
| Poly(4-12)ethylene glycol alkyl(C ₇ -C ₁₁)phenyl ether | NONYLPHENOL POLY(4+)ETHOXYLATE | 17 | |
| POLYETHYLENE GLYCOL DIMETHYL ETHER | | 17 | |
| Polyethylene glycols, mono(<i>p</i> -nonylphenyl) ether | ALKARYL POLYETHERS (C ₉ -C ₂₀) | 17 | |
| Poly[ethylene oxide] | POLYETHER (MOLECULAR WEIGHT 1350+) | 17 | |
| POLYETHYLENE POLYAMINES | | 17 | |
| Polyethylene polyamines (in C ₅ -C ₂₀ paraffin oil) | POLYETHYLENE POLYAMINES (MORE THAN 50% C ₅ -C ₂₀ PARAFFIN OIL) | 17 | |
| POLYETHYLENE POLYAMINES (MORE THAN 50% C ₅ -C ₂₀ PARAFFIN OIL) | | 17 | 2734, 2735 |
| POLYFERRIC SULPHATE SOLUTION | | 17 | |
| Polyglucitol | HYDROGENATED STARCH HYDROLYSATE | 18 | |
| Polyglucitol syrup | HYDROGENATED STARCH HYDROLYSATE | 18 | |
| POLYGLYCERIN, SODIUM SALT SOLUTION (CONTAINING LESS THAN 3% SODIUM HYDROXIDE) | | 18 | |
| POLY(IMINOETHYLENE)-GRAFT- <i>N</i> -POLY(ETHYLENEOXY) SOLUTION (90% OR LESS) | | 17 | |
| POLYISOBUTENAMINE IN ALIPHATIC (C ₁₀ -C ₁₄) SOLVENT | | 17 | |
| POLYISOBUTENYL ANHYDRIDE ADDUCT | | 17 | |
| Polyisobutylene | POLY(4+)ISOBUTYLENE | 17 | |
| POLY(4+)ISOBUTYLENE | | 17 | |
| POLYMETHYLENE POLYPHENYL ISOCYANATE | | 17 | 2206, 2207 |
| POLYOLEFIN (MOLECULAR WEIGHT 300+) | | 17 | |
| POLYOLEFIN AMIDE ALKENEAMINE (C ₁₇ +) | | 17 | |
| POLYOLEFIN AMIDE ALKENEAMINE BORATE (C ₂₈ -C ₂₅₀) | | 17 | |
| POLYOLEFINAMINE (C ₂₈ -C ₂₅₀) | | 17 | |
| POLYOLEFINAMINE IN ALKYL (C ₂ -C ₄) BENZENES | | 17 | |
| POLYOLEFINAMINE IN AROMATIC SOLVENT | | 17 | |
| POLYOLEFIN AMINOESTER SALTS (MOLECULAR WEIGHT 2000+) | | 17 | |
| POLYOLEFIN ANHYDRIDE | | 17 | |
| POLYOLEFIN ESTER (C ₂₈ -C ₂₅₀) | | 17 | |
| POLYOLEFIN PHENOLIC AMINE (C ₂₈ -C ₂₅₀) | | 17 | |
| POLYOLEFIN PHOSPHOROSULPHIDE, BARIUM DERIVATIVE (C ₂₈ -C ₂₅₀) | | 17 | |
| Poly[oxyethylene] | POLYETHER (MOLECULAR WEIGHT 1350+) | 17 | |
| Poly(oxyethyleneoxyethyleneoxyphthaloyl) | DIETHYLENE GLYCOL PHTHALATE | 17 | |
| POLY(20)OXYETHYLENE SORBITAN MONOOLEATE | | 17 | |
| Poly[oxypropylene] | POLYETHER (MOLECULAR WEIGHT 1350+) | 17 | |
| Poly[(phenyl isocyanate)-co-formaldehyde] | POLYMETHYLENE POLYPHENYL ISOCYANATE | 17 | |
| Polyphenyl-polymethylene isocyanate | POLYMETHYLENE POLYPHENYL ISOCYANATE | 17 | |
| Poly[propene oxide] | POLYETHER (MOLECULAR WEIGHT 1350+) | 17 | |
| Polypropylene | POLY(5+)PROPYLENE | 17 | |
| POLY(5+)PROPYLENE | | 17 | |
| POLYPROPYLENE GLYCOL | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| Poly(propylene oxide) | POLYPROPYLENE GLYCOL | 17 | |
| POLYSILOXANE | | 17 | |
| Poly(sodium carboxylatoethylene) | SODIUM POLY(4+)ACRYLATE SOLUTIONS | 17 | |
| Potassium chloride drilling brine | POTASSIUM CHLORIDE SOLUTION | 17 | |
| POTASSIUM CHLORIDE SOLUTION | | 17 | |
| POTASSIUM FORMATE SOLUTIONS | | 18 | |
| POTASSIUM HYDROXIDE SOLUTION | | 17 | 1814 |
| POTASSIUM OLEATE | | 17 | |
| POTASSIUM THIOSULPHATE (50% OR LESS) | | 17 | |
| Propanal | PROPIONALDEHYDE | 17 | |
| Propan-1-amine | <i>n</i> -PROPYLAMINE | 17 | |
| 2-Propanamine | ISOPROPYLAMINE | 17 | |
| Propane-1,2-diol | PROPYLENE GLYCOL | 18 | |
| 1,2-Propanediol | PROPYLENE GLYCOL | 18 | |
| 1,2-Propanediol cyclic carbonate | PROPYLENE CARBONATE | 18 | |
| Propanenitrile | PROPIONITRILE | 17 | |
| Propane-1,2,3-triol | GLYCERINE | 18 | |
| 1,2,3-Propanetriol | GLYCERINE | 18 | |
| 1,2,3-Propane trioltriacetate | GLYCERYL TRIACETATE | 17 | |
| Propanoic acid | PROPIONIC ACID | 17 | |
| Propanoic anhydride | PROPIONIC ANHYDRIDE | 17 | |
| Propanol | <i>n</i> -PROPYL ALCOHOL | 17 | |
| Propan-1-ol | <i>n</i> -PROPYL ALCOHOL | 17 | |
| 1-Propanol | <i>n</i> -PROPYL ALCOHOL | 17 | |
| Propan-2-ol | ISOPROPYL ALCOHOL | 18 | |
| 2-Propanol | ISOPROPYL ALCOHOL | 18 | |
| <i>n</i> -PROPANOLAMINE | | 17 | |
| 3-Propanolide | <i>beta</i> -PROPIOLACTONE | 17 | |
| <i>n</i> -Propanol | <i>n</i> -PROPYL ALCOHOL | 17 | |
| Propanone | ACETONE | 18 | |
| Propan-2-one | ACETONE | 18 | |
| 2-Propanone | ACETONE | 18 | |
| Propenamide solution, 50% or less | ACRYLAMIDE SOLUTION (50% OR LESS) | 17 | |
| Propenenitrile | ACRYLONITRILE | 17 | |
| Propene oxide | PROPYLENE OXIDE | 17 | |
| 2-Propenoic acid, homopolymer solution (40% or less) | POLYACRYLIC ACID SOLUTION (40% OR LESS) | 17 | |
| Propenoic acid | ACRYLIC ACID | 17 | |
| 1-Propenol-3 | ALLYL ALCOHOL | 17 | |
| Prop-2-en-1-ol | ALLYL ALCOHOL | 17 | |
| 2-Propen-1-ol | ALLYL ALCOHOL | 17 | |
| Propenyl alcohol | ALLYL ALCOHOL | 17 | |
| Propiolactone | <i>beta</i> -PROPIOLACTONE | 17 | |
| <i>beta</i> -PROPIOLACTONE | | 17 | |
| PROPIONALDEHYDE | | 17 | 1275 |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|-----------|
| PROPIONIC ACID | | 17 | 1848 |
| Propionic aldehyde | PROPIONALDEHYDE | 17 | |
| PROPIONIC ANHYDRIDE | | 17 | 2496 |
| PROPIONITRILE | | 17 | 2404 |
| <i>beta</i> -Propionolactone | <i>beta</i> -PROPIOLACTONE | 17 | |
| Propionitrile | PROPIONITRILE | 17 | |
| Propionyl oxide | PROPIONIC ANHYDRIDE | 17 | |
| 1-Propoxypropan-2-ol | PROPYLENE GLYCOL MONOALKYL ETHER | 17 | |
| Propyl acetate | <i>n</i> -PROPYL ACETATE | 17 | |
| <i>n</i> -PROPYL ACETATE | | 17 | |
| Propyl acetone | METHYL BUTYL KETONE | 17 | |
| Propyl alcohol | <i>n</i> -PROPYL ALCOHOL | 17 | |
| 2-Propyl alcohol | ISOPROPYL ALCOHOL | 18 | |
| <i>n</i> -PROPYL ALCOHOL | | 17 | 1274 |
| <i>sec</i> -Propyl alcohol | ISOPROPYL ALCOHOL | 18 | |
| Propyl aldehyde | PROPIONALDEHYDE | 17 | |
| Propylamine | <i>n</i> -PROPYLAMINE | 17 | |
| <i>n</i> -PROPYLAMINE | | 17 | 1277 |
| PROPYLBENZENE (ALL ISOMERS) | | 17 | |
| <i>n</i> -Propylbenzene | PROPYLBENZENE (ALL ISOMERS) | 17 | |
| Propylcarbinol | <i>n</i> -BUTYL ALCOHOL | 18 | |
| Propylene aldehyde | CROTONALDEHYDE | 17 | |
| 2,2'-[Propylenebis(nitrilomethylene)]diphenol | ALKYL (C ₈ -C ₉) PHENYLAMINE IN AROMATIC SOLVENTS | 17 | |
| PROPYLENE CARBONATE | | 18 | |
| Propylene chloride | 1,2-DICHLOROPROPANE | 17 | |
| Propylene dichloride | 1,2-DICHLOROPROPANE | 17 | |
| <i>alpha, alpha'</i> -(Propylenedinitrilo)di- <i>o</i> -cresol | ALKYL (C ₈ -C ₉) PHENYLAMINE IN AROMATIC SOLVENTS | 17 | |
| Propylene epoxide | PROPYLENE OXIDE | 17 | |
| PROPYLENE GLYCOL | | 18 | |
| 1,2-Propylene glycol | PROPYLENE GLYCOL | 18 | |
| Propylene glycol <i>n</i> -butyl ether | PROPYLENE GLYCOL MONOALKYL ETHER | 17 | |
| Propylene glycol ethyl ether | PROPYLENE GLYCOL MONOALKYL ETHER | 17 | |
| Propylene glycol methyl ether | PROPYLENE GLYCOL MONOALKYL ETHER | 17 | |
| PROPYLENE GLYCOL METHYL ETHER ACETATE | | 17 | |
| PROPYLENE GLYCOL MONOALKYL ETHER | | 17 | |
| Propylene glycol monobutyl ether | PROPYLENE GLYCOL MONOALKYL ETHER | 17 | |
| Propylene glycol monomethyl ether | PROPYLENE GLYCOL MONOALKYL ETHER | 17 | |
| PROPYLENE GLYCOL PHENYL ETHER | | 17 | |
| Propylene glycol propyl ether | PROPYLENE GLYCOL MONOALKYL ETHER | 17 | |
| Propylene glycol trimer | TRIPROPYLENE GLYCOL | 17 | |
| 1,2-Propylene glycol trimer | TRIPROPYLENE GLYCOL | 17 | |
| Propylene glycol <i>beta</i> -monoethyl ether | PROPYLENE GLYCOL MONOALKYL ETHER | 17 | |
| PROPYLENE OXIDE | | 17 | 1280 |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| PROPYLENE TETRAMER | | 17 | 2850 |
| PROPYLENE TRIMER | | 17 | 2057 |
| Propylethylene | PENTENE (ALL ISOMERS) | 17 | |
| Propyl methyl ketone | METHYL PROPYL KETONE | 18 | |
| <i>n</i> -Propyl-1-propanamine | DI- <i>n</i> -PROPYLAMINE | 17 | |
| Pseudobutylene glycol | BUTYLENE GLYCOL | 17 | |
| Pseudocumene | TRIMETHYLBENZENE (ALL ISOMERS) | 17 | |
| Pseudopinene | <i>beta</i> -PINENE | 17 | |
| Pseudopinene | <i>beta</i> -PINENE | 17 | |
| Pygas | PYROLYSIS GASOLINE (CONTAINING BENZENE) | 17 | |
| PYRIDINE | | 17 | 1282 |
| Pyroacetic acid | ACETONE | 18 | |
| Pyroacetic ether | ACETONE | 18 | |
| PYROLYSIS GASOLINE (CONTAINING BENZENE) | | 17 | |
| Pyrolysis gasoline (steam-cracked naphtha) | BENZENE AND MIXTURES HAVING 10% BENZENE OR MORE | 17 | |
| Pyrolysis gasoline, containing 10% or more benzene | BENZENE AND MIXTURES HAVING 10% BENZENE OR MORE | 17 | |
| Pyromucic aldehyde | FURFURAL | 17 | |
| RAPESEED OIL | | 17 | |
| RAPE SEED OIL FATTY ACID METHYL ESTERS | | 17 | |
| RESIN OIL, DISTILLED | | 17 | |
| RICE BRAN OIL | | 17 | |
| ROSIN | | 17 | |
| Rubbing alcohol | ISOPROPYL ALCOHOL | 18 | |
| Safety solvent | WHITE SPIRIT, LOW (15–20%) AROMATIC | 17 | |
| SAFFLOWER OIL | | 17 | |
| Saturated fatty acid (C ₁₃ and above) | FATTY ACID (SATURATED C ₁₃ +)) | 17 | |
| SHEA BUTTER | | 17 | |
| Silvite | POTASSIUM CHLORIDE SOLUTION | 17 | |
| Sludge acid | SULPHURIC ACID, SPENT | 17 | |
| Soda ash | SODIUM CARBONATE SOLUTION | 17 | |
| Soda lye | SODIUM HYDROXIDE SOLUTION | 17 | |
| SODIUM ACETATE SOLUTIONS | | 18 | |
| Sodium acid sulphite | SODIUM HYDROGEN SULPHITE SOLUTION (45% OR LESS) | 17 | |
| Sodium alkylbenzene sulphonate | ALKYLBENZENE SULPHONIC ACID, SODIUM SALT SOLUTION | 17 | |
| SODIUM ALKYL (C ₁₄ –C ₁₇) SULPHONATES (60–65% SOLUTION) | | 17 | |
| SODIUM ALUMINOSILICATE SLURRY | | 17 | |
| Sodium aminoacetate solution | GLYCINE, SODIUM SALT SOLUTION | 17 | |
| SODIUM BENZOATE | | 17 | |
| Sodium 1,3-benzothiazole-2-thiolate solution | MERCAPTOBENZOTHIAZOL, SODIUM SALT SOLUTION | 17 | |
| Sodium 1,3-benzothiazol-2-yl sulphide solution | MERCAPTOBENZOTHIAZOL, SODIUM SALT SOLUTION | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|-----------|
| Sodium bichromate | SODIUM DICHROMATE SOLUTION (70% OR LESS) | 17 | |
| Sodium bisulphide | SODIUM HYDROSULPHIDE SOLUTION (45% OR LESS) | 17 | |
| SODIUM BOROHYDRIDE (15% OR LESS)/SODIUM HYDROXIDE SOLUTION | | 17 | |
| SODIUM CARBONATE SOLUTION | | 17 | |
| SODIUM CHLORATE SOLUTION (50% OR LESS) | | 17 | 2428 |
| Sodium cresylate | CRESYLIC ACID, SODIUM SALT SOLUTION | 17 | |
| SODIUM DICHROMATE SOLUTION (70% OR LESS) | | 17 | |
| Sodium glycinate solution | GLYCINE, SODIUM SALT SOLUTION | 17 | |
| Sodium hydrate | SODIUM HYDROXIDE SOLUTION | 17 | |
| Sodium hydrogensulphide | SODIUM HYDROSULPHIDE SOLUTION (45% OR LESS) | 17 | |
| SODIUM HYDROGEN SULPHIDE (6% OR LESS)/SODIUM CARBONATE (3% OR LESS) SOLUTION | | 17 | |
| SODIUM HYDROGEN SULPHITE SOLUTION (45% OR LESS) | | 17 | 2693 |
| SODIUM HYDROSULPHIDE/AMMONIUM SULPHIDE SOLUTION | | 17 | |
| SODIUM HYDROSULPHIDE SOLUTION (45% OR LESS) | | 17 | 2949 |
| SODIUM HYDROXIDE SOLUTION | | 17 | 1824 |
| SODIUM HYPOCHLORITE SOLUTION (15% OR LESS) | | 17 | 1791 |
| Sodium lignosulphonate | LIGNINSULPHONIC ACID, SODIUM SALT SOLUTION | 17 | |
| Sodium mercaptan | SODIUM HYDROSULPHIDE SOLUTION (45% OR LESS) | 17 | |
| Sodium mercaptide | SODIUM HYDROSULPHIDE SOLUTION (45% OR LESS) | 17 | |
| Sodium methylcarbamodithioate | METAM SODIUM SOLUTION | 17 | |
| Sodium <i>N</i> -methylthiocarbamate | METAM SODIUM SOLUTION | 17 | |
| Sodium methylthiocarbamate solution | METAM SODIUM SOLUTION | 17 | |
| SODIUM NITRITE SOLUTION | | 17 | 1500 |
| SODIUM PETROLEUM SULPHONATE | | 17 | |
| SODIUM POLY(4+)ACRYLATE SOLUTIONS | | 17 | |
| Sodium rhodanate | SODIUM THIOCYANATE SOLUTION (56% OR LESS) | 17 | |
| Sodium rhodanide | SODIUM THIOCYANATE SOLUTION (56% OR LESS) | 17 | |
| Sodium salt of sulphonated naphthalene-formaldehyde condensate | NAPHTHALENESULPHONIC ACID-FORMALDEHYDE COPOLYMER, SODIUM SALT SOLUTION | 17 | |
| SODIUM SILICATE SOLUTION | | 17 | |
| SODIUM SULPHATE SOLUTIONS | | 18 | |
| SODIUM SULPHIDE SOLUTION (15% OR LESS) | | 17 | 1385 |
| SODIUM SULPHITE SOLUTION (25% OR LESS) | | 17 | |
| Sodium sulphocyanate | SODIUM THIOCYANATE SOLUTION (56% OR LESS) | 17 | |
| Sodium sulphocyanide | SODIUM THIOCYANATE SOLUTION (56% OR LESS) | 17 | |
| Sodium sulphhydrate | SODIUM HYDROSULPHIDE SOLUTION (45% OR LESS) | 17 | |
| Sodium tetrahydroborate (15% or less)/sodium hydroxide solution | SODIUM BOROHYDRIDE (15% OR LESS)/SODIUM HYDROXIDE SOLUTION | 17 | |
| SODIUM THIOCYANATE SOLUTION (56% OR LESS) | | 17 | |
| Sodium tolyl oxides | CRESYLIC ACID, SODIUM SALT SOLUTION | 17 | |
| <i>d</i> -Sorbite | SORBITOL SOLUTION | 18 | |
| <i>d</i> -Sorbitol | SORBITOL SOLUTION | 18 | |
| SORBITOL SOLUTION | | 18 | |

| Index Name | Product Name | Chapter | UN Number |
|---|--|---------|-----------|
| SOYABEAN OIL | | 17 | |
| Spirit of turpentine | TURPENTINE | 17 | |
| Spirits of wine | ETHYL ALCOHOL | 18 | |
| Stoddard solvent | WHITE SPIRIT, LOW (15-20%) AROMATIC | 17 | |
| STYRENE MONOMER | | 17 | 2055 |
| Styrol | STYRENE MONOMER | 17 | |
| Suberane | CYCLOHEPTANE | 17 | |
| Sulfonic acid, alkane(C ₁₀ -C ₂₁) phenyl ester | ALKYL SULPHONIC ACID ESTER OF PHENOL | 17 | |
| SULPHOHYDROCARBON (C ₃ -C ₈₈) | | 17 | |
| SULPHOLANE | | 17 | |
| SULPHONATED POLYACRYLATE SOLUTION | | 18 | |
| SULPHUR (MOLTEN) | | 17 | 2448 |
| SULPHURIC ACID | | 17 | 1830 |
| Sulphuric acid, fuming | OLEUM | 17 | |
| SULPHURIC ACID, SPENT | | 17 | 1832 |
| Sulphuric chlorohydrin | CHLOROSULPHONIC ACID | 17 | |
| Sulphuric ether | DIETHYL ETHER | 17 | |
| SULPHURIZED FAT (C ₁₄ -C ₂₀) | | 17 | |
| SULPHURIZED POLYOLEFINAMIDE ALKENE (C ₂₈ -C ₂₅₀) AMINE | | 17 | |
| SUNFLOWER SEED OIL | | 17 | |
| Sweet-birch oil | METHYL SALICYLATE | 17 | |
| TALL OIL, CRUDE | | 17 | |
| TALL OIL, DISTILLED | | 17 | |
| TALL OIL FATTY ACID (RESIN ACIDS LESS THAN 20%) | | 17 | |
| TALL OIL PITCH | | 17 | |
| TALLOW | | 17 | |
| TALLOW FATTY ACID | | 17 | |
| Tar acids | CRESOLS (ALL ISOMERS) | 17 | |
| Tar camphor | NAPHTHALENE (MOLTEN) | 17 | |
| Terebenthene | <i>beta</i> -PINENE | 17 | |
| 3,6,9,12-Tetraazatetradecamethylenediamine | PENTAETHYLENEHEXAMINE | 17 | |
| 3,6,9,12-Tetraazatetradecane-1,14-diamine | PENTAETHYLENEHEXAMINE | 17 | |
| 1,3,5,7-Tetraazatricyclo[3.3.1.1 ^{3,7}]decane | HEXAMETHYLENETETRAMINE SOLUTIONS | 18 | |
| TETRACHLOROETHANE | | 17 | 1702 |
| 1,1,2,2-Tetrachloroethane | TETRACHLOROETHANE | 17 | |
| <i>sym</i> -Tetrachloroethane | TETRACHLOROETHANE | 17 | |
| Tetrachloroethylene | PERCHLOROETHYLENE | 17 | |
| 1,1,2,2-Tetrachloroethylene | PERCHLOROETHYLENE | 17 | |
| Tetrachloromethane | CARBON TETRACHLORIDE | 17 | |
| Tetradecan-1-ol | ALCOHOLS (C ₁₃ +) | 17 | |
| 1-Tetradecanol | ALCOHOLS (C ₁₃ +) | 17 | |
| Tetradecene | OLEFINS (C ₁₃ +, ALL ISOMERS) | 17 | |
| Tetradecylbenzene | ALKYL(C ₉ +)BENZENES | 17 | |
| TETRAETHYLENE GLYCOL | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|--|---------|-----------|
| TETRAETHYLENEPENTAMINE | | 17 | 2320 |
| Tetraethyllead | MOTOR FUEL ANTI-KNOCK COMPOUNDS (CONTAINING LEAD ALKYLs) | 17 | |
| Tetraethylplumbane | MOTOR FUEL ANTI-KNOCK COMPOUNDS (CONTAINING LEAD ALKYLs) | 17 | |
| TETRAETHYL SILICATE MONOMER/OLIGOMER (20% IN ETHANOL) | | 18 | |
| 3a,4,7,7a-Tetrahydro-3,5-dimethyl-4,7-methano-1H-indene | METHYLCYCLOPENTADIENE DIMER | 17 | |
| TETRAHYDROFURAN | | 17 | 2056 |
| TETRAHYDRONAPHTHALENE | | 17 | |
| 1,2,3,4-Tetrahydronaphthalene | TETRAHYDRONAPHTHALENE | 17 | |
| Tetrahydro-1,4-oxazine | MORPHOLINE | 17 | |
| Tetrahydro-2H-1,4-oxazine | MORPHOLINE | 17 | |
| 2H-Tetrahydro-1,4-oxazine | MORPHOLINE | 17 | |
| Tetrahydrothiophene-1-dioxide | SULPHOLANE | 17 | |
| Tetrahydrothiophene 1,1-dioxide | SULPHOLANE | 17 | |
| Tetralin | TETRAHYDRONAPHTHALENE | 17 | |
| TETRAMETHYLBENZENE (ALL ISOMERS) | | 17 | |
| 1,2,3,4-Tetramethylbenzene | TETRAMETHYLBENZENE (ALL ISOMERS) | 17 | |
| 1,2,3,5-Tetramethylbenzene | TETRAMETHYLBENZENE (ALL ISOMERS) | 17 | |
| 1,2,4,5-Tetramethylbenzene | TETRAMETHYLBENZENE (ALL ISOMERS) | 17 | |
| Tetramethylene cyanide | ADIPONITRILE | 17 | |
| Tetramethylene dicyanide | ADIPONITRILE | 17 | |
| Tetramethylene glycol | BUTYLENE GLYCOL | 17 | |
| Tetramethylene oxide | TETRAHYDROFURAN | 17 | |
| Tetramethylene sulphone | SULPHOLANE | 17 | |
| Tetramethyllead | MOTOR FUEL ANTI-KNOCK COMPOUNDS (CONTAINING LEAD ALKYLs) | 17 | |
| Tetrapropylbenzene | ALKYL(C ₉ +)BENZENES | 17 | |
| Tetrapropylenebenzene | DODECYLBENZENE | 17 | |
| Tetryl formate | ISOBUTYL FORMATE | 17 | |
| Thiacyclopentane-1,1-dioxide | SULPHOLANE | 17 | |
| 4-Thiapentanal | 3-(METHYLTHIO)PROPIONALDEHYDE | 17 | |
| Thiacyclopentane-1,1-dioxide | SULPHOLANE | 17 | |
| Thiophan sulphone | SULPHOLANE | 17 | |
| Thiosulphuric acid, dipotassium salt | POTASSIUM THIOSULPHATE (50% OR LESS) | 17 | |
| TITANIUM DIOXIDE SLURRY | | 17 | |
| Titanium(IV) oxide | TITANIUM DIOXIDE SLURRY | 17 | |
| TOLUENE | | 17 | 1294 |
| TOLUENEDIAMINE | | 17 | 1709 |
| 2,4-Toluenediamine | TOLUENEDIAMINE | 17 | |
| 2,6-Toluenediamine | TOLUENEDIAMINE | 17 | |
| TOLUENE DIISOCYANATE | | 17 | 2078 |
| 2-Toluidine | o-TOLUIDINE | 17 | |
| o-TOLUIDINE | | 17 | 1708 |

| Index Name | Product Name | Chapter | UN Number |
|--|---|---------|-----------|
| Toluol | TOLUENE | 17 | |
| <i>o</i> -Tolylamine | <i>o</i> -TOLUIDINE | 17 | |
| 2,4-Tolylenediamine | TOLUENEDIAMINE | 17 | |
| 2,6-Tolylenediamine | TOLUENEDIAMINE | 17 | |
| Tolylenediisocyanate | TOLUENE DIISOCYANATE | 17 | |
| 2,4-Tolylene diisocyanate | TOLUENE DIISOCYANATE | 17 | |
| <i>m</i> -Tolylene diisocyanate | TOLUENE DIISOCYANATE | 17 | |
| Toxilic anhydride | MALEIC ANHYDRIDE | 17 | |
| Treacle | MOLASSES | 18 | |
| Triacetin | GLYOXAL SOLUTION (40% OR LESS) | 17 | |
| 3,6,9-Triazaundecamethylenediamine | TETRAETHYLENEPENTAMINE | 17 | |
| 3,6,9-Triazaundecane-1,11-diamine | TETRAETHYLENEPENTAMINE | 17 | |
| TRIBUTYL PHOSPHATE | | 17 | |
| 1,2,3-TRICHLOROBENZENE (MOLTEN) | | 17 | |
| 1,2,4-TRICHLOROBENZENE | | 17 | 2321 |
| <i>sym</i> -Trichlorobenzene | 1,2,4-TRICHLOROBENZENE | 17 | |
| 1,2,3-Trichlorobenzol | 1,2,3-TRICHLOROBENZENE (MOLTEN) | 17 | |
| 1,1,1-TRICHLOROETHANE | | 17 | 2831 |
| 1,1,2-TRICHLOROETHANE | | 17 | |
| <i>beta</i> -Trichloroethane | 1,1,2-TRICHLOROETHANE | 17 | |
| Trichloroethene | TRICHLOROETHYLENE | 17 | |
| TRICHLOROETHYLENE | | 17 | 1710 |
| Trichloromethane | CHLOROFORM | 17 | |
| 1,2,3-TRICHLOROPROPANE | | 17 | |
| 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE | | 17 | |
| TRICRESYL PHOSPHATE (CONTAINING 1% OR MORE <i>ortho</i> -ISOMER) | | 17 | 2574 |
| TRICRESYL PHOSPHATE (CONTAINING LESS THAN 1% <i>ortho</i> -ISOMER) | | 17 | |
| TRIDECANE | | 17 | |
| TRIDECANOIC ACID | | 17 | |
| Tridecanol | ALCOHOLS (C ₁₃ ⁺) | 17 | |
| Tridecene | OLEFINS (C ₁₃ ⁺ , ALL ISOMERS) | 17 | |
| Tridecoic acid | TRIDECANOIC ACID | 17 | |
| TRIDECYL ACETATE | | 17 | |
| Tridecyl alcohol | ALCOHOLS (C ₁₃ ⁺) | 17 | |
| Tridecylbenzene | ALKYL(C ₉ ⁺)BENZENES | 17 | |
| Tridecylic acid | FATTY ACID (SATURATED C ₁₃ ⁺) | 17 | |
| Tridecylic acid | TRIDECANOIC ACID | 17 | |
| Tri(dimethylphenyl) phosphate | TRIXYLYL PHOSPHATE | 17 | |
| TRIETHANOLAMINE | | 17 | |
| TRIETHYLAMINE | | 17 | 1296 |
| TRIETHYLBENZENE | | 17 | |
| TRIETHYLENE GLYCOL | | 18 | |
| Triethylene glycol butyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL(C ₁ -C ₆) ETHER | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|---|---------|-----------|
| Triethylene glycol ethyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL(C ₁ -C ₆) ETHER | 17 | |
| Triethylene glycol methyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL(C ₁ -C ₆) ETHER | 17 | |
| Triethylene glycol monobutyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL(C ₁ -C ₆) ETHER | 17 | |
| TRIETHYLENETETRAMINE | | 17 | 2259 |
| TRIETHYL PHOSPHATE | | 17 | |
| TRIETHYL PHOSPHITE | | 17 | 2323 |
| Triformol | 1,3,5-TRIOXANE | 17 | |
| Triglycol | TRIETHYLENE GLYCOL | 18 | |
| Tri(2-hydroxyethyl)amine | TRIETHANOLAMINE | 17 | |
| Trihydroxypropane | GLYCERINE | 18 | |
| Trihydroxytriethylamine | TRIETHANOLAMINE | 17 | |
| TRIISOPROPANOLAMINE | | 17 | |
| TRIISOPROPYLATED PHENYL PHOSPHATES | | 17 | |
| TRIMETHYLACETIC ACID | | 17 | |
| TRIMETHYLAMINE SOLUTION (30% OR LESS) | | 17 | 1297 |
| Trimethylaminomethane | BUTYLAMINE (ALL ISOMERS) | 17 | |
| TRIMETHYLBENZENE (ALL ISOMERS) | | 17 | |
| 1,2,3-Trimethylbenzene | TRIMETHYLBENZENE (ALL ISOMERS) | 17 | |
| 1,2,4-Trimethylbenzene | TRIMETHYLBENZENE (ALL ISOMERS) | 17 | |
| 1,3,5-Trimethylbenzene | TRIMETHYLBENZENE (ALL ISOMERS) | 17 | |
| <i>uns</i> -Trimethylbenzene | TRIMETHYLBENZENE (ALL ISOMERS) | 17 | |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene | <i>alpha</i> -PINENE | 17 | |
| Trimethylcarbinol | <i>tert</i> -BUTYL ALCOHOL | 17 | |
| 1,1,3-Trimethyl-3-cyclohexene-5-one | ISOPHORONE | 17 | |
| 3,5,5-Trimethylcyclohex-2-enone | ISOPHORONE | 17 | |
| 3,5,5-Trimethylcyclohex-2-en-1-one | ISOPHORONE | 17 | |
| 3,3'-Trimethylenedioxydipropyl-1-ol | TRIPROPYLENE GLYCOL | 17 | |
| TRIMETHYLOLPROPANE PROPOXYLATED | | 17 | |
| 2,2,4-Trimethylpentane | OCTANE (ALL ISOMERS) | 17 | |
| 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE | | 17 | |
| 2,2,4-Trimethylpentane-1,3-diol diisobutyrate | 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE | 17 | |
| 2,2,4-TRIMETHYL-1,3-PENTANEDIOL-1-ISOBUTYRATE | | 17 | |
| 2,4,4-Trimethylpentene-1 | DIISOBUTYLENE | 17 | |
| 2,4,4-Trimethylpent-1-ene | DIISOBUTYLENE | 17 | |
| 2,4,4-Trimethylpentene-2 | DIISOBUTYLENE | 17 | |
| 2,4,4-Trimethylpent-2-ene | DIISOBUTYLENE | 17 | |
| 2,4,6-Trimethyl-1,3,5-trioxane | PARALDEHYDE | 17 | |
| 2,4,6-Trimethyl-s-trioxane | PARALDEHYDE | 17 | |
| Trioxan | 1,3,5-TRIOXANE | 17 | |
| 1,3,5-TRIOXANE | | 17 | |
| <i>sym</i> -Trioxane | 1,3,5-TRIOXANE | 17 | |
| 5,8,11-Trioxapentadecane | DIETHYLENE GLYCOL DIBUTYL ETHER | 17 | |
| 3,6,9-Trioxaundecane | DIETHYLENE GLYCOL DIETHYL ETHER | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|--|---------|-----------|
| Trioxin | 1,3,5-TRIOXANE | 17 | |
| Trioxymethylene | 1,3,5-TRIOXANE | 17 | |
| Tripropylene | PROPYLENE TRIMER | 17 | |
| TRIPROPYLENE GLYCOL | | 17 | |
| Tripropylene glycol methyl ether | POLY(2-8)ALKYLENE GLYCOL MONOALKYL(C ₁ -C ₆) ETHER | 17 | |
| Tris(dimethylphenyl) phosphate | TRIXYLYL PHOSPHATE | 17 | |
| <i>N,N,N</i> -Tris(2-hydroxyethyl)amine | TRIETHANOLAMINE | 17 | |
| Tris(2-hydroxy-2-methylethyl)ammonium 2,4-dichlorophenoxyacetate | 2,4-DICHLOROPHENOXYACETIC ACID, TRIISOPROPANOLAMINE SALT SOLUTION | 17 | |
| Tris(2-hydroxypropyl)amine | TRIISOPROPANOLAMINE | 17 | |
| Tris(2-hydroxy-1-propyl)amine | TRIISOPROPANOLAMINE | 17 | |
| Trisodium 2-[carboxylatomethyl(2-hydroxyethyl)amino]ethyliminodi(acetate) | <i>N</i> -(HYDROXYETHYL)ETHYLENEDIAMINETRIACETIC ACID, TRISODIUM SALT SOLUTION | 17 | |
| Trisodium <i>N</i> -(carboxymethyl)- <i>N'</i> -(2-hydroxyethyl)- <i>N,N'</i> -ethylenediglycine | <i>N</i> -(HYDROXYETHYL)ETHYLENEDIAMINETRIACETIC ACID, TRISODIUM SALT SOLUTION | 17 | |
| Trisodium <i>N</i> -(2-hydroxyethyl)ethylenediamine- <i>N,N'</i> -triacetate | <i>N</i> -(HYDROXYETHYL)ETHYLENEDIAMINETRIACETIC ACID, TRISODIUM SALT SOLUTION | 17 | |
| Trisodium nitrilotriacetate solution | NITRILOTRIACETIC ACID, TRISODIUM SALT SOLUTION | 17 | |
| Tritolyl phosphate, containing less than 1% <i>ortho</i> -isomer | TRICRESYL PHOSPHATE (CONTAINING LESS THAN 1% <i>ortho</i> -ISOMER) | 17 | |
| Tritolyl phosphate, containing 1% or more <i>ortho</i> -isomer | TRICRESYL PHOSPHATE (CONTAINING 1% OR MORE <i>ortho</i> -ISOMER) | 17 | |
| Trixylenyl phosphate | TRIXYLYL PHOSPHATE | 17 | |
| TRIXYLYL PHOSPHATE | | 17 | |
| TUNG OIL | | 17 | |
| TURPENTINE | | 17 | 1299 |
| Turpentine oil | TURPENTINE | 17 | |
| Turps | TURPENTINE | 17 | |
| Type A Zeolite | SODIUM ALUMINOSILICATE SLURRY | 17 | |
| Undecane | <i>n</i> -ALKANES (C ₁₀ +) | 17 | |
| 1-Undecanecarboxylic acid | LAURIC ACID | 17 | |
| UNDECANOIC ACID | | 17 | |
| Undecan-1-ol | UNDECYL ALCOHOL | 17 | |
| Undec-1-ene | 1-UNDECENE | 17 | |
| 1-UNDECENE | | 17 | |
| UNDECYL ALCOHOL | | 17 | |
| Undecylbenzene | ALKYL(C ₉ +)BENZENES | 17 | |
| Undecylic acid | UNDECANOIC ACID | 17 | |
| <i>n</i> -Undecylic acid | UNDECANOIC ACID | 17 | |
| Urea, ammonia liquor | UREA/AMMONIUM NITRATE SOLUTION (CONTAINING LESS THAN 1% FREE AMMONIA) | 17 | |
| Urea, ammonium carbamate solutions | UREA/AMMONIUM NITRATE SOLUTION (CONTAINING LESS THAN 1% FREE AMMONIA) | 17 | |
| UREA/AMMONIUM NITRATE SOLUTION | | 17 | |
| UREA/AMMONIUM NITRATE SOLUTION (CONTAINING LESS THAN 1% FREE AMMONIA) | | 17 | |
| UREA/AMMONIUM PHOSPHATE SOLUTION | | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|--|-------------------------------------|---------|-----------|
| UREA SOLUTION | | 17 | |
| Valeral | VALERALDEHYDE (ALL ISOMERS) | 17 | |
| VALERALDEHYDE (ALL ISOMERS) | | 17 | 2058 |
| <i>n</i> -Valeraldehyde | VALERALDEHYDE (ALL ISOMERS) | 17 | |
| Valerianic acid | PENTANOIC ACID | 17 | |
| Valeric acid | PENTANOIC ACID | 17 | |
| <i>n</i> -Valeric acid | PENTANOIC ACID | 17 | |
| Valeric aldehyde | VALERALDEHYDE (ALL ISOMERS) | 17 | |
| Valerone | DIISOBUTYL KETONE | 17 | |
| Varnoline | WHITE SPIRIT, LOW (15–20%) AROMATIC | 17 | |
| VEGETABLE ACID OILS | | 17 | |
| VEGETABLE FATTY ACID DISTILLATES | | 17 | |
| VEGETABLE PROTEIN SOLUTION (HYDROLYSED) | | 18 | |
| Vinegar acid | ACETIC ACID | 17 | |
| Vinegar naphtha | ETHYL ACETATE | 17 | |
| VINYL ACETATE | | 17 | 1301 |
| Vinylbenzene | STYRENE MONOMER | 17 | |
| Vinylcarbinol | ALLYL ALCOHOL | 17 | |
| Vinyl cyanide | ACRYLONITRILE | 17 | |
| Vinyl ethanoate | VINYL ACETATE | 17 | |
| VINYL ETHYL ETHER | | 17 | 1302 |
| Vinylformic acid | ACRYLIC ACID | 17 | |
| VINYLDENE CHLORIDE | | 17 | 1303 |
| VINYL NEODECANOATE | | 17 | |
| VINYLTOLUENE | | 17 | 2618 |
| Vinyl trichloride | 1,1,2-TRICHLOROETHANE | 17 | |
| Vitriol brown oil | OLEUM | 17 | |
| WATER | | 18 | |
| Water glass | SODIUM SILICATE SOLUTION | 17 | |
| WAXES | | 17 | |
| White bole | KAOLIN SLURRY | 18 | |
| White caustic | SODIUM HYDROXIDE SOLUTION | 17 | |
| WHITE SPIRIT, LOW (15–20%) AROMATIC | | 17 | 1300 |
| White tar | NAPHTHALENE (MOLTEN) | 17 | |
| Wine | ALCOHOLIC BEVERAGES, N.O.S. | 18 | |
| Wintergreen oil | METHYL SALICYLATE | 17 | |
| Wood alcohol | METHYL ALCOHOL | 17 | |
| Wood naphtha | METHYL ALCOHOL | 17 | |
| Wood spirit | METHYL ALCOHOL | 17 | |
| XYLENES | | 17 | 1307 |
| XYLENES/ETHYLBENZENE (10% OR MORE) MIXTURE | | 17 | |
| XYLENOL | | 17 | 2261 |
| 2,3-Xylenol | XYLENOL | 17 | |
| 2,4-Xylenol | XYLENOL | 17 | |

| Index Name | Product Name | Chapter | UN Number |
|---|---|---------|-----------|
| 2,5-Xylenol | XYLENOL | 17 | |
| 2,6-Xylenol | XYLENOL | 17 | |
| 3,4-Xylenol | XYLENOL | 17 | |
| 3,5-Xylenol | XYLENOL | 17 | |
| Xylols | XYLENES | 17 | |
| ZINC ALKARYL DITHIOPHOSPHATE (C ₇ -C ₁₆) | | 17 | |
| ZINC ALKENYL CARBOXAMIDE | | 17 | |
| ZINC ALKYL DITHIOPHOSPHATE (C ₃ -C ₁₄) | | 17 | |
| Zinc bromide drilling brine | DRILLING BRINES (CONTAINING ZINC SALTS) | 17 | |